



---

**EUROPEAN UNION RULE OF LAW MISSION IN KOSOVO**

**EULEX KOSOVO**

Ndertesë Farmëd  
"Muharrem Fejza" p.n.

Lagja e Spitalit  
10 000 Pristina, Kosovo

<http://www.eulex-kosovo.eu>

Pristina 03 November 2015

**Our ref.: PROC/599/15/Construction Materials No.4 (EuropeAid/137648/ID/SUP/XK)**

Dear Madam/Sir,

**SUBJECT: INVITATION TO TENDER FOR Supply of Construction Material under Framework Contract**

This is an invitation to tender for the above mentioned supply contract. Please find enclosed the following documents, which constitute the tender dossier:

- A. Instructions to tenderers
- B. Draft contract and special conditions, including annexes
  - Draft contract
  - Special conditions
  - Annex i: general conditions
  - Annex ii +iii: technical specifications + technical offer
  - Annex iv: budget breakdown (model financial offer)
  - Annex v: forms
- C. Further information
  - Administrative compliance grid
  - Evaluation grid
- D. Tender form for a supply contract

For full information about procurement procedures please consult the Practical Guide to contract procedures for EU external actions and its annexes, which can be downloaded from the following web page: <http://ec.europa.eu/europeaid/prag/document.do>.

We look forward to receiving your tender and the accompanying tender guarantee before **10 December 2015 at 15:00hrs** at the address specified in the documents.

Yours sincerely,

**Sean Kerins**

Head of Mission Support Department - EULEX KOSOVO

## PART A. INSTRUCTIONS TO TENDERERS

PUBLICATION REF.: PROC/599/15/Construction Materials No.4

(EuropeAid/137648/ID/SUP/XK)

By submitting a tender, tenderers fully and unreservedly accept the special and general conditions governing the contract as the sole basis of this tendering procedure, whatever their own conditions of sale may be, which they hereby waive. Tenderers are expected to examine carefully and comply with all instructions, forms, contract provisions and specifications contained in this tender dossier. Failure to submit a tender containing all the required information and documentation within the deadline specified will lead to the rejection of the tender. No account can be taken of any remarks in the tender relating to the tender dossier; remarks may result in the immediate rejection of the tender without further evaluation.

These Instructions set out the rules for the submission, selection and implementation of contracts financed under this call for tenders, in conformity with the Practical Guide to contract procedures for EU external actions (available on the Internet at: <http://ec.europa.eu/europeaid/prag/document.do>).

### 1 Supplies to be provided

- 1.1 The subject of the framework contract is to settle the terms governing the delivery of Construction Materials (see Annex II and III for the description of the items and the estimated quantities that MAY be purchased during the duration of the framework contract) in 6 (six) lots, at EULEX Kosovo, Pristina, DAP1.

Lot 1	Interior/façade works material
Lot 2	Precast Concrete Elements, Concrete and Masonry Material
Lot 3	Doors, Windows and Locks
Lot 4	Wood
Lot 5	Plumbing
Lot 6	Electrical Material

The signature of the framework contract imposes no obligation on the Contracting Authority to purchase the quantities as estimated in Annex II and III.

Deliveries shall ONLY take place following the issuance of “purchase orders” to be issued by the Contracting Authority during the duration of this framework contract.

Deliveries shall take place within **14 (fourteen) working days** after the receipt by the contractor of a “purchase order” issued by the Contracting Authority during the duration of the framework contract;

---

<sup>1</sup> DAP (delivery at place) - Incoterms 2010 International Chamber of [Commerce - http://www.iccwbo.org/incoterms/id3040/index.html](http://www.iccwbo.org/incoterms/id3040/index.html)

- 1.2 The supplies must comply fully with the technical specifications set out in the tender dossier (technical annex) and conform in all respects with the drawings, quantities, models, samples, measurements and other instructions.
- 1.3 Tenderers are not authorised to tender for a variant solution in addition to the present tender.

## 2 Timetable

	<b>DATE</b>	<b>TIME*</b>
<b>Clarification meeting / site visit (if any)</b>	Not applicable	Not applicable
<b>Deadline for requesting clarifications from the Contracting Authority</b>	<b>19 November 2015</b>	<b>17:00 hrs</b>
<b>Last date on which clarifications are issued by the Contracting Authority</b>	<b>27 November 2015</b>	<b>17:00 hrs</b>
<b>Deadline for submission of tenders</b>	<b>10 December 2015</b>	<b>15:00 hrs</b>
<b>Tender opening session</b>	<b>10 December 2015</b>	<b>15:30 hrs</b>
<b>Notification of award to the successful tenderer</b>	<b>January 2016</b>	
<b>Signature of the contract</b>	<b>February 2016</b>	

\* All times are in the time zone of the country of the Contracting Authority

<sup>6</sup> Provisional date

## 3 Participation

- 3.1 Tendering is open to all legal persons participating either individually or in a grouping (consortium) of tenderers which are established in Member State of the European Union, in an official candidate country or a country that is a beneficiary of the Instrument for Pre-Accession Assistance, in a Member State of the European Economic Area, a country of the Western Balkans region or a contributing third State, as authorized by Council Joint Action 2008/124/CFSP of 04 February 2008 on EULEX KOSOVO as amended by JA 2009/445/CFSP and Council Decision 2010/322/CFSP, Council Decision 2012/291/CFSP, Council Decision 2013/241/CFSP, Council Decision 2014/349/CFSP, Council Decision 2014/685/CFSP of 29 September 2014 and Council Decision (CSFP) 2015/901 of 12 June 2015. Tendering is also open to international organisations. Tendering by natural persons is directly governed by the specific instruments applicable to the programme under which the contract is financed.
- 3.2 These terms refer to all nationals of the above states and to all legal entities, companies or partnerships established in the above states. For the purposes of proving compliance with this rule, tenderers being legal persons, must present the documents required under that country's law. In case of doubt, the Contracting Authority may ask the tenderer to provide evidence demonstrating actual compliance with the "establishment" criteria. For this purpose, legal person have to demonstrate that their legal person is formed under the law of an eligible State and that its real seat is within an eligible State. "Real seat" must be understood as the place where its managing board and its central administration are located or its principal place of business.

- 3.3 These rules apply to:
- a) tenderers
  - b) members of a consortium
  - c) any subcontractors.
- 3.4 Natural persons, companies or undertakings falling into one of the situations set out in section 2.3.3 of the Practical Guide to contract procedures for EU external actions are excluded from participation in and the award of contracts. Tenderers must provide declarations that they are not in any of these exclusion situations. The declarations must cover all the members of a joint venture/consortium. Tenderers who make false declarations may also incur financial penalties and exclusion in accordance with section 2.3.4 of the Practical Guide.

The exclusion situations referred to above also apply to subcontractors. When requested by the Contracting Authority, tenderers/contractors must submit declarations from the intended subcontractors that they are not in any of the exclusion situations. In cases of doubt over declarations, the Contracting Authority will request documentary evidence that subcontractors are not in a situation that excludes them.

- 3.5 To be eligible to take part in this tender procedure, tenderers must prove to the satisfaction of the Contracting Authority that they comply with the necessary legal, technical and financial requirements and have the means to carry out the contract effectively.
- 3.6 Where tenders include subcontracting, it is recommended that the contractual arrangements between tenderers and their subcontractors include mediation, according to national and international practices, as a method of dispute resolution.

## **4 Origin**

- 4.1 No rule of origin is applied.

## **5 Type of contract**

- 5.1 Framework contract with unit-price.
- 5.2 The quantities estimated and specified in ANNEX II +III are only indicative quantities and do NOT compel the contracting authority to buy any of them. The contracting authority may at its own discretion purchase fewer or more quantities than the estimated quantities per item. I.e. the contracting authority may purchase fewer quantities than those estimated for some items while in the meantime purchasing more quantities than those estimated for other items. The overall financial ceiling of purchase being the maximum budget available for the framework contract.
- 5.3 The contractor shall NOT be entitled to compensation and shall NOT be allowed to claim for changes of the unit prices, in case the contracting authority decides to purchase fewer or more quantities than the indicative ones specified per item in Annex II + III and/or in case the contracting authority decides NOT to purchase ANY of these quantities.
- 5.4 Payments and/or pre-financing will only be made by the Contracting Authority on the basis of the actual amount of the Purchase Orders to be issued during the duration of the framework contract. Actually, no pre-financing or payment shall be made on the only basis of the signature of this framework contract.
- 5.5 The framework contract shall be concluded for a period of **one (1) year**, with effect on the date on which it enters into force, (although the Framework contract may be terminated at short notice. See article 36 of the special conditions of the draft contract).

- 5.6 The contracting authority may, at its own discretion extend this framework contract. Such extension shall be made under negotiated procedure. The contract may only be extended once, such that the duration of extension does not exceed the duration of the initial framework contract. Any extension will be conditioned and limited by the Mission's mandate, the availability of corresponding budgetary funds and the satisfactory fulfillment of its obligations by the contractor.

## **6 Currency**

Tenders must be presented in **euro**.<sup>2</sup>

## **7 Lots**

- 7.1 The tenderer may submit a tender for one lot, several or all of the lots.
- 7.2 Each lot will form a separate contract and the quantities indicated for different lots will be indivisible. The tenderer must offer the whole of the quantity or quantities indicated for each lot. Under no circumstances must tenders be considered for part of the quantities required. If the tenderer is awarded more than one lot, a single contract may be concluded covering all those lots.
- 7.3 A tenderer may include in its tender the overall discount it would grant in the event of some or all of the lots for which it has submitted a tender being awarded. The discount should be clearly indicated for each lot in such a way that it can be announced during the public tender opening session.
- 7.4 Contracts will be awarded lot by lot, but the Contracting Authority may select the most favourable overall solution after taking account of any discounts offered.

## **8 Period of validity**

- 8.1 Tenderers will be bound by their tenders for a period of 90 days from the deadline for the submission of tenders.
- 8.2 In exceptional cases and prior to the expiry of the original tender validity period, the Contracting Authority may ask tenderers in writing to extend this period by 40 days. Such requests and the responses to them must be made in writing. Tenderers that agree to do so will not be permitted to modify their tenders and they are bound to extend the validity of their tender guarantees for the revised period of validity of the tender. If they refuse, without forfeiture of their tender guarantees, their participation in the tender procedure will be terminated.
- 8.3 The successful tenderer will be bound by its tender for a further period of 60 days. The further period is added to the validity period irrespective of the date of notification.

## **9 Language of tenders**

- 9.1 The tenders, all correspondence and documents related to the tender exchanged by the tenderer and the Contracting Authority must be written in the language of the procedure, which is **English**.

If the supporting documents are not written in one of the official languages of the European Union, a translation into the language of the call for tender must be attached. Where the documents are in an official language of the European Union other than English, it is strongly recommended to provide a translation into English, to facilitate evaluation of the documents.

---

<sup>2</sup> The currency of tender shall be the currency of the contract and of payment.

## 10 Submission of tenders

10.1 Tenders must be received before the deadline specified in 10.3. They must include all the documents specified in point 11 of these Instructions and be sent or hand delivered to the following address:

**EULEX Kosovo – Procurement Section**  
**Ndertesa Farmed**  
**“Muharrem Fejza” p.n.**  
**Lagja e Spitalit**  
**10000 Pristina, Kosovo**  
**E-mail: [tenders@eulex-kosovo.eu](mailto:tenders@eulex-kosovo.eu)**

Tenders must comply with the following conditions:

- 10.2 All tenders must be submitted in one original, marked ‘original’, and three copies signed in the same way as the original and marked ‘copy’.
- 10.3 All tenders must be received before the deadline **10 December 2015 at 15:00hrs** at EULEX Kosovo - Procurement Section, Ndertesa Farmed, “Muharrem Fejza” p.n. Lagja e Spitalit, 10000 Pristina, Kosovo by registered letter with acknowledgement of receipt or hand-delivered against receipt signed by Contracting Authority or its representative.
- 10.4 All tenders, including annexes and all supporting documents, must be submitted in a sealed envelope bearing only:
- a) the above address;
  - b) the reference code of this tender procedure (i.e. PROC/599/15/Construction Materials No.4 (EuropeAid/137648/ID/SUP/XK));
  - c) the number of the lot(s) tendered for;
  - d) the words ‘Not to be opened before the tender opening session’ in the language of the tender dossier and “Te mos hapet para sesionit te hapjes” and “Ne otvori pre otvarajuce sesije”.
  - e) the name of the tenderer.

The technical and financial offers must be placed together in a sealed envelope. The envelope should then be placed in another single sealed envelope/package, unless their volume requires a separate submission for each lot.

## 11 Content of tenders

All tenders submitted must comply with the requirements in the tender dossier and comprise:

### **Part 1: Technical offer:**

- a **detailed description of the supplies** tendered in conformity with the technical specifications, including any documentation required.

The technical offer should be presented as per template (Annex II+III\*, Contractor’s technical offer) adding separate sheets for details if necessary.

## **Part 2: Financial offer:**

- A **financial offer calculated on a DAP<sup>3</sup>** basis for the supplies tendered.

This financial offer should be presented as per template (annex IV\*, budget breakdown), and if necessary completed by separate sheets for the details.

- **An electronic version of the financial offer**

## **Part 3: Documentation:**

To be supplied using the templates attached\*:

- The tender guarantee, for

Lot 1	Interior/façade works material	€ 450
Lot 2	Precast Concrete Elements, Concrete and Masonry Material	€ 120
Lot 3	Doors, Windows and Locks	€ 150
Lot 4	Wood	€ 120
Lot 5	Plumbing	€ 260
Lot 6	Electrical Material	€ 470

- The ‘**Tender Form for a Supply Contract**’, duly completed, which includes the tenderer’s declaration, point 7, (from each member if a consortium):
- The details of the bank account into which payments should be made (**financial identification form**) (Tenderers that have already signed another contract with the EULEX Kosovo, may provide their financial identification form number instead of the financial identification form, or a copy of the financial identification form provided on that occasion, if no change has occurred in the meantime.)
- The **legal entity file** and the supporting documents (Tenderers that have already signed another contract with the EULEX Kosovo, may provide their legal entity number instead of the legal entity sheet and supporting documents, or a copy of the legal entity sheet provided on that occasion, if no change in legal status has occurred in the meantime.)

To be supplied in free-text format:

- A **description of the warranty conditions**, which must be in accordance with the conditions laid down in Article 32 of the General Conditions.
- A **description of the organisation of the commercial warranty** only for certain items specified in Annex II+III: Technical Specifications “**Matrix Technical Documents**” tendered in accordance with the conditions laid down in Article 32 of the Special Conditions.
- **Duly authorised signature**: an official document (statutes, power of attorney, notary statement, etc.) proving that the person who signs on behalf of the company/joint venture/consortium is duly authorised to do so.

---

<sup>3</sup> DAP (Delivered At Place) — Incoterms 2010 International Chamber of Commerce  
<http://www.iccwbo.org/products-and-services/trade-facilitation/incoterms-2010/the-incoterms-rules/>.

- **Manufacturers datasheets** only for certain items specified in Annex II+III: Technical Specifications “Matrix Technical Documents”;
- **Manufacturers installation guidelines** only for certain items specified in Annex II+III: Technical Specifications “Matrix Technical Documents”;
- **Manufacturers quality control certificates ISO 9001** only for certain items specified in Annex II+III: Technical Specifications “Matrix Technical Documents”;
- **Manufacturers MSDS** only for certain items specified in Annex II+III: Technical Specifications “Matrix Technical Documents”;
- For LOT 6: Electrical material must be CE marked
- **Documentary proof** or statements required under the law of the country in which the company (or each of the companies for consortia) is established, to show that it is not in any of the exclusion situations listed in section 2.3.3 of the Practical Guide to contract procedures for EU external action. This evidence, documents or statements must be dated, no more than 1 year before the date of submission of the tender. In addition, a statement must be furnished stating that the situations described in these documents have not changed since then.

If the nature of your entity is such that it cannot fall into the exclusion situations and/or cannot provide the documents indicated above (for instance, national public administrations and international organisations), please provide a declaration explaining this situation.

The Contracting Authority may waive the obligation of any candidate or tenderer to submit the documentary evidence referred to above if such evidence has already been submitted for the purposes of another procurement procedure, provided that the issue date of the documents does not exceed one year and that they are still valid. In this case, the candidate or tenderer must declare on his/her honour that the documentary evidence has already been provided in a previous procurement procedure and confirm that his/her situation has not changed.

If the documentary evidence submitted is not written in one of the official languages of the European Union, a translation into the language of the procedure must be attached. Where the documents are in an official language of the European Union other than the one of the procedure, it is however strongly recommended to provide a translation into the language of the procedure, in order to facilitate the evaluation of the documents. Documentary proof or statements may be in original or copy. If copies are submitted, the originals must be available to send to the Contracting Authority upon request.

#### Remarks:

Tenderers are requested to follow this order of presentation.

Annex\* refers to templates attached to the tender dossier. These templates are also available on: [http://ec.europa.eu/europeaid/work/procedures/index\\_en.htm](http://ec.europa.eu/europeaid/work/procedures/index_en.htm)

## 12 Taxes and other charges

The applicable tax and customs arrangements are the following:

For supplies manufactured locally, all internal fiscal charges applicable to their manufacture, including VAT, shall be excluded.

For supplies to be imported into the country of the Contracting Authority, all duties and taxes applicable to their importation, including VAT

shall be excluded.

Whatever the origin of the supplies, the contract shall be exempt from stamp and registration duties.

### **13 Additional information before the deadline for submission of tenders**

The tender dossier should be so clear that tenderers do not need to request additional information during the procedure. If the Contracting Authority, on its own initiative or in response to a request from a prospective tenderer, provides additional information on the tender dossier, it must send such information in writing to all other prospective tenderers at the same time.

Tenderers may submit questions in writing to the following address up to 21 days before the deadline for submission of tenders, specifying the **publication reference and the contract title**:

**EULEX Kosovo – Procurement Section**  
**Ndertesa Farmed**  
**“Muharrem Fejza” p.n.**  
**Lagja e Spitalit**  
**10000 Pristina, Kosovo**  
**E-mail: [tenders@eulex-kosovo.eu](mailto:tenders@eulex-kosovo.eu)**

The Contracting Authority has no obligation to provide clarifications after this date.

Any clarification of the tender dossier will be published on the EULEX website at <http://www.eulex-kosovo.eu/?page=2,6> at the latest 11 days before the deadline for submission of tenders.

Any prospective tenderers seeking to arrange individual meetings with either the Contracting Authority and/or the European Commission during the tender period may be excluded from the tender procedure.

### **14 Clarification meeting / site visit**

No clarification meeting / site visit planned. Visits by individual prospective tenderers during the tender period cannot be organised.

### **15 Alteration or withdrawal of tenders**

15.1 Tenderers may alter or withdraw their tenders by written notification prior to the deadline for submission of tenders referred to in Article 10.1. No tender may be altered after this deadline. Withdrawals must be unconditional and will end all participation in the tender procedure.

15.2 Any such notification of alteration or withdrawal must be prepared and submitted in accordance with Article 10. The outer envelope must be marked ‘Alteration’ or ‘Withdrawal’ as appropriate.

15.3 No tender may be withdrawn in the interval between the deadline for submission of tenders referred to in Article 10.1 and the expiry of the tender validity period. Withdrawal of a tender during this interval may result in forfeiture of the tender guarantee.

### **16 Costs of preparing tenders**

No costs incurred by the tenderer in preparing and submitting the tender are reimbursable. All such costs will be borne by the tenderer.

### **17 Ownership of tenders**

The Contracting Authority retains ownership of all tenders received under this tender procedure. Consequently, tenderers have no right to have their tenders returned to them.

### **18 Joint venture or consortium**

18.1 If a tenderer is a joint venture or consortium of two or more persons, the tender must be a single one with the object of securing a single contract, each person must sign the tender and will be jointly and severally liable for the tender and any contract. Those persons must designate one of

their members to act as leader with authority to bind the joint venture or consortium. The composition of the joint venture or consortium must not be altered without the prior written consent of the Contracting Authority.

- 18.2 The tender may be signed by the representative of the joint venture or consortium only if it has been expressly so authorised in writing by the members of the joint venture or consortium, and the authorising contract, notarial act or deed must be submitted to the Contracting Authority in accordance with point 11 of these Instructions to Tenderers. All signatures to the authorising instrument must be certified in accordance with the national laws and regulations of each party comprising the joint venture or consortium together with the powers of attorney establishing, in writing, that the signatories to the tender are empowered to enter into commitments on behalf of the members of the joint venture or consortium. Each member of such joint venture or consortium must provide the proof required under Article 3.5 as if it, itself, were the tenderer.

## **19 Opening of tenders**

- 19.1 The opening and examination of tenders is for the purpose of checking whether the tenders are complete, whether the requisite tender guarantees have been furnished, whether the required documents have been properly included and whether the tenders are generally in order.
- 19.2 The tenders will be opened in public session on **10 December 2015 at 15:30hrs at EULEX Kosovo - Procurement Section, Ndertesa Farmed, "Muharrem Fejza" p.n. Lagja e Spitalit, 10000 Pristina, Kosovo** by the committee appointed for the purpose. The committee will draw up minutes of the meeting, which will be available on request.
- 19.3 At the tender opening, the tenderers' names, the tender prices, any discount offered, written notifications of alteration and withdrawal, the presence of the requisite tender guarantee (if required) and such other information as the Contracting Authority may consider appropriate may be announced.
- 19.4 After the public opening of the tenders, no information relating to the examination, clarification, evaluation and comparison of tenders, or recommendations concerning the award of the contract can be disclosed until after the contract has been awarded.
- 19.5 Any attempt by tenderers to influence the evaluation committee in the process of examination, clarification, evaluation and comparison of tenders, to obtain information on how the procedure is progressing or to influence the Contracting Authority in its decision concerning the award of the contract will result in the immediate rejection of their tenders.
- 19.6 All tenders received after the deadline for submission specified in the contract notice or these instructions will be kept by the Contracting Authority. The associated guarantees will be returned to the tenderers. No liability can be accepted for late delivery of tenders. Late tenders will be rejected and will not be evaluated.

## **20 Evaluation of tenders**

### **20.1 Examination of the administrative conformity of tenders**

The aim at this stage is to check that tenders comply with the essential requirements of the tender dossier. A tender is deemed to comply if it satisfies all the conditions, procedures and specifications in the tender dossier without substantially departing from or attaching restrictions to them.

Substantial departures or restrictions are those which affect the scope, quality or execution of the contract, differ widely from the terms of the tender dossier, limit the rights of the Contracting Authority or the tenderer's obligations under the contract or distort competition for tenderers whose tenders do comply. Decisions to the effect that a tender is not administratively compliant must be duly justified in the evaluation minutes.

If a tender does not comply with the tender dossier, it will be rejected immediately and may not subsequently be made to comply by correcting it or withdrawing the departure or restriction.

## 20.2 Technical evaluation

After analysing the tenders deemed to comply in administrative terms, the evaluation committee will rule on the technical admissibility of each tender, classifying it as technically compliant or non-compliant.

**The minimum qualifications required (see selection criteria in Contract notice point 16) are to be evaluated at the start of this stage.**

Where contracts include after-sales service and/or training, the technical quality of such services will also be evaluated by using yes/no criteria as specified in the tender dossier.

- 20.3 In the interests of transparency and equal treatment and to facilitate the examination and evaluation of tenders, the evaluation committee may ask each tenderer individually for clarification of its tender including breakdowns of prices, within a reasonable time limit to be fixed by the evaluation committee. The request for clarification and the response must be in writing, but no change in the price or substance of the tender may be sought, offered or permitted except as required to confirm the correction of arithmetical errors discovered during the evaluation of tenders pursuant to Article 20.4. Any such request for clarification must not distort competition. Decisions to the effect that a tender is not technically compliant must be duly justified in the evaluation minutes.

## 20.4 Financial evaluation

- a) Tenders found to be technically compliant will be checked for any arithmetical errors in computation and summation. Errors will be corrected by the evaluation committee as follows:
- where there is a discrepancy between amounts in figures and in words, the amount in words will be the amount taken into account;
  - except for lump-sum contracts, where there is a discrepancy between a unit price and the total amount derived from the multiplication of the unit price and the quantity, the unit price as quoted will be the price taken into account.
- b) Amounts corrected in this way will be binding on the tenderer. If the tenderer does not accept them, its tender will be rejected.

## 20.5 Variant solutions

Variant solutions will not be taken into consideration.

## 20.6 Award criteria

The sole award criterion will be the price. The contract will be awarded to the lowest compliant tender.

## **21 Signature of the contract and performance guarantee**

- 21.1 The successful tenderer will be informed in writing that its tender has been accepted (notification of award). Before the Contracting Authority signs the contract with the successful tenderer, the successful tenderer must provide the **documentary proof** or statements required under the law of the country in which the company (or each of the companies in case of a consortium) is established, to show that it is not in any of the exclusion situations listed in section 2.3.3 of the Practical Guide to contract procedures for EU external actions. This evidence or these documents or statements must carry a date not earlier than one year before the date of submission of the tender. In addition, a statement must be provided that the situations described in these documents have not changed since then.

- 21.2 The successful tenderer must also provide evidence of financial and economic standing and technical and professional capacity according to the selection criteria for this call for tenders specified in the contract notice, point 16. The documentary proofs required are listed in section 2.4.11 of the Practical Guide.
- 21.3 If the successful tenderer fails to provide the documentary proof or statement or the evidence of financial and economic standing and technical and professional capacity within 15 calendar days following the notification of award or if the successful tenderer is found to have provided false information, the award will be considered null and void. In such a case, the Contracting Authority may award the tender to the next lowest tenderer or cancel the tender procedure.
- 21.5 Within 30 days of receipt of the contract signed by the Contracting Authority, the selected tenderer must sign and date the contract and return it, with the performance guarantee (if applicable), to the Contracting Authority. On signing the contract, the successful tenderer will become the Contractor and the contract will enter into force.
- 21.6 If it fails to sign and return the contract and any financial guarantee required within 30 days after receipt of notification, the Contracting Authority may consider the acceptance of the tender to be cancelled without prejudice to the Contracting Authority's right to seize the guarantee, claim compensation or pursue any other remedy in respect of such failure, and the successful tenderer will have no claim whatsoever on the Contracting Authority.
- 21.7 The **performance guarantee** referred to in the General Conditions is set at **5%** of the amount of the contract and must be presented in the form specified in the annex to the tender dossier. It will be released within 45 days of the issue of the final acceptance certificate by the Contracting Authority, except for the proportion assigned to after-sales service.

## 22 Tender guarantee

The tender guarantee referred to in Article 11 above is set at (**see below table with the amount per lot**) and must be presented in the form specified in the annex to the tender dossier. It must remain valid for 45 days beyond the period of validity of the tender. Tender guarantees provided by tenderers who have not been selected will be returned together with the information letter that the tenderer has been unsuccessful. The tender guarantee of the successful tenderer will be released on signing of the contract, once the performance guarantee has been submitted.

Lot 1	Interior/façade works material	<b>€ 450</b>
Lot 2	Precast Concrete Elements, Concrete and Masonry Material	<b>€ 120</b>
Lot 3	Doors, Windows and Locks	<b>€ 150</b>
Lot 4	Wood	<b>€ 120</b>
Lot 5	Plumbing	<b>€ 260</b>
Lot 6	Electrical Material	<b>€ 470</b>

## 23 Ethics clauses

- 23.1 Any attempt by a candidate or tenderer to obtain confidential information, enter into unlawful agreements with competitors or influence the committee or the Contracting Authority during the process of examining, clarifying, evaluating and comparing tenders will lead to the rejection of their candidacy or tender and may result in administrative penalties.
- 23.2 Without the Contracting Authority's prior written authorisation, a Contractor and its staff or any other company with which the Contractor is associated or linked may not, even on an ancillary or subcontracting basis, supply other services, carry out works or supply equipment for the project. This prohibition also applies to any other projects that could, owing to the nature of the contract, give rise to a conflict of interest on the part of the Contractor.

- 23.3. When submitting a tender, tenderers must declare that they are not affected by a conflict of interest and have no equivalent relation in that respect with other tenderers or parties involved in the project. Should such a situation arise during execution of the contract, the Contractor must immediately inform the Contracting Authority.
- 23.4 Contractors must at all times act impartially and as faithful advisers in accordance with the code of conduct of their profession. They will refrain from making public statements about the project or services without the Contracting Authority's prior approval. They may not commit the Contracting Authority in any way without its prior written consent.
- 23.5 For the duration of the contracts Contractors and their staff must respect human rights and undertake not to offend the political, cultural and religious mores of the beneficiary state. In particular and in accordance with the legal basic act concerned, tenderers that have been awarded contracts must abide by core labour standards as defined in the relevant International Labour Organisation conventions (such as the Conventions on freedom of association and collective bargaining; Abolition of forced and compulsory labour; Elimination of forced and compulsory labour; Abolition of child labour).
- 23.6 Contractors may accept no payment connected with the contracts other than that provided for therein. Contractors and their staff must not exercise any activity nor receive any advantage inconsistent with their obligations to the Contracting Authority.
- 23.7 Contractors and their staff are obliged to maintain professional secrecy for the entire duration of contracts and after their completion. All reports and documents drawn up or received by Contractors will be confidential.
- 23.8 The contract governs the Contracting Parties' use of all reports and documents drawn up, received or presented by them during the implementation of the contract.
- 23.9 Contractors must refrain from any relationship likely to compromise their independence or that of their staff. If the Contractor ceases to be independent, the Contracting Authority may, regardless of injury, terminate the contract without further notice and without the Contractor having any claim to compensation.
- 23.10 The Commission reserves the right to suspend or cancel project financing if corrupt practices of any kind are discovered at any stage of the award process and if the Contracting Authority fails to take all appropriate measures to remedy the situation. For the purposes of this provision, 'corrupt practices' are the offer of a bribe, gift, gratuity or commission to any person as an inducement or reward for performing or refraining from any act relating to the award of a contract or implementation of a contract already concluded with the Contracting Authority.
- 23.11 All tenders will be rejected or contracts terminated if it emerges that the award or implementation of a contract has given rise to unusual commercial expenses. Such unusual commercial expenses are commissions not mentioned in the main contract or not stemming from a properly concluded contract referring to the main contract, commissions not paid in return for any actual and legitimate service, commissions remitted to a tax haven, commissions paid to a recipient who is not clearly identified or commissions paid to a company which has any appearance of being a front company.
- 23.12 The Contractor undertakes to supply the Commission on request with all supporting documents relating to the conditions of the contract's execution. The Commission may carry out whatever documentary or on-the-spot checks it deems necessary to find evidence in cases of suspected unusual commercial expenses.
- 23.13 Contractors found to have paid unusual commercial expenses on projects funded by the EU are liable, depending on the seriousness of the facts observed, to have their contracts terminated or to be permanently excluded from receiving EU funds.
- 23.14 The Contracting Authority reserves the right to suspend or cancel the procedure, if the award procedure proves to have been subject to substantial errors, irregularities or fraud. Where such

substantial errors, irregularities or fraud are discovered after the award of the Contract, the Contracting Authority may refrain from concluding the Contract.

## 24 Cancellation of the tender procedure

If a tender procedure is cancelled, tenderers will be notified by the Contracting Authority. If the tender procedure is cancelled before the tender opening session the sealed envelopes will be returned, unopened, to the tenderers.

Cancellation may occur where:

- the tender procedure has been unsuccessful, namely where no qualitatively or financially worthwhile tender has been received or there has been no valid response at all;
- the economic or technical parameters of the project have changed fundamentally;
- exceptional circumstances or *force majeure* render normal implementation of the project impossible;
- all technically compliant tenders exceed the financial resources available;
- there have been irregularities in the procedure, in particular where these have prevented fair competition;
- the award is not in compliance with sound financial management, i.e. does not respect the principles of economy, efficiency and effectiveness (e.g. the price proposed by the tenderer to whom the contract is to be awarded is objectively disproportionate with regard to the price of the market;

**In no event will the Contracting Authority be liable for any damages whatsoever including, without limitation, damages for loss of profits, in any way connected with the cancellation of a tender procedure even if the Contracting Authority has been advised of the possibility of damages. The publication of a contract notice does not commit the Contracting Authority to implement the programme or project announced.**

## 25 Appeals

Tenderers believing that they have been harmed by an error or irregularity during the award process may file a complaint. See section 2.4.15 of the Practical Guide.

## 26 Early Warning System and Central Exclusion Database

The tenderers and, if they are legal entities, persons who have powers of representation, decision-making or control over them, are informed that, should they be in one of the situations mentioned in:

- the European Commission Decision of 16.12.2008 on the Early Warning System (EWS) for the use of authorising officers of the Commission and the executive agencies (OJ, L 344, 20.12.2008, p.125) or
- the European Commission Regulation of 17.12.2008 on the Central Exclusion Database (CED) (OJ L344, 20.12.2008, p.12),

their personal details (name, given name if natural person, address, legal form and name and given name of the persons with powers of representation, decision-making or control, if legal person) may be registered in the EWS only, or in both the EWS and CED, and communicated to the persons and entities listed in the above-mentioned Decision and Regulation, in relation to the award or the execution of a procurement contract.

**PART B. *DRAFT FRAMEWORK CONTRACT AND SPECIAL CONDITIONS, INCLUDING ANNEXES***

***DRAFT* FRAMEWORK CONTRACT**

**SUPPLY FRAMEWORK CONTRACT FOR EUROPEAN  
UNION EXTERNAL ACTIONS**

**No PROC/599/15/Construction Materials No.4 (EuropeAid/  
EuropeAid/137648/ID/SUP/XK)**

**FINANCED FROM THE EU GENERAL BUDGET**

**European Union Rule of Law Mission in Kosovo (EULEX)**, with its address at Ndertesa Farmed “Muharrem Fejza” p.n. Lagja e Spitalit 10000 Pristina, Kosovo, represented for the purpose of this contract under delegated authority by the Head of Mission Support Department, Mr. Sean Kerins (“The Contracting Authority”),

of the one part,

and

<Full official name of Contractor>  
[Legal status/title]<sup>4</sup>  
[Official registration number]<sup>5</sup>  
[Full official address]  
[VAT number]<sup>6</sup>, (“the Contractor”)

of the other part,

have agreed as follows:

**CONTRACT TITLE Supply of Construction Materials**  
**Identification number PROC/599/15/Construction Materials No.4**  
**EuropeAid/137648/ID/SUP/XK**

**Article 1 Subject**

1.1 The subject of the framework contract is the supply and delivery by the Contractor of construction materials (see Annex II and III of the Tender Dossier for the relevant description of the items and the yearly estimated quantities of items that MAY be purchased during the duration of the framework contract) in 6 (six) lots at EULEX Kosovo, Pristina, DAP7.

---

<sup>4</sup> Where the contracting party is an individual.

<sup>5</sup> Where applicable. For individuals, mention their ID card or passport or equivalent document - number

<sup>6</sup> Except where the contracting party is not VAT registered.

<sup>7</sup> DAP (delivery at place) - Incoterms 2010 International Chamber of [Commerce - http://www.iccwbo.org/incoterms/id3040/index.html](http://www.iccwbo.org/incoterms/id3040/index.html)

Lot 1	Interior/façade works material
Lot 2	Precast Concrete Elements, Concrete and Masonry Material
Lot 3	Doors, Windows and Locks
Lot 4	Wood
Lot 5	Plumbing
Lot 6	Electrical Material

- 1.2 The place of acceptance of the supplies shall be EULEX Kosovo premises Pristina-Kosovo as specified in the respective Purchase Order, the time limits for delivery shall be **14 (fourteen) working days** from the reception by the contractor of a Purchase Order placed by the Contracting Authority and the Incoterm applicable shall be DAP.
- 1.3 The framework contract will be implemented by “purchase orders”. I.e. whenever the Contracting Authority intends to acquire items pursuant to this framework contract, it shall send a “Purchase Order” to the contractor, specifying the quantities of items to be supplied. Deliveries shall take place in accordance with the terms and conditions of the special and general conditions, supplemented and/or amended by the specific terms for each particular delivery as set out in the “purchase orders”.
- 1.4 The quantities estimated and specified in ANNEX II +III are only indicative quantities and do NOT compel the contracting authority to buy any of them The contracting authority may at its own discretion purchase fewer or more quantities than those estimated quantities per item. The overall financial ceiling being the maximum budget available for this framework contract as expressed in article 3.1 below.
- 1.5 The contractor shall NOT be entitled to compensation and shall NOT be allowed to claim for changes of the unit prices, in case the contracting authority decides to purchase fewer or more quantities than the indicative ones specified per item in Annex II + III and/or in case the contracting authority decides NOT to purchase ANY of these quantities.
- 1.6 The framework contract shall be concluded for a period of **one (1) year** with effect on the date on which it enters into force, (although the Framework contract may be terminated at short notice. See article 36 of the special conditions).
- 1.7 The contracting authority may, at its own discretion extend this framework contract. Such extension shall be made under negotiated procedure. The contract may only be extended once, such that the duration of extension does not exceed the duration of the initial framework contract. Any extension will be conditioned and limited by the Mission’s mandate, the availability of corresponding budgetary funds and the satisfactory fulfillment of its obligations by the contractor.
- 1.8 The Contractor shall comply strictly with the terms of the Special Conditions and the technical annex II+III.

## Article 2 Origin

No rule of origin is applied.

## Article 3 Price

- 3.1 The price of the supplies shall be that shown on the financial offer (specimen in Annex IV). The sum of all payments shall not exceed the maximum budgetary sum of **<maximum budget amount >**.

- 3.2 The unit prices referred to in Article 3.1 above shall be the sole remuneration owed by the Contracting Authority to the Contractor under the framework contract. The unit prices for Lots 1, 2, 3, 4 and for Lot 5 (items not related to copper) shall be firm and shall not be subject to revision for orders placed during the performance of the framework contract.
- 3.3 The prices for Lot 5 and Lot 6 (items related to copper) will be fixed according to the daily official cash buy prices index indicated in the London Metal Exchange, as published on [www.lme.com](http://www.lme.com) as stipulated in Article 26 of the Special Conditions.
- 3.4 Payments shall be made in accordance with the General and/or Special Conditions (Articles 26 to 28).

#### **Article 4 Order of precedence of contract documents**

The contract is made up of the following documents, in order of precedence:

- the contract agreement;
- the Special Conditions
- the General Conditions (Annex I);
- the Technical Specifications (Annex II [including clarifications before the deadline for submission of tenders.
- the Technical Offer (Annex III [including clarifications from the tenderer provided during tender evaluation];
- the budget breakdown (Annex IV);
- specified forms and other relevant documents including purchase order and provisional/final acceptance certificate (Annex V);

The various documents making up the contract shall be deemed to be mutually explanatory; in cases of ambiguity or divergence, they shall prevail in the order in which they appear above.

Done in English in four originals, three originals being for the Contracting Authority and one original being for the Contractor.

<b>For the Contractor</b>		<b>For the Contracting Authority</b>	
Name:		Name:	<b>Sean Kerins</b>
Title:		Title:	Head of Mission Support Department - EULEX Kosovo
Signature:	_____	Signature:	_____
Date:		Date:	

# ***SPECIAL CONDITIONS***

## **CONTENTS**

These conditions amplify and supplement, if necessary, the General Conditions governing the Contract. Unless the Special Conditions provide otherwise, those General Conditions remain fully applicable. The numbering of the Articles of the Special Conditions is not consecutive but follows the numbering of the Articles of the General Conditions. In exceptional cases, and with the authorisation of the appropriate Commission departments, other clauses may be added to cover specific situations.

### **Article 2 Language of the Contract**

2.1 The language used shall be English.

### **Article 4 Communications**

4.1 Any written communication relating to this Contract between the Contracting Authority and/or the Project Manager, on the one hand, and the Contractor on the other must state the Contract title and identification number, and must be sent by post, fax, e-mail or by hand.

For the Contracting Authority:

<b>Name:</b>	European Union Rule of Law Mission in Kosovo Attn: <b>Project Manager</b>
<b>Address:</b>	European Union Rule of Law Mission in Kosovo <b>Project Manager</b> Ndërtesa Farmed “Muharrem Fejza” p.n. Lagja e Spitalit 10000 Pristina, Kosovo
<b>Telephone:</b>	
<b>e-mail:</b>	

For the Contractor:

<b>Name:</b>	
<b>Address:</b>	
<b>Telephone:</b>	
<b>e-mail:</b>	

### **Article 10 Origin**

10.1 No rule of origin is applied.

### **Article 11 Performance guarantee**

11.1 The amount of the performance guarantee shall be ..... Euros equivalent to **5 %** of the total Contract price, including any amounts stipulated in addenda to the Contract.

## Article 12 Insurance

- 12.1 The contractor shall insure for replacement value of the goods until delivery.

## Article 16 Tax and customs arrangements

- 16.1 The terms of delivery of the goods shall be DAP (Delivered At Place) - Incoterms 2010 International Chamber of commerce
- 16.2 For supplies manufactured locally, all internal fiscal charges applicable to their manufacture, including VAT<sup>8</sup>, shall be excluded.

For supplies to be imported into the country of the Contracting Authority, all duties and taxes applicable to their importation, including VAT shall be excluded.

Whatever the origin of the supplies, the contract shall be exempt from stamp and registration duties.

## Article 18 Commencement order

- 18.1 The implementation of the contract shall commence at the signature by both parties **or date** **xxxx**
- 18.2 The framework contract will be implemented by means of “purchase orders” which implementation date (governing the 14 working days delivery period) will start on the date of reception by the Contractor of a “purchase order”.
- 18.3. Under no circumstances may purchase orders be placed before the date on which the framework contract enters into force and/or after the framework contract expires.

## Article 19 Period of implementation of the tasks

- 19.1 The framework contract shall be concluded for a period of **one (1) year**, with effect on the date on which it commences, (although the Framework contract may be terminated at short notice. See article 36 of the special conditions).
- 19.3 The contracting authority may, at its own discretion extend this framework contract. Such extension shall be made under negotiated procedure. The contract may only be extended once, such that the duration of extension does not exceed the duration of the initial framework contract. Any extension will be conditioned and limited by the Mission’s mandate, the availability of corresponding budgetary funds and the satisfactory fulfillment of its obligations by the contractor.

## Article 22 Amendments

- 22.1 Provisions of Article 22 of the general conditions related to variations are not applicable to the present framework contract.

---

<sup>8</sup> The EULEX Kosovo) is a diplomatic mission and according to UNMIK Executive Decision No 2008/36 of 9 December 2008, it is granted exemption from all customs duties, taxes, and related charges other than charges for storage, cartage and similar services, on articles for its official use.

## Article 24 Quality of supplies

24.2 No preliminary technical acceptance is required.

## Article 25 Inspection and testing

25.2 Inspection and testing will take place upon installation at respective location in accordance with Annex II + III of the Contract and Article 25 of the General Conditions.

## Article 26 General principles for payments

26.1 Payments shall be made in euros.

Payments shall be authorised and made by the Contracting Authority.

Request for payments or pre-financing shall be made only on the basis of the amount value of a valid Purchase Order issued by the contracting authority.

26.5 In order to obtain payments, the Contractor must forward to the authority referred to in paragraph 26.1 above:

a) For the 40% pre-financing, in addition to the payment request, the performance guarantee. If a pre-financing is requested, **the Contractor must provide a financial guarantee for the full amount of the pre-financing payment (the contractor is not obliged to ask for pre-financing).**

b) For the 60% balance, the invoice(s) in triplicate following provisional acceptance of the supplies.

26.9 For Lot 5 for items related to copper and Lot 6, prices may be revised upwards or downwards.

Purchase orders will determine the quantity required.

The date of delivery shall be the date on which a revision shall be based. Such prices shall not be subject to revision.

This revision shall be determined according to the daily official cash buy prices index indicated in the London Metal Exchange, as published on [www.lme.com](http://www.lme.com)

Revision shall be calculated in accordance with the following formula:

$$Pr = Po \left( \frac{Ir}{Io} \right)$$

Where:

Pr = revised price.

Po = price in the original tender.

Io = index for the day of the tender submission deadline.

Ir = index for the day corresponding to the delivery date of the relevant purchase order

acceptance of the supplies and/or ancillary services.

## Article 29 Delivery

- 29.1 The place of acceptance of the supplies shall be EULEX Kosovo premises, Pristina-Kosovo as specified in the respective Purchase Order, the time limits for the delivery shall be **14 (fourteen) working days** and the Incoterm applicable shall be DAP (delivery at place) The implementation shall run from the date of reception by the contractor of a Purchase Order placed by the Contracting Authority.
- 29.2 The Contractor shall bear all risks relating to the goods until provisional acceptance at destination. The supplies shall be packaged so as to prevent their damage or deterioration in transit to their destination.
- 29.3. The delivery shall take place on a working day and during the normal working hours of the Contracting Authority's warehouse; the "working hour schedule" shall be accurately specified at the time of the signature of the contract.
- 29.4. Use of Standard European "Euro-Pallets" and other mandatory requirements.
- 29.4.a. The contractor shall deliver the goods on standard European "Euro-pallets". The packaging shall become the property of the recipient subject to respect for the environment.
- 29.4.b. Every 'Euro-Pallet' has to be labeled with its exact content and total weight.
- 29.4.c. The maximum load per standard "Euro-pallet" (including the pallet) shall be up to 400 kg. For new certifi
- 29.4.d. Height of packing shall be up to maximum 1.6 m.
- 29.4.e. Items shall be packed into boxes with like items packed together. Every box should have individual labeling indicating clearly the content, weight and dimensions, including but not limited to labeling for dangerous goods in accordance with IATA/ADR dangerous goods labeling and in accordance with REGULATION (EC) No 1272/2008 of 16 December 2008.
- 29.4.f. Should the nature of the goods make it impossible to meet a requirement set under this article 29, variations may be authorised by the Project manager, following the receipt, before the actual delivery, of a detailed request letter from the Contractor.
- 29.4.g. Unless, duly authorised by the Project manager before the actual delivery, any shipment delivered in violation of the contractual obligations set under this article 29 will be rejected and remain under the custody and exclusive responsibility of the contractor or the carrier appointed by it. The Contractor or carrier shall NOT be entitled to claim for any compensation or indemnity for loss suffered in case the shipment was rejected by the Contracting Authority due to the violation of a contractual obligation set under article 29 of these special conditions.

## Article 31 Provisional acceptance

The Certificate of Provisional Acceptance must be issued using the template in Annex C11 of the Practical Guide for contract procedures for EU External Actions.

## Article 32 Warranty obligations

- 32.1 The Contractor shall warrant that the supplies are new, unused, of the most recent models and incorporate all recent improvements in design and materials, unless otherwise provided in the contract. The Contractor shall further warrant that all supplies shall have no defect arising from design, materials or workmanship.
- 32.7 The warranty must remain valid for **one year** after provisional acceptance.

- 32.8 The commercial warranty must be valid for the period specified in ANNEX II+III: Technical Specifications “MATRIX TECHNICAL DOCUMENTS”, after the provisional acceptance.

### **Article 36 - Termination by the Contracting Authority**

- 36.1 The framework contract is of one year duration starting from its signature by both parties. In addition to the grounds for termination defined in the General Conditions, the Contracting Authority may terminate the contract after giving **30 days' notice** to the Contractor, in case EULEX's mandate was not to be prolonged and/or in case of budgetary issues affecting the financing of the project.

In case of termination of the framework contract on such grounds, the Contractor shall NOT be entitled to claim any indemnity for loss suffered.

The Contractor shall only be entitled to claim for sums owing to it for supplies already delivered and/or for supplies pending delivery following the receipt by the Contractor (before the date of notification of the termination of the framework contract) of a valid Purchase (Work) Order issued by the Contracting Authority.

### **Article 40 Settlement of disputes**

- 40.4 Any disputes arising out of or relating to this Contract which cannot be settled amicably will be referred to the exclusive jurisdiction of the courts of Brussels, Belgium.

# ANNEX I: GENERAL CONDITIONS

## FOR SUPPLY CONTRACTS FINANCED BY THE EUROPEAN UNION OR BY THE EUROPEAN DEVELOPMENT FUND

### CONTENT

<b>PRELIMINARY PROVISIONS.....</b>	<b>3</b>
ARTICLE 1 - DEFINITIONS .....	3
ARTICLE 2 - LANGUAGE OF THE CONTRACT .....	3
ARTICLE 3 - ORDER OF PRECEDENCE OF CONTRACT DOCUMENTS .....	3
ARTICLE 4 - COMMUNICATIONS .....	3
ARTICLE 5 - ASSIGNMENT.....	4
ARTICLE 6 - SUBCONTRACTING .....	4
<b>OBLIGATIONS OF THE CONTRACTING AUTHORITY.....</b>	<b>5</b>
ARTICLE 7 - SUPPLY OF DOCUMENTS .....	5
ARTICLE 8 - ASSISTANCE WITH LOCAL REGULATIONS .....	5
<b>OBLIGATIONS OF THE CONTRACTOR.....</b>	<b>6</b>
ARTICLE 9 - GENERAL OBLIGATIONS.....	6
ARTICLE 10 - ORIGIN .....	8
ARTICLE 11 - PERFORMANCE GUARANTEE.....	9
ARTICLE 12 - LIABILITIES AND INSURANCE .....	10
ARTICLE 13 - PROGRAMME OF IMPLEMENTATION OF THE TASKS .....	12
ARTICLE 14 - CONTRACTOR'S DRAWINGS .....	13
ARTICLE 15 - SUFFICIENCY OF TENDER PRICES .....	13
ARTICLE 16 - TAX AND CUSTOMS ARRANGEMENTS .....	14
ARTICLE 17 - PATENTS AND LICENCES.....	14
<b>IMPLEMENTATION OF THE TASKS AND DELAYS.....</b>	<b>14</b>
ARTICLE 18 - COMMENCEMENT ORDER .....	14
ARTICLE 19 - PERIOD OF IMPLEMENTATION OF THE TASKS .....	15
ARTICLE 20 - EXTENSION OF PERIOD OF IMPLEMENTATION OF THE TASKS.....	15
ARTICLE 21 - DELAYS IN IMPLEMENTATION OF THE TASKS.....	16
ARTICLE 22 - AMENDMENTS.....	16
ARTICLE 23 - SUSPENSION .....	18
<b>MATERIALS AND WORKMANSHIP .....</b>	<b>19</b>
ARTICLE 24 - QUALITY OF SUPPLIES .....	19
ARTICLE 25 - INSPECTION AND TESTING .....	19
<b>PAYMENTS .....</b>	<b>20</b>
ARTICLE 26 - GENERAL PRINCIPLES .....	20
ARTICLE 27 - PAYMENT TO THIRD PARTIES.....	22
ARTICLE 28 - DELAYED PAYMENTS .....	22
<b>ACCEPTANCE AND MAINTENANCE.....</b>	<b>23</b>
ARTICLE 29 - DELIVERY .....	23
ARTICLE 30 - VERIFICATION OPERATIONS .....	24
ARTICLE 31 - PROVISIONAL ACCEPTANCE .....	24
ARTICLE 32 - WARRANTY OBLIGATIONS .....	25
ARTICLE 33 - AFTER-SALES SERVICE .....	26
ARTICLE 34 - FINAL ACCEPTANCE .....	26
<b>BREACH OF CONTRACT AND TERMINATION .....</b>	<b>27</b>
ARTICLE 35 - BREACH OF CONTRACT.....	27
ARTICLE 36 - TERMINATION BY THE CONTRACTING AUTHORITY .....	27
ARTICLE 37 - TERMINATION BY THE CONTRACTOR .....	29
ARTICLE 38 - FORCE MAJEURE.....	30
ARTICLE 39 - DECEASE.....	30
<b>SETTLEMENT OF DISPUTES AND APPLICABLE LAW.....</b>	<b>31</b>
ARTICLE 40 - SETTLEMENT OF DISPUTES .....	31
ARTICLE 41 - APPLICABLE LAW .....	31
<b>FINAL PROVISIONS .....</b>	<b>32</b>
ARTICLE 42 - ADMINISTRATIVE AND FINANCIAL PENALTIES.....	32
ARTICLE 43- VERIFICATIONS, CHECKS AND AUDITS BY EUROPEAN UNION BODIES .....	32
ARTICLE 44- DATA PROTECTION .....	33

## **PRELIMINARY PROVISIONS**

### **Article 1 - Definitions**

- 1.1. The headings and titles in these General Conditions shall not be taken as part thereof or be taken into consideration in the interpretation of the contract.
- 1.2. Where the context so permits, words in the singular shall be deemed to include the plural and vice versa, and words in the masculine shall be deemed to include the feminine and vice versa.
- 1.3. Words designating persons or parties shall include firms and companies and any organisation having legal capacity.
- 1.4. The definitions of the terms used throughout this General Conditions are laid down in the "Glossary of terms", annex A1a to the Practical Guide, which forms an integral part of the contract.

### **Article 2 - Language of the Contract**

- 2.1. The language of the contract and of all communications between the Contractor Contracting Authority and Project Manager or their representatives shall be as stated in the Special Conditions.

### **Article 3 - Order of precedence of Contract documents**

- 3.1. The order of precedence of the contract documents shall be stated in the contract.

### **Article 4 - Communications**

- 4.1. Any written communication relating to this Contract between the Contracting Authority or the Project Manager, and the Contractor shall state the contract title and identification number, and shall be sent by post, cable, telex, facsimile transmission, e-mail or personal delivery, to the appropriate addresses designated by the parties for that purpose in the Special Conditions.
- 4.2. If the sender requires evidence of receipt, it shall state such requirement in its communication and shall demand such evidence of receipt whenever there is a deadline for the receipt of the communication. In any event, the sender shall take all the necessary measures to ensure timely receipt of its communication.
- 4.3. Wherever the contract provides for the giving or issue of any notice, consent, approval, certificate or decision, unless otherwise specified such notice, consent, approval, certificate or decision shall be in writing and the words "notify", "consent", "certify", "approve" or "decide" shall be construed accordingly. Any such consent, approval, certificate or decision shall not unreasonably be withheld or delayed.
- 4.4. Any oral instructions or orders shall be confirmed in writing.

## **Article 5 - Assignment**

5.1. An assignment shall be valid only if it is a written agreement by which the contractor transfers its Contract or part thereof to a third party.

5.2. The Contractor shall not, without the prior consent of the Contracting Authority, assign the contract or any part thereof, or any benefit or interest thereunder, except in the following cases:

a) a charge, in favour of the Contractor's bankers, of any monies due or to become due under the Contract; or

b) the assignment to the Contractor's insurers of the Contractor's right to obtain relief against any other person liable in cases where the insurers have discharged the Contractor's loss or liability.

5.3. For the purpose of Article 5.2, the approval of an assignment by the Contracting Authority shall not relieve the Contractor of its obligations for the part of the contract already performed or the part not assigned.

5.4. If the Contractor has assigned the contract without authorisation, the Contracting Authority may, without formal notice thereof, apply as of right the sanction for breach of contract provided for in Articles 35 and 36.

5.5. Assignees shall satisfy the eligibility criteria applicable for the award of the contract and they shall not fall under the exclusion criteria described in the tender dossier.

## **Article 6 - Subcontracting**

6.1. A subcontract shall be valid only if it is a written agreement by which the Contractor entrusts performance of a part of the contract to a third party.

6.2. The Contractor shall request to the Contracting Authority the authorisation to subcontract. The request must indicate the elements of the contract to be subcontracted and the identity of the subcontractors. The Contracting Authority shall notify the Contractor of its decision within 30 days of receipt of the request, stating reasons should it withhold such authorisation.

6.3. Subcontractors shall satisfy the eligibility criteria applicable for the award of the contract and shall not fall under the exclusion criteria described in the tender dossier.

6.4. No subcontract creates contractual relations between any subcontractor and the Contracting Authority.

6.5. The Contractor shall be responsible for the acts, defaults and negligence of its subcontractors and their agents or employees, as if they were the acts, defaults or negligence of the Contractor, its agents or employees. The approval by the Contracting Authority of the subcontracting of any part of the contract or of the subcontractor to perform any part of the tasks shall not relieve the Contractor of any of its obligations under the contract.

6.6. If a subcontractor has undertaken any continuing obligation extending for a period exceeding that of the warranty period under the contract towards the Contractor in respect of the supplies provided by the subcontractor, the Contractor must, at any time after the expiration of the warranty period, transfer immediately to the Contracting Authority, at

the Contracting Authority's request and cost, the benefit of such obligation for the unexpired duration thereof.

6.7. If the Contractor enters into a subcontract without approval, the Contracting Authority may, without formal notice thereof, apply as of right the sanction for breach of contract provided for in Articles 35 and 36.

6.8. If a subcontractor is found by the Contracting Authority or the Project Manager to be incompetent in discharging its duties, the Contracting Authority or the Project Manager may request the Contractor forthwith, either to provide a subcontractor with qualifications and experience acceptable to the Contracting Authority as a replacement, or to resume the implementation of the tasks itself.

## **OBLIGATIONS OF THE CONTRACTING AUTHORITY**

### **Article 7 - Supply of documents**

7.1. Save where otherwise provided in the Special Conditions, within 30 days of the signing of the Contract, the Contracting Authority shall provide the Contractor, free of charge, with a copy of the drawings prepared for the implementation of the tasks and a copy of the specifications and other Contract documents. The Contractor may purchase additional copies of these drawings, specifications and other documents, in so far as they are available. Upon final acceptance, the Contractor shall return to the Contracting Authority all drawings, specifications and other Contract documents.

7.2. The Contracting Authority shall co-operate with the Contractor to provide information that the latter may reasonably request in order to perform the contract.

7.3. The Contracting Authority shall notify the Contractor of the name and address of the Project Manager.

7.4. Unless it is necessary for the purposes of the Contract, the drawings, specifications and other documents provided by the Contracting Authority shall not be used or communicated to a third party by the Contractor without the prior consent of the Contracting Authority.

7.5. The Project Manager shall have authority to issue to the Contractor administrative orders incorporating such supplementary documents and instructions as are necessary for the proper execution of the contract and the remedying of any defects therein.

7.6. The Special Conditions must indicate the procedure used, if necessary, by the Contracting Authority and the Project Manager to approve drawings and other documents provided by the Contractor.

### **Article 8 - Assistance with local regulations**

8.1. The Contractor may request the assistance of the Contracting Authority in obtaining copies of laws, regulations and information on local customs, orders or bye-laws of the country where the supplies are to be delivered which may affect the Contractor in the performance of its obligations under the contract. The Contracting Authority may provide the assistance requested to the Contractor at the Contractor's cost.

8.2. The Contractor shall duly notify the Contracting Authority of details of the supplies so that the Contracting Authority can obtain the requisite permits or import licences.

8.3. The Contracting Authority will undertake to obtain, in accordance with the Special Conditions, the requisite permits or import licences within a reasonable period, taking account of the implementation dates for the tasks.

8.4. Subject to the provisions of the laws and regulations on foreign labour of the country in which the supplies are to be delivered, the Contracting Authority provides reasonable assistance to the Contractor, at its request, for its application for any visas and permits required by the law of the Country in which the supplies are to be delivered, including work and residence permits, for the personnel whose services the Contractor and the Contracting Authority consider necessary, as well as residence permits for their families.

## **OBLIGATIONS OF THE CONTRACTOR**

### **Article 9 - General Obligations**

9.1. The Contractor shall execute the contract with due care, efficiency and diligence in accordance with the best professional practice.

9.2. The Contractor shall, in accordance with the provisions of the Contract, design, manufacture, deliver to site, erect, test and commission the supplies and carry out any other work including the remedying of any defects in the supplies. The Contractor shall also provide all necessary equipment, supervision, labour and facilities required for the implementation of the tasks.

9.3. The Contractor shall comply with administrative orders given by the Project Manager. Where the Contractor considers that the requirement of an administrative order goes beyond the scope of the Contract, it shall, give notice with reasons to the Project Manager. If the Contractor fails to notify within 30 days period after receipt thereof, he shall be barred from so doing. Execution of the administrative order shall not be suspended because of this notice.

9.4. The Contractor shall supply, without delay, any information and documents to the Contracting Authority and the European Commission upon request, regarding the conditions in which the contract is being executed.

9.5. The Contractor shall respect and abide by all laws and regulations in force in the country where the supplies are to be delivered and shall ensure that its personnel, their dependants, and its local employees also respect and abide by all such laws and regulations. The Contractor shall indemnify the Contracting Authority against any claims and proceedings arising from any infringement by the Contractor, its employees and their dependants of such laws and regulations.

9.6. Should any unforeseen event, action or omission directly or indirectly hamper performance of the Contract, either partially or totally, the Contractor shall immediately and at its own initiative record it and report it to the Contracting Authority. The report shall include a description of the problem and an indication of the date on which it started and of the remedial action taken by the Contractor to ensure full compliance with its obligations under the contract. In such event the Contractor shall give priority to solving the problem rather than determining liability.

9.7. Subject to Article 9.9, the Contractor undertakes to treat in the strictest confidence and not make use of or divulge to third parties any information or documents which are linked to the performance of the contract without the prior consent of the Contracting Authority. The Contractor shall continue to be bound by this undertaking after completion of the tasks and shall obtain from each member of its staff the same undertaking. However, use of the contract's reference for marketing or tendering purposes does not require prior approval of the Contracting Authority, except where the Contracting Authority declares the contract to be confidential.

9.8. If the Contractor is a joint venture or a consortium of two or more persons, all such persons shall be jointly and severally bound in respect of the obligations under the contract, including any recoverable amount. The person designated by the consortium to act on its behalf for the purposes of the contract shall have the authority to bind the consortium and is the sole interlocutor for all contractual and financial aspects. The composition or the constitution of the joint venture or consortium shall not be altered without the prior consent of the Contracting Authority. Any alteration of the composition of the consortium without the prior consent of the Contracting Authority may result in the termination of the contract.

9.9. Save where the European Commission requests or agrees otherwise, the Contractor shall ensure the highest visibility to the financial contribution of the European Union. To ensure such publicity the Contractor shall implement among other actions the specific activities described in the Special Conditions. All measures must comply with the rules in the Communication and Visibility Manual for EU External Actions published by the European Commission.

9.10. Any records shall be kept for a 7-year period after the final payment made under the contract. In case of failure to maintain such records the Contracting Authority may, without formal notice thereof, apply as of right the sanction for breach of contract provided for in Articles 35 and 36.

## **Article 9a - Code of Conduct**

9a.1 The Contractor shall at all times act impartially and as a faithful adviser in accordance with the code of conduct of its profession. It shall refrain from making public statements about the project without the prior approval of the Contracting Authority. It shall not commit the Contracting Authority in any way without its prior consent and shall, where appropriate, make this obligation clear to third parties.

9a.2 The Contractor and its staff shall respect human rights and undertake not to offend the political, cultural and religious practices prevailing in the country where the supplies have to be delivered.

9a.3 The Contractor shall respect environmental legislation applicable in the country where the supplies have to be delivered and internationally agreed core labour standards, e.g. the ILO core labour standards, conventions on freedom of association and collective bargaining, elimination of forced and compulsory labour, elimination of discrimination in respect of employment and occupation, and the abolition of child labour.

9.a.4 The Contractor or any of its subcontractors, agents or personnel shall not abuse of its entrusted power for private gain. The Contractor or any of its subcontractors, agents or personnel shall not receive or agree to receive from any person or offer or agree to give to any person or procure for any person, gift, gratuity, commission or consideration of any kind as an inducement or reward for performing or refraining from any act relating to the performance of the contract or for showing favour or disfavour to any person in relation

to the contract. The Contractor shall comply with all applicable laws and regulations and codes relating to anti-bribery and anti-corruption.

9.a.5 The payments to the Contractor under the contract shall constitute the only income or benefit it may derive in connection with the contract. The Contractor and its staff must not exercise any activity or receive any advantage inconsistent with their obligations under the contract.

9.a.6 The execution of the contract shall not give rise to unusual commercial expenses. Unusual commercial expenses are commissions not mentioned in the contract or not stemming from a properly concluded contract referring to the Contract, commissions not paid in return for any actual and legitimate service, commissions remitted to a tax haven, commissions paid to a recipient who is not clearly identified or commission paid to a company which has every appearance of being a front company. The European Commission may carry out documentary or on-the-spot checks it deems necessary to find evidence in case of suspected unusual commercial expenses.

## **Article 9b Conflict of Interest**

9.b.1 The Contractor shall take all necessary measures to prevent or end any situation that could compromise the impartial and objective performance of the contract. Such conflict of interests could arise in particular as a result of economic interest, political or national affinity, family or emotional ties, or any other relevant connection or shared interest. Any conflict of interests which may arise during performance of the contract shall be notified to the Contracting Authority without delay. In the event of such conflict, the Contractor shall immediately take all necessary steps to resolve it.

9.b.2 The Contracting Authority reserves the right to verify that such measures are adequate and may require additional measures to be taken if necessary. The Contractor shall ensure that its staff, including its management, is not placed in a situation which could give rise to conflict of interests. Without prejudice to its obligation under the Contract, the Contractor shall replace, immediately and without compensation from the Contracting Authority, any member of its staff exposed to such a situation.

9.b.3 The Contractor shall refrain from any contact which would compromise its independence or that of its personnel.

9.b.4 The Contractor shall limit its role in connection with the project to the provision of the supplies described in the contract.

9.b.5 The Contractor and anyone working under its authority or control in the performance of the contract or on any other activity shall be excluded from access to other EU budget/EDF funds available under the same project. However, the Contractor may participate after approval of the Contracting Authority if the Contractor is able to prove that its involvement in previous stages of the project does not constitute unfair competition.

## **Article 10 - Origin**

10.1. All goods shall have their origin in any eligible source country as defined in the instructions to tenderers and the Special Conditions.

10.2. The Contractor must certify that the goods tendered comply with this requirement, specifying their countries of origin. It may be required to provide more detailed information in this respect.

10.3. The Contractor shall present an official certificate of origin on provisional acceptance. Failure to comply with this obligation shall lead, after formal notice, to termination of the contract.

## **Article 11 - Performance guarantee**

11.1. The Contractor shall, together with the return of the countersigned Contract, furnish to the Contracting Authority with a guarantee for the full and proper execution of the contract. The amount of the guarantee shall be as specified in the Special Conditions. It shall be in the range of 5 and 10% of the total contract price, including any amounts stipulated in addenda to the contract.

11.2. The performance guarantee shall be held against payment to the Contracting Authority for any loss resulting from the Contractor's failure to perform its contractual obligations under the contract.

11.3. The performance guarantee shall be in the format provided for in the contract, in case of a bank guarantee. It may also be provided in the form of a banker's draft, a certified cheque, a bond provided by an insurance and/or bonding company, an irrevocable letter of credit or a cash deposit made with the Contracting Authority. If the performance guarantee is to be provided in the form of a bank guarantee, a banker's draft, a certified cheque or a bond, it shall be issued by a bank or bonding and/or insurance company approved by the Contracting Authority.

11.4. The performance guarantee shall be denominated in the currency in which the contract is payable. No payments shall be made in favour of the Contractor prior to the provision of the guarantee. The guarantee shall continue to remain valid until the contract has been fully and properly performed.

11.5. During the execution of the Contract, if the natural or legal person providing the guarantee is not able to abide by its commitments, the guarantee shall cease to be valid. The Contracting Authority shall give formal notice to the Contractor to provide a new guarantee on the same terms as the previous one. Should the Contractor fail to provide a new guarantee, the Contracting Authority may terminate the contract.

11.6. The Contracting Authority shall demand payment from the guarantee of all sums for which the guarantor is liable under the guarantee due to the Contractor's default under the Contract, in accordance with the terms of the guarantee and up to the value thereof. The guarantor shall, without delay, pay those sums upon demand from the Contracting Authority and may not raise any objection for any reason whatsoever. Prior to making any claim under the performance guarantee, the Contracting Authority shall notify the Contractor stating the nature of the default in respect of which the claim is to be made.

11.7. Unless the Special Conditions provide otherwise, the performance guarantee shall be released within 60 days of the issuing of the signed final acceptance certificate for its total amount except for amounts which are the subject of amicable settlement, arbitration or litigation.

## **Article 12 - Liabilities and Insurance**

### 12.1. Liabilities

The liability rules described below are without prejudice to the possible application of international conventions on the carriage of goods.

#### a) Liability for damage to supplies

Without prejudice to Article 32 (warranty obligations) and Article 38 (force majeure), the Contractor shall assume (i) full responsibility for maintaining the integrity of the supplies and (ii) the risk of loss and damage, whatever their cause, until the final acceptance as foreseen in Article 34.

Compensation for damage to the supplies resulting from the Contractor's liability in respect of the Contracting Authority is capped at an amount equal to one million euros if the contract value is less than or equal to one million euros. If the contract value is greater than one million euros, compensation for damages resulting from the Contractor's liability shall be capped to the contract value.

However, compensation for loss or damage resulting from fraud or gross negligence of the Contractor, its staff, its subcontractors and any person for which the Contractor is answerable, can in no case be capped.

#### b) Contractor's liability in respect of the Contracting Authority

At any time, the Contractor shall be responsible for and shall indemnify the Contracting Authority for any damage caused to the Contracting Authority by the Contractor, its staff, its subcontractors and any person for which the Contractor is answerable.

Compensation for damage resulting from the Contractor's liability in respect of the Contracting Authority is capped at an amount equal to one million euros if the contract value is less than or equal to one million euros. If the contract value is greater than one million euros, compensation for damages resulting from the Contractor's liability shall be capped to the contract value.

However, compensation for loss or damage resulting from the Contractor's liability in case of bodily injury, including death, can in no case be capped. The same applies to compensation for any damages of any kind resulting from fraud or gross negligence of the Contractor, its staff, its subcontractors and any person for which the Contractor is answerable.

#### c) Contractor's liability in respect of third parties

The Contractor shall, at its own expense, indemnify, protect and defend, the Contracting Authority, its agents and employees, from and against all actions, claims, losses or damage, direct or indirect, of whatever nature (hereinafter "claim(s)") arising from any act or omission by the Contractor, its staff, its subcontractors and/or any person for which the Contractor is answerable, in the performance of its duties.

The Contracting Authority must notify any third party claim to the Contractor as soon as possible after the Contracting Authority becomes aware of them.

If the Contracting Authority chooses to challenge and defend itself against the claim(s), the Contractor shall bear the reasonable costs of defense incurred by the Contracting Authority, its agents and employees.

Under these general conditions, the agents and employees of the Contracting Authority, as well as the Contractor's staff, its subcontractors and any person for which the Contractor is answerable are considered to be third parties.

The Contractor shall treat all claims in close consultation with the Contracting Authority

Any settlement or agreement settling a claim requires the prior express consent of the Contracting Authority and the Contractor.

## 12.2. Insurance

### a) Insurance – general issues

At the latest together with the return of the countersigned contract, and for the period of implementation of the tasks, the Contractor shall ensure that itself, its staff, its subcontractors and any person for which the Contractor is answerable, are adequately insured with insurance companies recognized on the international insurance market, unless the Contracting Authority has given its express written consent on a specific insurance company.

At the latest together with the return of the countersigned contract, the Contractor shall provide the Contracting Authority with all cover notes and/or certificates of insurance showing that the Contractor's obligations relating to insurance are fully respected. The Contractor shall submit without delay, whenever the Contracting Authority or the Project Manager so requests, an updated version of the cover notes and/or certificates of insurance.

The Contractor shall obtain from the insurers that they commit to personally and directly inform the Contracting Authority of any event likely to reduce, cancel or alter in any manner whatsoever, that coverage. The insurers shall deliver this information as quickly as possible, and in any event at least thirty (30) days before the reduction, cancellation or alteration of the cover is effective. The Contracting Authority reserves the right to indemnify the insurer in case the Contractor fails to pay the premium, without prejudice to the Contracting Authority's right to recover the amount of the premium it paid, and to subsequently seek compensation for its possible resulting damage.

Whenever possible, the Contractor shall ensure that the subscribed insurance contracts contain a waiver of recourse in favor of the Contracting Authority, its agents and employees.

The purchase of adequate insurances by the Contractor shall in no case exempt it from its statutory and/or contractual liabilities.

The Contractor shall fully bear the consequences of a total or partial lack of coverage, and to the full discharge of the Contracting Authority.

The Contractor shall ensure that its staff, its subcontractors and any person for which the Contractor is answerable comply with the same insurance requirements imposed to it under this contract. In case of default of insurance or inadequate insurance of its staff, its subcontractors or any person for which the Contractor is answerable, the Contractor shall indemnify the Contracting Authority from all consequences resulting therefrom.

Under its own responsibility and without prejudice to the obligation to take out all insurance covering its obligations under this contract, the Contractor shall ensure that all compulsory insurances are subscribed in compliance with the laws and regulations in force in the country in which the duties are to be performed. It shall also ensure that all possible statutory obligations applying to the coverage are complied with.

The Contracting Authority shall not bear any liability for the assessment and adequacy of insurance policies taken out by the Contractor with its contractual and/or statutory obligations.

b) Insurance – Specific issues

The Contractor shall take out all insurance necessary to cover its liability, both with regard to its professional liability and its liability as provided under Article 12.1 "Liabilities". The contractor shall in particular subscribe a Products and After delivery insurance.

Depending on the nature of the Contractor's obligations, the Contracting Authority may require that the carriage of supplies be covered by a "transportation" insurance policy; the conditions of which may be specified in the Special Conditions, which may also specify other types of insurance to be taken out by the Contractor. This insurance shall in particular cover the loading, intermediate storage, unloading, including stowage and protection, if such operations are included in the contract.

### **Article 13 - Programme of implementation of the tasks**

13.1. If the Special Conditions so require, the Contractor shall submit a programme of implementation of the tasks for the approval of the Project Manager. The programme shall contain at least the following:

- a) the order in which the Contractor proposes to perform the contract including design, manufacture, delivery to place of receipt, installation, testing and commissioning;
- b) the time limits within which submission and approval of the drawings are required;
- c) a general description of the methods which the Contractor proposes to adopt for executing the Contract; and
- d) such further details and information as the Project Manager may reasonably require.

13.2. The Special Conditions shall specify the time limit within which the programme of implementation of the tasks must be submitted to the Project Manager for approval. They may set time limits within which the Contractor must submit all or part of the detailed drawings, documents and items. They shall also state the deadline for the Project Manager's approval or acceptance of the programme of implementation, detailed drawings, documents and items.

13.3. The approval of the programme by the Project Manager shall not relieve the Contractor of any of its obligations under the contract.

13.4. No material alteration to the programme shall be made without the approval of the Project Manager. If, however, the progress of the implementation of the tasks does not conform to the programme, the Project Manager may instruct the Contractor to submit a revised programme in accordance with the procedure laid down in Article 13.

## **Article 14 - Contractor's drawings**

14.1. If the Special Conditions so provide, the Contractor shall submit to the Project Manager for approval:

- a) the drawings, documents, samples and/or models, according to the time limits and procedures laid down in the Special Conditions or in the programme of implementation of the tasks;
- b) such drawings as the Project Manager may reasonably require for the implementation of the tasks.

14.2. If the Project Manager fails to notify its decision of approval referred to in Article 14.1 within the time limits referred to in the contract or the approved programme of implementation of the tasks, such drawings, documents, samples or models shall be deemed to be approved at the end of the time limits specified. If no time limit is specified, they shall be deemed to be approved 30 days after receipt.

14.3. Approved drawings, documents, samples and models shall be signed or otherwise identified by the Project Manager and shall not be departed from except as otherwise instructed by the Project Manager. Any Contractor's drawings, documents, samples or models which the Project Manager refuses to approve shall be modified to meet the requirements of the Project Manager and resubmitted by the Contractor for approval. Within 15 days of being notified of the Project Manager's remarks, the Contractor shall make the requisite corrections, adjustments etc. to the documents, drawings etc. The corrected or adjusted documents, drawings etc. shall be resubmitted for the Project Manager's approval under the same procedure.

14.4. The Contractor shall supply additional copies of approved drawings in the form and numbers stated in the contract or in subsequent administrative orders.

14.5. The approval of the drawings, documents, samples or models by the Project Manager shall not relieve the Contractor from any of its obligations under the contract.

14.6. The Project Manager shall have the right at all reasonable times to inspect all drawings, documents, samples or models relating to the contract at the Contractor's premises.

14.7. Before provisional acceptance of the supplies, the Contractor shall supply operation and maintenance manuals together with drawings, which shall be in such detail as will enable the Contracting Authority to operate, maintain, adjust and repair all parts of the supplies. Unless otherwise stated in the Special Conditions, the manuals and drawings shall be in the language of the contract and in such forms and numbers as stated in the contract. The supplies shall not be considered completed for the purpose of provisional acceptance until such manuals and drawings have been supplied to the Contracting Authority.

## **Article 15 - Sufficiency of tender prices**

15.1. Subject to any additional provisions which may be laid down in the Special Conditions, the Contractor shall be deemed to have satisfied itself before submitting its tender as to the correctness and sufficiency of the tender and to have taken account of all that is required for the full and proper implementation of the tasks and to have included in its rates and prices all costs related to the supplies, in particular:

- a) the costs of transport;
- b) the costs of handling, packing, loading, unloading, transit, delivery, unpacking,

checking, insurance and other administrative costs in connection with the supplies. The packaging shall be the property of the Contracting Authority unless otherwise provided in the Special Conditions;

c) the cost of documents relating to the supplies where such documents are required by the Contracting Authority;

d) execution and supervision of on-site assembly and/or commissioning of the delivered supplies;

e) furnishing of tools required for assembly and/or maintenance of the delivered supplies;

f) furnishing of detailed operation and maintenance manuals for each unit of the delivered supplies, as specified in the Contract;

g) supervision or maintenance and/or repair of the supplies, for a period of time stated in the Contract, with the stipulation that this service shall not release the Contractor from any warranty obligations under the Contract;

h) training of the Contracting Authority's personnel, at the Contractor's factory and/or elsewhere as specified in the contract.

15.2. Since the Contractor is deemed to have determined its prices on the basis of its own calculations, operations and estimates, it shall carry out without additional charge any work that is the subject of any item whatsoever in its tender for which it neither indicates a unit price nor a lump sum.

#### **Article 16 - Tax and customs arrangements**

16.1. Save where otherwise provided in the Special Conditions,, the terms of delivery of the goods shall be DDP (Delivered Duty Paid) – Incoterms 2010, International Chamber of Commerce.

#### **Article 17 - Patents and licences**

17.1. Save where otherwise provided in the Special Conditions, the Contractor shall indemnify and hold the Contracting Authority harmless for all damages and cost incurred due to any claim brought by any third party including creators and intermediaries for alleged or actual violations of intellectual, industrial or other property rights of any kind whatsoever based on the Contracting Authority's use as specified in the contract of patents, licenses, drawings, designs, models, or brand or trademarks, except where such infringement results from compliance with the design or specification provided by the Contracting Authority.

### **IMPLEMENTATION OF THE TASKS AND DELAYS**

#### **Article 18 - Commencement order**

18.1. Subject to the Special Conditions, the Contracting Authority shall fix the date on which implementation of the tasks is to commence and advise the Contractor thereof either in the notification of award of the contract or by administrative order.

18.2. Save where the Parties agree otherwise, implementation of the tasks shall begin no later than 90 days following notification of award of contract. Unless this delay results from

the Contractor default, after that date the Contractor shall be entitled not to implement the contract and to obtain its termination and/or compensation for the damage it has suffered. The Contractor shall forfeit this right unless it exercises it within 30 days of the expiry of the 90-day period.

#### **Article 19 - Period of implementation of the tasks**

19.1. The period of implementation of tasks shall commence on the date fixed in accordance with Article 18 and shall be as laid down in the Special Conditions, without prejudice to extensions of the period which may be granted under Article 20.

19.2. If provision is made for distinct periods of implementation of the tasks for separate lots, in cases where one Contractor is awarded more than one lot per contract, the periods of implementation of the tasks for the separate lots shall not be accumulated.

#### **Article 20 - Extension of period of implementation of the tasks**

20.1. The Contractor may request an extension to the period of implementation of the tasks if it is or will be delayed in completing the contract by any of the following reasons:

- a) exceptional weather conditions in the country of the Contracting Authority which may affect installation or erection of the supplies;
- b) artificial obstructions or physical conditions which may affect delivery of the supplies, which could not reasonably have been foreseen by an experienced contractor;
- c) administrative orders affecting the date of completion other than those arising from the Contractor's default;
- d) failure of the Contracting Authority to fulfil its obligations under the Contract;
- e) any suspension of the delivery and/or installation of the supplies which is not due to the Contractor's default;
- f) force majeure;
- g) extra or additional supplies ordered by the Contracting Authority;
- h) any other causes referred to in these General Conditions which are not due to the Contractor's default.

20.2. If the Contractor considers himself to be entitled to any extension of the period of implementation under the Contract, the Contractor shall

- a) give notice to the Project Manager of its intention to make such a request no later than 15 days after the Contractor became aware, or should have become aware of the event or circumstance giving rise to the request.
- b) If the Contractor fails to give notice of a request for extension of the period of implementation within such period of 15 days, the period of implementation shall not be extended and the Contracting Authority shall be discharged from all liability in connection with the request; and
- c) submit to the Project Manager full and detailed particulars of the request, within 30 days from the above notification unless otherwise agreed between the Contractor and the Supervisor, in order that such request may be investigated at the time.

20.3. Within 30 days from the receipt of the Contractor's detailed particulars of the request, the Project Manager shall in agreement with the Contracting Authority, by notice to the

Contractor, grant such extension of the period of implementation of the tasks as may be justified, either prospectively or retrospectively, or inform the Contractor that it is not entitled to an extension.

## **Article 21 - Delays in implementation of the tasks**

21.1. If the Contractor fails to deliver any or all of the goods or perform the services within the period of implementation of the tasks specified in the Contract, the Contracting Authority shall, without formal notice and without prejudice to its other remedies under the Contract, be entitled to liquidated damages for every day, or part thereof, which shall elapse between the end of the period of implementation of the tasks, or extended period of implementation of the tasks under article 20, and the actual date of completion. The daily rate of liquidated damages is 5/1000 of the value of the undelivered supplies to a maximum of 15% of the total contract price.

21.2. If the non-delivery of any of the goods prevents the normal use of the supplies as a whole, the liquidated damages provided for in Article 21.1 shall be calculated on the basis of the total contract price.

21.3. If the Contracting Authority has become entitled to claim at least 15% of the total contract price it may, after giving notice to the Contractor:

- seize the performance guarantee; and/or
- terminate the Contract,
- enter into a contract with a third party for the provision of the balance of the supplies at the Contractor's cost.

## **Article 22 - Amendments**

22.1. Contract amendments must be formalised by a contract addendum signed by both parties or by an administrative order issued by the Project Manager or the Contracting Authority. Substantial amendments to the contract, including amendments to the total contract price, must be made by means of an addendum. Any contractual amendments must respect the general principles defined in the Practical Guide.

22.2. Subject to the limits of the procedure thresholds set in the Practical Guide, the Contracting Authority reserves the right to vary by an administrative order the quantities per lot or per item by +/- 100 % at the time of contracting and during the validity of the Contract. The total value of the supplies may not rise or fall as a result of the variation by more than 25% of the tender price. The unit prices quoted in the tender shall be applicable to the quantities procured under the variation.

22.3. The Project Manager and the Contracting Authority shall have the power to order any amendment to any part of the supplies necessary for the proper completion and/or functioning of the supplies. Such amendments by administrative order may include additions, omissions, substitutions, changes in quality, quantity, form, character, kind, as well as in drawings, designs or specifications where the supplies are to be specifically manufactured for the Contracting Authority, in method of shipment or packing, place of delivery, and in the specified sequence, method or timing of implementation of the tasks. No administrative order shall have the effect of invalidating the contract, but the financial effect, if any, of all such amendments shall be valued in accordance with Article 22.7.

22.4. All administrative orders shall be issued in writing, it being understood that:

- a) if, for any reason, the Project Manager or the Contracting Authority finds it necessary to give an order orally, it shall as soon as possible thereafter confirm the order by an administrative order;
- b) if the Contractor confirms in writing an oral order given for the purpose of Article 22.4.a and the confirmation is not contradicted in writing forthwith by the Project Manager or the Contracting Authority, the Project Manager or the Contracting Authority shall be deemed to have issued an administrative order;
- c) no administrative order is required to increase or decrease the quantity of any incidental siting or installation because the estimates in the budget breakdown were too high or too low.

22.5. Save where Article 22.4 provides otherwise, prior to issuing an administrative order, the Project Manager or the Contracting Authority shall notify the Contractor of the nature and form of such amendment. The Contractor shall then, without delay, submit to the Project Manager a written proposal containing:

- a description of the tasks, if any, to be performed or the measures to be taken and a programme of implementation of the tasks;
- any necessary amendments to the programme of implementation of the tasks or to any of the Contractor's obligations resulting from this contract; and
- any adjustment to the total contract price in accordance with the rules set out in Article 22.

22.6. Following the receipt of the Contractor's submission referred to in Article 22.5, the Project Manager shall, after due consultation with the Contracting Authority and, where appropriate, the Contractor, decide without delay whether or not to accept the amendment. If the Project Manager accepts the amendment, it shall notify the Contractor through an administrative order stating that the Contractor shall carry out the amendment at the prices and under the conditions given in the Contractor's submission referred to in Article 22.5 or as modified by the Project Manager in accordance with Article 22.7.

22.7. The prices for all amendments ordered by the Project Manager or the Contracting Authority in accordance with Articles 22.4 and 22.6 shall be ascertained in accordance with the following principles:

- where the task is of similar character and implemented under similar conditions as an item priced in the budget breakdown, it shall be valued at such rates and prices contained therein;
- where the task is not of a similar character or is not implemented under similar conditions, the rates and prices in the contract shall be used as the basis for valuation as far as is reasonable, failing which the Project Manager shall make a fair valuation;
- if the nature or amount of any amendment relative to the nature or amount of the whole contract or to any part thereof is such that, in the opinion of the Project Manager, any rate or price contained in the contract for any item of work is, by reason of such amendment, rendered unreasonable, the Project Manager shall fix such rate or price as he thinks reasonable and proper in the circumstances;
- where an amendment is required by a default or breach of contract by the Contractor, any additional cost attributable to such amendment shall be borne by the Contractor.

22.8. On receipt of the administrative order, the Contractor shall carry out the requested amendment according to the following principles:

- a) The Contractor shall be bound by these General Conditions as if the amendment requested by administrative order were stated in the contract.
- b) The Contractor shall not delay the execution of the administrative order pending the granting of any extension of time for completion or adjustment to the total contract price.
- c) Where the administrative order precedes the adjustment to the total contract price, the Contractor shall keep records of the costs of undertaking the amendment and of the time expended thereon. Such records shall be open to inspection by the Project Manager at all reasonable times.

22.9. The Contractor shall notify the Contracting Authority of any change of bank account, using the form in Annex V. The Contracting Authority shall have the right to oppose the Contractor's change of bank account.

## **Article 23 - Suspension**

23.1. The Contractor shall, on the order of the Contracting Authority, suspend the execution of the contract or any part thereof for such time or times and in such manner as the Contracting Authority may consider necessary. The suspension shall take effect on the day the Contractor receives the order or at a later date when the order so provides.

23.2. Suspension in the event of presumed substantial errors or irregularities or fraud:

The Contract may be suspended in order to verify whether presumed substantial errors or irregularities or fraud occurred during the award procedure or the performance of the contract. If these are not confirmed, performance of the contract shall resume as soon as possible.

23.3. During the period of suspension, the Contractor shall protect and secure the supplies affected at the Contractor's warehouse or elsewhere, against any deterioration, loss or damage to the extent possible and as instructed by the Project Manager, even if supplies have been delivered to the place of acceptance in accordance with the contract but their installation has been suspended by the Project Manager.

23.4. Additional expenses incurred in connection with such protective measures may be added to the total contract price, unless:

- a) otherwise provided for in the contract; or
- b) such suspension is necessary by reason of some breach or default of the Contractor;  
or
- c) such suspension is necessary by reason of normal climatic conditions at the place of acceptance; or
- d) such suspension is necessary for the safety or the proper execution of the contract or any part thereof insofar as such necessity does not arise from any act or default by the Project Manager or the Contracting Authority or
- e) the presumed substantial errors or irregularities or fraud mentioned in article 23.2 are confirmed and attributable to the Contractor.

23.5. The Contractor shall only be entitled to such additions to the total contract price if it notifies the Project Manager, within 30 days after receipt of the order to suspend the contract, of its intention to claim them.

23.6. The Contracting Authority, after consulting the Contractor, shall determine such additions to the total contract price and/or extension of the period of performance to be granted to the Contractor in respect of such claim as shall, in the opinion of the Contracting Authority, be fair and reasonable.

23.7. The Contracting Authority shall, as soon as possible, order the Contractor to resume the contract suspended or inform the Contractor that it terminates the contract. If the period of suspension exceeds 180 days and the suspension is not due to the Contractor's breach or default, the Contractor may, by notice to the Contracting Authority, request to proceed with the contract within 30 days, or terminate the contract.

## **MATERIALS AND WORKMANSHIP**

### **Article 24 - Quality of supplies**

24.1. The supplies must in all respects satisfy the technical specifications laid down in the contract and conform in all respects to the drawings, surveys, models, samples, patterns and other requirements in the contract, which shall be held at the disposal of the Contracting Authority or the Project Manager for the purposes of identification throughout the period of execution.

24.2. Any preliminary technical acceptance stipulated in the Special Conditions shall be the subject of a request sent by the Contractor to the Project Manager. The request shall indicate the reference to the contract, specify the materials, items and samples submitted for such acceptance according to the contract and indicate the lot number and the place where acceptance is to take place, as appropriate. The materials, items and samples specified in the request must be certified by the Project Manager as meeting the requirements for such acceptance prior to their incorporation in the supplies.

24.3. Even if materials or items to be incorporated in the supplies or in the manufacture of components to be supplied have been technically accepted in this way, they may still be rejected if a further examination reveals defects or faults, in which case they must immediately be replaced by the Contractor. The Contractor may be given the opportunity to repair and make good materials and items which have been rejected, but such materials and items will be accepted for incorporation in the supplies only if they have been repaired and made good to the satisfaction of the Project Manager.

### **Article 25 - Inspection and testing**

25.1. The Contractor shall ensure that the supplies are delivered to the place of acceptance in time to allow the Project Manager to proceed with acceptance of the supplies. The Contractor is deemed to have fully appreciated the difficulties which it might encounter in this respect, and it shall not be permitted to advance any grounds for delay in fulfilling its obligations.

25.2. The Project Manager shall be entitled to inspect, examine measure and test the components, materials and workmanship, and check the progress of preparation, fabrication or manufacture of anything being prepared, fabricated or manufactured for delivery under the contract, in order to establish whether the components, materials and workmanship are of the requisite quality and quantity. This shall take place at the place of manufacture, fabrication, preparation or at the place of acceptance or at such other places as may be specified in the Special Conditions.

25.3. For the purposes of such tests and inspections, the Contractor shall:

- a) provide the Project Manager, temporarily and free of charge, with such assistance, test samples or parts, machines, equipment, tools, labour, materials, drawings and production data as are normally required for inspection and testing;
- b) agree, with the Project Manager, on the time and place for tests;
- c) provide access to the Project Manager at all reasonable times to the place where the tests are to be carried out.

25.4. If the Project Manager is not present on the date agreed for tests, the Contractor may, unless otherwise instructed by the Project Manager, proceed with the tests, which shall be deemed to have been made in the Project Manager's presence. The Contractor shall immediately send duly certified copies of the test results to the Project Manager, who shall, if it has not attended the test, be bound by the test results.

25.5. When components and materials have passed the above-mentioned tests, the Project Manager shall notify the Contractor or endorse the Contractor's certificate to that effect.

25.6. If the Project Manager and the Contractor disagree on the test results, each shall give a statement of its views to the other within 15 days of such disagreement arises. The Project Manager or the Contractor may require such tests to be repeated on the same terms and conditions or, if either Party so requests, by an expert selected by common consent. All test reports shall be submitted to the Project Manager, who shall communicate the results of these tests without delay to the Contractor. The results of retesting shall be conclusive. The cost of retesting shall be borne by the Party whose views are proved wrong by the retesting.

25.7. In the performance of their duties, the Project Manager and any person authorised by him shall not disclose to unauthorised persons information concerning the undertaking's methods of manufacture and operation obtained through inspection and testing.

## **PAYMENTS**

### **Article 26 - General principles**

26.1. Payments shall be made in euro or national currency as specified in the Special Conditions. The Special Conditions shall lay down the administrative or technical conditions governing payments of pre-financing and final payments made in accordance with the General Conditions.

26.2. Payments due by the Contracting Authority shall be made to the bank account mentioned on the financial identification form completed by the Contractor. The same form, annexed to the invoice, must be used to report changes of bank account.

26.3. Pre-financing payment shall be made within 30 days from the date on which an admissible invoice is registered by the Contracting Authority. The invoice shall not be admissible if one or more essential requirements are not met. Final payment shall be made within 60 days from the date on which an invoice is registered by the Contracting Authority, together with the request for provisional acceptance as per article 31.2. The date of payment shall be the date on which the paying account is debited.

26.4. The period referred to in article 26.3 may be suspended by notifying the Contractor that the invoice cannot be fulfilled because the sum is not due, because appropriate substantiating documents have not been provided or because there is evidence that the expenditure might not be eligible. In the latter case, an inspection may be carried out on the spot for the purpose of further checks. The Contractor shall provide clarifications, modifications or further information within 30 days of being asked to do so. The payment period shall continue to run from the date on which a properly drawn-up invoice is registered.

26.5. The payments shall be made as follows:

- a) 40% of the total contract price after the signing of the contract, against provision of the performance guarantee and of a pre-financing guarantee for the full amount of the pre-financing payment, unless otherwise provided for in the Special Conditions. The performance guarantee shall be provided to the Contracting Authority following the procedure foreseen for the performance guarantee in accordance with Article 11, and in accordance with the format annexed to the contract. The pre-financing guarantee must remain valid until it is released 30 days at the latest after the provisional acceptance of the goods. Where the contractor is a public body, the obligation for a pre-financing guarantee may be waived depending on a risk assessment made;
- b) 60% of the total contract price, as payment of the balance, after receipt by the Contracting Authority of an invoice and of the application for the certificate of provisional acceptance;

26.6. Where only part of the supplies has been delivered, the 60% payment due following partial provisional acceptance shall be calculated on the value of the supplies which have actually been accepted and the security shall be released accordingly.

26.7. For supplies not covered by a warranty period, the payments listed above shall be aggregated. The conditions to which the payments of pre-financing and final payments are subject, shall be as stated in the Special Conditions.

26.8. The payment obligations of the European Commission under this contract shall cease at most 18 months after the end of the period of implementation of the tasks, unless the contract is terminated in accordance with these General Conditions.

26.9. Unless otherwise stipulated in the Special Conditions, the contract shall be at fixed prices, which shall not be revised.

26.10. The Contractor undertakes to repay any amounts paid in excess of the final amount due to the Contracting Authority before the deadline indicated in the debit note which is 45 days from the issuing of that note. Should the Contractor fail to make repayment within the above deadline, the Contracting Authority may (unless the Contractor is a government department or public body of a Member State of the European Union) increase the amounts due by adding interest:

- at the rediscount rate applied by the central bank of the country of the Contracting Authority if payments are in the currency of that country;
- at the rate applied by the European Central Bank to its main refinancing transactions in euro, as published in the Official Journal of the European Union, C series, where payments are in euro,

on the first day of the month in which the time-limit expired, plus eight percentage points.

The default interest shall be incurred over the time which elapses between the date of the payment deadline, and the date on which payment is actually made. Any partial payments shall first cover the interest thus established.

Amounts to be repaid to the Contracting Authority may be offset against amounts of any kind due to the Contractor. This shall not affect the Parties' right to agree on payment in instalments. Bank charges arising from the repayment of amounts due to the Contracting Authority shall be borne entirely by the Contractor.

Without prejudice to the prerogative of the Contracting Authority, if necessary, the European Union may as donor proceed itself to the recovery by any means.

26.11. If the contract is terminated for any reason whatsoever, the guarantee securing the pre-financing may be invoked forthwith in order to repay the balance of the pre-financing still owed by the Contractor, and the guarantor shall not delay payment or raise objection for any reason whatever.

26.12. Prior to, or instead of, terminating the contract as provided for in Article 36, the Contracting Authority may suspend payments as a precautionary measure without prior notice.

26.13. Where the award procedure or the performance of the contract proves to have been subject to substantial errors, irregularities or fraud attributable to the Contractor, the Contracting Authority may in addition to the possibility to suspend the performance of the contract in accordance with Article 23.2 and to terminate the contract as provided for in Article 36, refuse to make payments and/or recover amounts already paid, in proportion to the seriousness of the errors, irregularities or fraud.

## **Article 27 - Payment to third parties**

27.1. Orders for payments to third parties may be carried out only after an assignment made in accordance with Article 5. The assignment shall be notified to the Contracting Authority.

27.2. Notification of beneficiaries of the assignment shall be the sole responsibility of the Contractor.

27.3. In the event of a legally binding attachment of the property of the Contractor affecting payments due to him under the contract, and without prejudice to the time limit laid down in Article 26, the Contracting Authority shall have 30 days, starting from the day on which it receives notification of the definitive lifting of the obstacle to payment, to resume payments to the Contractor.

## **Article 28 - Delayed payments**

28.1. The Contracting Authority shall pay the Contractor sums due in accordance with Article 26.3.

28.2. Once the time-limit referred to in Article 26.3 has expired, the Contractor – unless the contractor is a government department or public body in European Union Member State- shall, within two months of receipt of the late payment, receive default interest:

- at the rediscount rate applied by the central bank of the Partner country if payments are in the currency of that country ;

- at the rate applied by the European Central Bank to its main refinancing transactions in euro, as published in the Official Journal of the European Union, C series, if payments are in euro,

on the first day of the month in which the time-limit expired, plus eight percentage points. The interest shall be payable for the time elapsed between the expiry of the payment deadline and the date on which the Contracting Authority's account is debited. However, when the interest calculated in accordance with the first subparagraph is lower than or equal to EUR 200, it shall be paid to the creditor only upon a demand submitted within two months of receiving late payment.

28.3. Any default in payment of more than 90 days from the expiry of the period laid down in Article 26.3 shall entitle the Contractor either not to perform the contract or to terminate it, according to Article 37.

## **ACCEPTANCE AND MAINTENANCE**

### **Article 29 - Delivery**

29.1. The Contractor shall deliver the supplies in accordance with the conditions of the contract. The supplies shall be at the risk of the Contractor until their provisional acceptance.

29.2. The Contractor shall provide such packaging of supplies as is required to prevent their damage or deterioration in transit to their destination as indicated in the contract. The packaging shall be sufficient to withstand, without limitation, rough handling, exposure to extreme temperatures, salt and precipitation during transit and open storage. Package size and weight shall take into consideration, where appropriate, the remoteness of the final destination of the supplies, and the possible absence of heavy handling facilities at all points in transit.

29.3. The packaging, marking and documentation inside and outside the packages shall comply with such requirements as shall be expressly provided for in the Special Conditions, subject to any amendments subsequently ordered by the Project Manager or the Contracting Authority.

29.4. No supplies shall be shipped or delivered to the place of acceptance until the Contractor has received a delivery order from the Project Manager. The Contractor shall be responsible for the delivery at the place of acceptance of all supplies and supplier's equipment required for the purpose of the contract.

29.5. Each delivery must be accompanied by a statement drawn up by the Contractor. This statement shall be as specified in the Special Conditions.

29.6. Each package shall be clearly marked in accordance with the Special Conditions.

29.7. Delivery shall be deemed to have been made when there is written evidence available to both Parties that delivery of the supplies has taken place in accordance with the terms of the contract, and the invoice(s) and all such other documentation specified in the Special Conditions, have been submitted to the Contracting Authority. Where the supplies are delivered to an establishment of the Contracting Authority, the latter shall bear the responsibility of bailee, in accordance with the requirements of the law applicable to the contract, during the time which elapses between delivery for storage and acceptance.

## **Article 30 - Verification operations**

30.1. The supplies shall not be accepted until the prescribed verifications and tests have been carried out at the expense of the Contractor. The verifications and tests may be conducted before shipment, at the point of delivery and/or at the final destination of the goods.

30.2. The Project Manager shall, during the progress of the delivery of the supplies and before the supplies are taken over, have the power to order or decide:

- a) the removal from the place of acceptance, within such time or times as may be specified in the order, of any supplies which, in the opinion of the Project Manager, are not in accordance with the contract;
- b) their replacement with proper and suitable supplies;
- c) the removal and proper re-installation, notwithstanding any previous test thereof or of any installation which in respect of materials, workmanship or design for which the Contractor is responsible, is not, in the opinion of the Project Manager, in accordance with the contract;
- d) that any work done or goods supplied or materials used by the Contractor is or are not in accordance with the contract, or that the supplies or any portion thereof do not fulfil the requirements of the contract.

30.3. The Contractor shall, with all speed and at its own expense, make good the defects so specified. If the Contractor does not comply with such order, the Contracting Authority shall be entitled to employ other persons to carry out the orders and all expenses consequent thereon or incidental thereto shall be deducted by the Contracting Authority from any monies due or which may become due to the Contractor.

30.4. Supplies which are not of the required quality shall be rejected. A special mark may be applied to the rejected supplies. This shall not be such as to alter them or affect their commercial value. Rejected supplies shall be removed by the Contractor from the place of acceptance, if the Project Manager so requires, within a period which the Project Manager shall specify, failing which they shall be removed as of right at the expense and risk of the Contractor. Any works incorporating rejected materials shall be rejected.

30.5. The provisions of Article 30 shall not affect the right of the Contracting Authority to claim under Article 21, nor shall it in any way release the Contractor from any warranty or other obligations under the contract.

## **Article 31 - Provisional acceptance**

31.1. The supplies shall be taken over by the Contracting Authority when they have been delivered in accordance with the contract, have satisfactorily passed the required tests, or have been commissioned as the case may be, and a certificate of provisional acceptance has been issued or is deemed to have been issued.

31.2. The Contractor may apply, by notice to the Project Manager, for a certificate of provisional acceptance when supplies are ready for provisional acceptance. The Project Manager shall within 30 days of receipt of the Contractor's application either:

- issue the certificate of provisional acceptance to the Contractor with a copy to the Contracting Authority stating, where appropriate, his reservations, and, inter alia, the date on which, in his opinion, the supplies were completed in accordance with the contract and ready for provisional acceptance; or
- reject the application, giving his reasons and specifying the action which, in his

opinion, is required of the Contractor for the certificate to be issued.

The Contracting Authority's time limit for issuing the certificate of provisional acceptance to the Contractor shall be considered included in the time limit for payments indicated in Article 26.3, unless otherwise specified in the Special Conditions.

31.3. Should exceptional circumstances make it impossible to proceed with the acceptance of the supplies during the period fixed for provisional or final acceptance, a statement certifying such impossibility shall be drawn up by the Project Manager after consultation, where possible, with the Contractor. The certificate of acceptance or rejection shall be drawn up within 30 days following the date on which such impossibility ceases to exist. The Contractor shall not invoke these circumstances in order to avoid the obligation of presenting the supplies in a state suitable for acceptance.

31.4. If the Project Manager fails either to issue the certificate of provisional acceptance or to reject the supplies within the period of 30 days, it shall be deemed to have issued the certificate on the last day of that period, except where the certificate of provisional acceptance is deemed to constitute a certificate of final acceptance. In this case, Article 34.2 below does not apply. If the supplies are divided by the contract into lots, the Contractor shall be entitled to apply for separate certificates for each of the lots.

31.5. In case of partial delivery, the Contracting Authority reserves the right to give partial provisional acceptance.

31.6. Upon provisional acceptance of the supplies, the Contractor shall dismantle and remove temporary structures as well as materials no longer required for use in connection with the implementation of the contract. It shall also remove any litter or obstruction and redress any change in the condition of the place of acceptance as required by the contract.

31.7. Immediately after provisional acceptance, the Contracting Authority may make use of all the supplies delivered.

## **Article 32 - Warranty obligations**

32.1. The Contractor shall warrant that the supplies are new, unused, of the most recent models and incorporate all recent improvements in design and materials, unless otherwise provided in the contract. The Contractor shall further warrant that all supplies shall have no defect arising from design, materials or workmanship, except insofar as the design or materials are required by the specifications, or from any act or omission, that may develop under use of the supplies in the conditions obtaining in the country of the Contracting Authority.

32.2. The Contractor shall be responsible for making good any defect in, or damage to, any part of the supplies which may appear or occur during the warranty period and which:

- a) results from the use of defective materials, faulty workmanship or design of the Contractor; and/or
- b) results from any act or omission of the Contractor during the warranty period; and/or
- c) appears in the course of an inspection made by, or on behalf of, the Contracting Authority.

32.3. The Contractor shall at its own cost make good the defect or damage as soon as practicable. The warranty period for all items replaced or repaired shall recommence from

the date when the replacement or repair was made to the satisfaction of the Project Manager. If the contract provides for partial acceptance, the warranty period shall be extended only for the part of the supplies affected by the replacement or repair.

32.4. If any such defect appears or such damage occurs during the warranty period, the Contracting Authority or the Project Manager shall notify the Contractor. If the Contractor fails to remedy a defect or damage within the time limit stipulated in the notification, the Contracting Authority may:

- a) remedy the defect or the damage itself, or employ someone else to carry out the tasks at the Contractor's risk and cost, in which case the costs incurred by the Contracting Authority shall be deducted from monies due to or from guarantees held against the Contractor or from both; or
- b) terminate the contract.

32.5. In case of emergency, where the Contractor cannot be reached immediately or, having been reached, is unable to take the measures required, the Contracting Authority or the Project Manager may have the tasks carried out at the expense of the Contractor. The Contracting Authority or the Project Manager shall as soon as practicable inform the Contractor of the action taken.

32.6. The warranty obligations shall be stipulated in the Special Conditions and technical specifications.

32.7. Save where otherwise provided in the Special Conditions, the duration of the warranty period shall be 365 days. The warranty period shall commence on the date of provisional acceptance and may recommence in accordance with Article 32.3.

### **Article 33 - After-sales service**

33.1. An after-sales service, if required by the contract, shall be provided in accordance with the details stipulated in the Special Conditions. The Contractor shall undertake to carry out or have carried out the maintenance and repair of supplies and to provide a rapid supply of spare parts. The Special Conditions may specify that the Contractor must provide any or all of the following materials, notifications and documents pertaining to spare parts manufactured or distributed by the Contractor:

- a) such spare parts as the Contracting Authority may choose to purchase from the Contractor, it being understood that this choice shall not release the Contractor from any warranty obligations under the contract;
- b) in the event of termination of production of the spare parts, advance notification to the Contracting Authority to allow it to procure the parts required and, following such termination, provision at no cost to the Contracting Authority of the blueprints, drawings and specifications of the spare parts, if and when requested.

### **Article 34 - Final acceptance**

34.1. Upon expiry of the warranty period, or where there is more than one such period, upon expiry of the latest period, and when all defects or damage have been rectified, the Project Manager shall issue the Contractor a final acceptance certificate and a copy thereof to the Contracting Authority, stating the date on which the Contractor completed its obligations under the contract to the Project Manager's satisfaction. The final acceptance certificate shall be issued by the Project Manager within 30 days after the expiration of the warranty

period or as soon as any repairs ordered under Article 32 have been completed to the satisfaction of the Project Manager.

34.2. The contract shall not be considered to have been performed in full until the final acceptance certificate has been signed or is deemed to have been signed by the Project Manager.

34.3. Notwithstanding the issue of the final acceptance certificate, the Contractor and the Contracting Authority shall remain liable for the fulfilment of any obligation incurred under the contract prior to the issue of the final acceptance certificate which remains unperformed at the time that final acceptance certificate is issued. The nature and extent of any such obligation shall be determined by reference to the provisions of the contract.

## **BREACH OF CONTRACT AND TERMINATION**

### **Article 35 - Breach of contract**

35.1. Either party commits a breach of contract where it fails to perform its obligations in accordance with the provisions of the contract.

35.2. Where a breach of contract occurs, the party injured by the breach is entitled to the following remedies:

- a) damages; and/or
- b) termination of the contract.

35.3. Damages may be either:

- a) general damages; or b) liquidated damages.

35.4. Should the Contractor fail to perform any of its obligations in accordance with the provisions of the contract, the Contracting Authority is without prejudice to its right under Article 35.2, also entitled to the following remedies:

- a) suspension of payments; and/or
- b) reduction or recovery of payments in proportion to the failure's extent.

35.5. Where the Contracting Authority is entitled to damages, it may deduct such damages from any sums due to the Contractor or call on the appropriate guarantee.

35.6. The Contracting Authority shall be entitled to compensation for any damage which comes to light after the contract is completed in accordance with the law governing the contract.

### **Article 36 - Termination by the Contracting Authority**

36.1. The Contracting Authority may, at any time and with immediate effect, subject to Article 36.9, terminate the contract, except as provided for under Article 36.2.

36.2. Subject to any other provision of these General Conditions, the Contracting Authority may, after giving seven day notice to the Contractor, terminate the contract in any of the following cases where:

- a) the Contractor is in serious breach of contract for failure to perform its contractual obligations;
- b) the Contractor fails to comply within a reasonable time with the notice given by the Project Manager requiring it to make good the neglect or failure to perform its obligations under the contract which seriously affects the proper and timely implementation of the tasks;
- c) the Contractor refuses or neglects to carry out any administrative orders given by the Project Manager;
- d) the Contractor assigns the contract or subcontracts without the authorisation of the Contracting Authority;
- e) the Contractor is bankrupt or being wound up, is having its affairs administered by the courts, has entered into an arrangement with creditors, has suspended business activities, is the subject of proceedings concerning those matters, or is in any analogous situation arising from a similar procedure provided for in national legislation or regulations;
- f) any organisational modification occurs involving a change in the legal personality, nature or control of the Contractor, unless such modification is recorded in an addendum to the contract;
- g) any other legal disability hindering performance of the contract occurs;
- h) the Contractor fails to provide the required guarantees or insurance, or the person providing the earlier guarantee or insurance is not able to abide by its commitments;
- i) the Contractor has been guilty of grave professional misconduct proven by any means which the Contracting Authority can justify;
- j) the Contractor has been the subject of a judgment which has the force of *res judicata* for fraud, corruption, involvement in a criminal organisation, money laundering or any other illegal activity, where such illegal activity is detrimental to the European Union's financial interests;
- k) the Contractor, in the performance of another contract financed by the EU budget/EDF funds has been declared to be in serious breach of contract;
- l) after the award of the contract, the award procedure or the performance of the contract proves to have been subject to substantial errors, irregularities or fraud;
- m) the award procedure or the performance of another contract financed by the EU budget/EDF funds proves to have been subject to substantial errors, irregularities or fraud which are likely to affect the performance of the present contract;
- n) the Contractor fails to perform its obligation in accordance with Article 9a and Article 9b;
- o) the Contractor fails to comply with its obligation in accordance with Article 10.

36.3. Termination shall be without prejudice to any other rights or powers under the contract of the Contracting Authority and the Contractor. The Contracting Authority may, thereafter, conclude any other contract with a third party, at the Contractor's own expense. The Contractor's liability for delay in completion shall immediately cease when the Contracting Authority terminates the contract without prejudice to any liability thereunder that may already have arisen.

36.4. Upon termination of the contract or when it has received notice thereof, the Contractor shall take immediate steps to bring the implementation of the tasks to a close in a prompt and orderly manner and to reduce expenditure to a minimum.

36.5. The Project Manager shall, as soon as possible after termination, certify the value of the supplies and all sums due to the Contractor as at the date of termination.

36.6. In the event of termination, the Project Manager shall, as soon as possible and in the presence of the Contractor or his representatives or having duly summoned them, draw up a report on the supplies delivered and the incidental siting or installation performed and take an inventory of the materials supplied and unused. A statement shall also be drawn up of monies due to the Contractor and of monies owed by the Contractor to the Contracting Authority as at the date of termination of the contract.

36.7. The Contracting Authority shall not be obliged to make any further payments to the Contractor until the supplies are completed. After the supplies are completed, the Contracting Authority shall recover from the Contractor the extra costs, if any, of providing the supplies, or shall pay any balance still due to the Contractor.

36.8. If the Contracting Authority terminates the contract pursuant to Article 36.2, it shall, in addition to the extra costs for completion of the contract and without prejudice to its other remedies under the contract, be entitled to recover from the Contractor any loss it has suffered up to the value of the supply unless otherwise provided for in the Special Conditions.

36.9. Where the termination is not due to an act or omission of the Contractor, force majeure or other circumstances beyond the control of the Contracting Authority, the Contractor shall be entitled to claim in addition to sums owed to it for work already performed, an indemnity for loss suffered.

36.10. This contract shall be automatically terminated if it has not given rise to any payment in the two years following its signing by both parties.

### **Article 37 - Termination by the Contractor**

37.1. The Contractor may, after giving 14 days' notice to the Contracting Authority, terminate the contract if the Contracting Authority:

- fails to pay the Contractor the amounts due under any certificate issued by the Project Manager after the expiry of the time limit stated in Article 28.3; or
- consistently fails to meet its obligations after repeated reminders; or
- suspends the delivery of the supplies, or any part thereof, for more than 180 days, for reasons not specified in the contract or not attributable to the Contractor's breach or default.

37.2. Such termination shall be without prejudice to any other rights of the Contracting Authority or the Contractor acquired under the contract.

37.3. In the event of such termination, the Contracting Authority shall pay the Contractor for any loss or damage the Contractor may have suffered.

## **Article 38 - Force majeure**

38.1. Neither party shall be considered to be in default or in breach of its obligations under the contract if the performance of such obligations is prevented by any circumstances of *force majeure* which arises after the date of notification of award or the date when the contract becomes effective

38.2. The term *force majeure*, as used herein covers any unforeseeable events, not within the control of either party and which by the exercise of due diligence neither party is able to overcome such as acts of God, strikes, lock-outs or other industrial disturbances, acts of the public enemy, wars whether declared or not, blockades, insurrection, riots, epidemics, landslides, earthquakes, storms, lightning, floods, washouts, civil disturbances, explosions. A decision of the European Union to suspend the cooperation with the partner country is considered to be a case of force majeure when it implies suspension of funding this contract.

38.3. Notwithstanding the provisions of Articles 21 and 36, the Contractor shall not be liable to forfeiture of its performance guarantee, liquidated damages or termination for default if, and to the extent that, its delay in performance or other failure to perform its obligations under the contract is the result of an event of *force majeure*. The Contracting Authority shall similarly not be liable, notwithstanding the provisions of Articles 28 and 37, for the payment of interest on delayed payments, for non-performance or for termination by the Contractor for default if, and to the extent that, the Contracting Authority's delay or other failure to perform its obligations is the result of *force majeure*.

38.4. If either party considers that any circumstances of *force majeure* have occurred which may affect performance of its obligations, it shall promptly notify the other party and the Project Manager, giving details of the nature, the probable duration and the likely effect of the circumstances. Unless otherwise directed by the Project Manager in writing, the Contractor shall continue to perform its obligations under the contract as far as is reasonably practicable, and shall seek all reasonable alternative means for performance of its obligations which are not prevented by the *force majeure* event. The Contractor shall not put into effect alternative means unless directed so to do by the Project Manager.

38.5. If the Contractor incurs additional costs in complying with the Project Manager's directions or using alternative means under Article 38.4, the amount thereof shall be certified by the Project Manager.

38.6. If circumstances of *force majeure* have occurred and continue for a period of 180 days then, notwithstanding any extension of time for completion of the contract that the Contractor may by reason thereof have been granted, either Party shall be entitled to serve upon the other with 30 days' notice to terminate the contract. If, at the expiry of the period of 30 days, the situation of *force majeure* persists, the contract shall be terminated and, in consequence thereof under the law governing the contract, the parties shall be released from further performance of the contract.

## **Article 39 - Decease**

39.1. Where the Contractor is a natural person, the contract shall be automatically terminated if that person dies. However, the Contracting Authority shall examine any proposal made by the heirs or beneficiaries if they have notified their wish to continue the contract.

39.2. Where the Contractor consists of a number of natural persons and one or more of them die, a report shall be agreed between the parties on the progress of the contract, and the Contracting Authority shall decide whether to terminate or continue the contract in

accordance with the undertaking given by the survivors and by the heirs or beneficiaries, as the case may be.

39.3. In the cases provided for in Articles 39.1 and 39.2, persons offering to continue to perform the contract shall notify the Contracting Authority thereof within 15 days of the date of decease. The decision of the Contracting Authority shall be notified to those concerned within 30 days of receipt of such proposal.

39.4. Such persons shall be jointly and severally liable for the proper performance of the contract to the same extent as the deceased Contractor. Continuation of the contract shall be subject to the rules relating to establishment of any guarantee provided for in the contract.

## **SETTLEMENT OF DISPUTES AND APPLICABLE LAW**

### **Article 40 - Settlement of disputes**

40.1. The parties shall make every effort to settle amicably any dispute relating to the contract which may arise between them.

40.2. Once a dispute has arisen, a party shall notify the other party of the dispute, stating its position on the dispute and any solution which it envisages, and requesting an amicable settlement. The other party shall respond to this request for amicable settlement within 30 days, stating its position on the dispute. Unless the parties agree otherwise, the maximum time period laid down for reaching an amicable settlement shall be 120 days from the date of the notification requesting such a procedure. Should a party not agree to the other party's request for amicable settlement, should a party not respond in time to that request or should no amicable settlement be reached within the maximum time period, the amicable settlement procedure is considered to have failed.

40.3. In the absence of an amicable settlement, a party may notify the other party requesting a settlement through conciliation by a third person. If the European Commission is not a party to the contract, it may accept to intervene as conciliator. The other party shall respond to the request for conciliation within 30 days. Unless the parties agree otherwise, the maximum time period laid down for reaching a settlement through conciliation shall be 120 days from the notification requesting such a procedure. Should a party not agree to the other party's request for conciliation, should a party not respond in time to that request or should no settlement be reached within the maximum time period, the conciliation procedure is considered to have failed.

40.4. If the amicable settlement procedure and, if so requested, the conciliation procedure fails, each party may refer the dispute to either the decision of a national jurisdiction or arbitration, as specified in the Special Conditions.

### **Article 41 - Applicable law**

41.1. This contract shall be governed by the law of the country of the Contracting Authority or, where the Contracting Authority is the European Commission, by the European Union law supplemented as appropriate by Belgian law.

## **FINAL PROVISIONS**

### **Article 42 - Administrative and financial penalties**

42.1. Without prejudice to the application of other remedies laid down in the contract, a Contractor who has made false declarations, has made substantial errors or committed irregularities and fraud, or has been found in serious breach of its contractual obligations may be excluded from all contracts and grants financed by the EU for a maximum of five years from the date on which the infringement is committed, to be confirmed after an adversarial procedure with the Contractor, in accordance with the relevant EU Financial Regulations. The period may be increased to ten years in the event of a repeat offence within five years of the first infringement.

42.2. In addition or in alternative to the administrative penalty laid down in Article 42.1, the Contractor may also be subject to financial penalties representing 2-10% of the total contract price. This rate may be increased to 4-20% in the event of a repeat offence within five years of the first infringement.

42.3. Where the Contracting Authority is entitled to impose financial penalties, it may deduct such financial penalties from any sums due to the Contractor or call on the appropriate guarantee.

### **Article 43 - Verifications, checks and audits by European Union bodies**

43.1. The Contractor shall allow the European Commission, the European Anti-Fraud Office and the European Court of Auditors to verify, by examining the documents and to make copies thereof or by means of on-the-spot checks, including checks of original documents, the implementation of the contract. In order to carry out these verifications and audits, the EU bodies mentioned above shall be allowed to conduct a full audit, if necessary, on the basis of supporting documents for the accounts, accounting documents and any other document relevant to the financing of the project. The Contractor shall ensure that on-the-spot accesses is available at all reasonable times, notably at the Contractor's offices, to its computer data, to its accounting data and to all the information needed to carry out the audits, including information on individual salaries of persons involved in the project. The Contractor shall ensure that the information is readily available at the moment of the audit and, if so requested, that data be handed over in an appropriate form. These inspections may take place up to 7 years after the final payment.

43.2. Furthermore, the Contractor shall allow the European Anti-Fraud Office to carry out checks and verification on the spot in accordance with the procedures set out in the European Union legislation for the protection of the financial interests of the European Union against fraud and other irregularities.

43.3. To this end, the Contractor undertakes to give appropriate access to staff or agents of the European Commission, of the European Anti-Fraud Office and of the European Court of Auditors to the sites and locations at which the contract is carried out, including its information systems, as well as all documents and databases concerning the technical and financial management of the project and to take all steps to facilitate their work. Access given to agents of the European Commission, European Anti-Fraud Office and the European Court of Auditors shall be on the basis of confidentiality with respect to third parties, without prejudice to the obligations of public law to which they are subject. Documents must be easily accessible and filed so as to facilitate their examination and the Contractor must inform the Contracting Authority of their precise location.

43.4. The Contractor guarantees that the rights of the European Commission, of the European Anti-Fraud Office and of the European Court of Auditors to carry out audits, checks and verification will be equally applicable, under the same conditions and according to the same rules as those set out in this Article, to any subcontractor or any other party benefiting from EU budget/EDF funds.

#### **Article 44 - Data protection**

44.1. Any personal data included in the contract shall be processed pursuant to Regulation (EC) No 45/2001 on the protection of individuals with regard to the processing of personal data by the Community institutions and bodies and on the free movement of such data. The data shall be processed solely for the purposes of the performance, management and monitoring of the contract by the Contracting Authority without prejudice to possible transmission to the bodies charged with monitoring or inspection in application of EU law. The Contractor shall have the right to access his/her personal data and to rectify any such data. Should the Contractor have any queries concerning the processing of his/her personal data, s/he shall address them to the Contracting Authority. The Contractor shall have right of recourse at any time to the European Data Protection Supervisor.

44.2. Where the contract requires processing personal data, the Contractor may act only under the supervision of the data controller, in particular with regard to the purposes of processing, the categories of data which may be processed, the recipients of the data, and the means by which the data subject may exercise his/her rights.

44.3. The data shall be confidential within the meaning of Regulation (EC) No 45/2001 of the European Parliament and of the Council on the protection of individuals with regard to the processing of personal data by Community institutions and bodies and on the free movement of such data. The Contractor shall limit access to the data to staff strictly needed to perform, manage and monitor the contract.

44.4. The Contractor undertakes to adopt technical and organisational security measures to address the risks inherent in processing and in the nature of the personal data concerned in order to:

- a) prevent any unauthorised person from having access to computer systems processing personal data, and especially:
  - aa) unauthorised reading, copying, alteration or removal of storage media;
  - ab) unauthorised data input unauthorised disclosure, alteration or erasure of stored personal data;
  - ac) unauthorised persons from using data-processing systems by means of data transmission facilities;
- b) ensure that authorised users of a data-processing system can access only the personal data to which their access right refers;
- c) record which personal data have been communicated, when and to whom;
- d) ensure that personal data processed on behalf of third parties can be processed only in the manner prescribed by the contracting institution or body;
- e) ensure that, during communication of personal data and transport of storage media, the data cannot be read, copied or erased without authorisation;
- f) design its organisational structure in such a way that it meets data protection requirements.

\* \* \*



## ***ANNEX II + III* : TECHNICAL SPECIFICATIONS + TECHNICAL OFFER**

**Contract title : Framework Contract for the Supply of Construction Materials No.4**

**Publication reference : PROC/599/15 (EuropeAid/137648/ID/SUP/XK)**

**Column 1-2 should be completed by the Contracting Authority**

**Column 3-4 should be completed by the tenderer**

**Column 5 is reserved for the evaluation committee**

Annex III - the Contractor's technical offer

The tenderers are requested to complete the template on the next pages:

- Column 2 is completed by the Contracting Authority shows the required specifications (not to be modified by the tenderer),
- Column 3 is to be filled in by the tenderer and must detail what is offered (for example the words “compliant” or “yes” are not sufficient)
- Column 4 allows the tenderer to make comments on its proposed supply and to make eventual references to the documentation

The eventual documentation supplied should clearly indicate (highlight, mark) the models offered and the options included, if any, so that the evaluators can see the exact configuration. Offers that do not permit to identify precisely the models and the specifications may be rejected by the evaluation committee.

The offer must be clear enough to allow the evaluators to make an easy comparison between the requested specifications and the offered specifications.

**LOT 1: INTERIOR / FAÇADE WORKS MATERIAL**

1. Item Number	2. Specifications Required	3. Specifications Offered	4. Notes, remarks, ref to documentation	5. Evaluation Committee's notes
<b>Plastering and Façade</b>				
1	Gypsum for reparation 1 bag 2.5 kg <b>QTY: 25 bag</b>			
2	Joint filler to cure for grouting reinforcing bar Packing: 5 kg Bag <b>QTY: 10 bag</b>			
3	Lime Cement Plaster for in-and outside use according to DIN EN 998-1 (25 kg. bags) <b>QTY: 10 bag</b>			
4	Constructive glue cement material for levelling. (25 kg. bags) <b>QTY: 10 bag</b>			
5	Sand layer with lime baseline for levelling/sanding (25 kg bags) <b>QTY: 10 bag</b>			
6	Adhesive for direct bonding of gypsum plasterboards (25 kg bags) <b>QTY: 10 bag</b>			

1. Item Number	2. Specifications Required	3. Specifications Offered	4. Notes, remarks, ref to documentation	5. Evaluation Committee's notes
7	Fast settings gypsum compound for bedding joints (25 kg bags) <b>QTY: 10 bag</b>			
8	Fiber Joint Tape for Plaster Board 50mmx50mtr Roll <b>QTY: 20 roll</b>			
9	Alkaline-resistant fibreglass mesh. 1 roll 50 m2 <b>QTY: 1 roll</b>			
10	Factory mixed, mineral powdered adhesive for gluing and filling, as well as embedding the Fibreglass Mesh. (25 kg. bags) <b>QTY: 10 bag</b>			
11	Ready-to-use, universal pre-coating used as absorption balance and adhesive for top plasters (25 kg) <b>QTY: 10 bag</b>			
12	Ready-mixed, paste-like synthetic resin thin-layer top coat plaster. Rubbing plaster for outdoors and indoors. Vapour-permeable with good water deflection. 1mm structure. (25 kg. bags) <b>QTY: 10 bucket</b>			

1. Item Number	2. Specifications Required	3. Specifications Offered	4. Notes, remarks, ref to documentation	5. Evaluation Committee's notes
13	Ready-mixed, universal primer as absorption compensator (25 kg bucket) <b>QTY: 10 bucket</b>			
14	Thermo insulation Stirodur 3 cm. N4 Compressed. <b>QTY: 50 m2</b>			
15	Thermo insulation Stirodur 5 cm. N4 Compressed. <b>QTY: 30 m2</b>			
16	Thermo insulation Styrofoam, 2 cm, Thermal conductivity 0,4, Density 20kg/m3 <b>QTY: 10 m2</b>			
17	Thermo insulation Styrofoam, 5 cm, Thermal conductivity 0,4, Density 20kg/m3 <b>QTY: 10 m2</b>			
18	Thermo insulation Styrofoam, 10 cm, Thermal conductivity 0,4, Density 20kg/m3 <b>QTY: 10 m2</b>			
<b>Gypsum boards</b>				
19	Gypsum plaster board, thickness 9.5 mm <b>QTY: 50 m2</b>			
20	Gypsum plaster board, thickness 12.5 mm <b>QTY: 500 m2</b>			

1. Item Number	2. Specifications Required	3. Specifications Offered	4. Notes, remarks, ref to documentation	5. Evaluation Committee's notes
21	Fire resistant gypsum plaster board, thickness 12.5 mm <b>QTY: 50 m2</b>			
22	Impregnated (waterproof) plaster gypsum plaster board, thickness 12.5 mm <b>QTY: 50 m2</b>			
23	Fire resistant gypsum plaster board, thickness 20.0 mm <b>QTY: 10 m2</b>			
24	Suspended ceiling tiles/mineral fibreboard, dimension: 600x600x15 mm <b>QTY: 200 m2</b>			
25	Suspension System Exposed 35mm grid system - Main Runners 35, length: 3600 <b>QTY: 50 each</b>			
26	Suspension System Exposed 35mm grid system, Cross Tees length: 600 mm <b>QTY: 50 each</b>			
27	Suspension System Exposed 35mm grid system, Cross Tees length: 1200 mm <b>QTY: 50 each</b>			

1. Item Number	2. Specifications Required	3. Specifications Offered	4. Notes, remarks, ref to documentation	5. Evaluation Committee's notes
28	Suspension System General perimeters - Perimeter angles Dimensions:3000 x 20 x 20 <b>QTY: 50 each</b>			
29	Betocontact product based on polymer for base that are smooth or have limited suction 20 kg bucket <b>QTY: 5 bucket</b>			
30	Primer product based on polymer for base that have high suction 15 kg bucket <b>QTY: 1 bucket</b>			
31	Primer for finished boards 20 kg bucket <b>QTY: 1 bucket</b>			
32	Primer for areas of high moistures 5 kg bucket <b>QTY: 1 bucket</b>			
<b>Galvanized CW-/UW-/UA-profiles</b>				
33	CW 50 according to DIN EN 14195, 4 meter long, thickness 0.6 mm <b>QTY: 500 mtr</b>			
34	CW 75 according to DIN EN 14195, 4 meter long, thickness 0.6 mm <b>QTY: 100 mtr</b>			

1. Item Number	2. Specifications Required	3. Specifications Offered	4. Notes, remarks, ref to documentation	5. Evaluation Committee's notes
35	CW 100 according to DIN EN 14195, 4 meter long, thickness 0.6 mm <b>QTY: 100 mtr</b>			
36	CD 60x27 according to DIN EN 14195, 4 meter long, thickness 0.6 mm <b>QTY: 100 mtr</b>			
37	UD 28x27 according to DIN EN 14195, 3 meters long, thickness 0.6 mm <b>QTY: 100 mtr</b>			
38	UA 50x40 according to DIN EN 14195, 4 meter long, thickness 2 mm <b>QTY: 50 mtr</b>			
39	UA 75x40 according to DIN EN 14195, 4 meter long, thickness 2 mm <b>QTY: 50 mtr</b>			
40	UA 100x40 according to DIN EN 14195, 4 meter long, thickness 2 mm <b>QTY: 50 mtr</b>			
41	UW 50x40 according to DIN EN 14195, 4 meter long, thickness 0.6 mm <b>QTY: 100 mtr</b>			

1. Item Number	2. Specifications Required	3. Specifications Offered	4. Notes, remarks, ref to documentation	5. Evaluation Committee's notes
42	UW 75x40 according to DIN EN 14195, 4 meter long, thickness 0.6 mm <b>QTY: 100 mtr</b>			
43	UW 100x40 according to DIN EN 14195, 4 meter long, thickness 0.6 mm <b>QTY: 100 mtr</b>			
<b>Accessories</b>				
44	Fixing clip for direct suspension for CD channel 60/27 (100 pcs. in box) <b>QTY: 5 box</b>			
45	Fixing connector for CD channel 60/28 (100 pcs. in box) <b>QTY: 5 box</b>			
46	Hanging wire with steel dowel length 25.00 cm (100 pcs. in box) <b>QTY: 1 box</b>			
47	Hanging wire with steel dowel length 50.00 cm (100 pcs. in box) <b>QTY: 1 box</b>			
48	Hanging wire length 25.00 cm (100 pcs. in box) <b>QTY: 1 box</b>			

1. Item Number	2. Specifications Required	3. Specifications Offered	4. Notes, remarks, ref to documentation	5. Evaluation Committee's notes
49	Hanging wire length 50.00 cm (100 pcs. in box) <b>QTY: 1 box</b>			
50	Multi-connector for hanging wire (100 pcs. in box) <b>QTY: 1 box</b>			
51	Fixing clip for connect CD channel to the structural steelwork 5-25 mm. (50 pcs. in box) <b>QTY: 1 box</b>			
52	Nonius hanger Top length 30.00 cm (100 pcs. in box) <b>QTY: 1 box</b>			
53	Nonius hanger Top length 50.00 cm (100 pcs. in box) <b>QTY: 1 box</b>			
54	Nonius hanger Bottom for CD channel 60/27 load bearing capacity class 0.4 KN (100 pcs. in box) <b>QTY: 1 box</b>			
55	Nonius stirrup for UA runner 50/40 load bearing capacity class 0.4 KN. (100 pcs. in box) <b>QTY: 1 box</b>			
56	Nonius pin (100 pcs. in box) <b>QTY: 1 box</b>			

1. Item Number	2. Specifications Required	3. Specifications Offered	4. Notes, remarks, ref to documentation	5. Evaluation Committee's notes
57	Universal bracket for wood channel 50 mm load bearing capacity class 0.4 KN (100 pcs. in box) <b>QTY: 4 box</b>			
58	Universal bracket for CD channel 60/27 load bearing capacity class 0.4 KN (100 pcs. in box) <b>QTY: 4 box</b>			
59	Anker hanger for wood for CD channel 60/27 load bearing capacity class 0.25 KN, length 270 mm (100 pcs. in box) <b>QTY: 4 box</b>			
60	Anker hanger for wood for CD channel 60/27 load bearing capacity class 0.25 KN, length 170 mm (100 pcs. in box) <b>QTY: 4 box</b>			
61	Anker Rapid hanger for CD channel 60/27 load bearing capacity class 0.25 KN. (100 pcs. in box) <b>QTY: 4 box</b>			
62	Multi-connector for CD as longitudinal connection (100 pcs. in box) <b>QTY: 4 box</b>			

1. Item Number	2. Specifications Required	3. Specifications Offered	4. Notes, remarks, ref to documentation	5. Evaluation Committee's notes
63	Intersections connector for UA-50/40 with CD-60/27 load bearing capacity class 0.4 KN (50 pcs. in box) <b>QTY: 4 box</b>			
64	Clip for CD channel 60/27 (100 pcs. in box) <b>QTY: 4 box</b>			
65	Gypsum sealing tape self-adhesive (roll 30m) 30 mm width <b>QTY: 2 roll</b>			
66	Gypsum sealing tape self-adhesive (roll 30m) 50 mm width <b>QTY: 2 roll</b>			
67	Gypsum sealing tape self-adhesive (roll 30m) 70 mm width <b>QTY: 2 roll</b>			
68	Gypsum sealing tape self-adhesive (roll 30m) 95 mm width <b>QTY: 2 roll</b>			
69	Alum corner trim 25/25/0.45 2.5 m' length <b>QTY: 100 mtr</b>			

1. Item Number	2. Specifications Required	3. Specifications Offered	4. Notes, remarks, ref to documentation	5. Evaluation Committee's notes
70	Drywall screws DIN 18182 part 2 TN 25 mm (1000 pcs. in box) <b>QTY: 5 box</b>			
71	Drywall screws DIN 18182 part 2 TN 35 mm (1000 pcs. in box) <b>QTY: 10 box</b>			
72	Drywall screws DIN 18182 part 2 TN 55 mm (1000 pcs. in box) <b>QTY: 10 box</b>			
73	Drywall screws with drill bit DIN 18182 part 2 TN 25 mm (1000 pcs. in box) <b>QTY: 25 box</b>			
74	Drywall screws with drill bit DIN 18182 part 2 TN 35 mm (1000 pcs. in box) <b>QTY: 25 box</b>			
75	Drywall screws with drill bit DIN 18182 part 2 TN 55 mm (1000 pcs. in box) <b>QTY: 25 box</b>			
76	Universal Plug UX PVC/Nylon M6x50 Pack of 100Pcs <b>QTY: 10 pack</b>			

1. Item Number	2. Specifications Required	3. Specifications Offered	4. Notes, remarks, ref to documentation	5. Evaluation Committee's notes
77	Universal Plug UX PVC/Nylon M8x50 Pack of 100Pcs <b>QTY: 10 pack</b>			
78	Universal Plug UX PVC/Nylon M10x60 Pack of 100Pcs <b>QTY: 10 pack</b>			
79	Universal Plug UX PVC/Nylon M12x70Pack of 25Pcs <b>QTY: 10 pack</b>			
80	Universal Plug UX PVC/Nylon M14x75 Pack of 25Pcs <b>QTY: 10 pack</b>			
81	Nail able plug for fixing U and CW channel K 6/35 (100 pcs. in box) <b>QTY: 10 box</b>			
82	Nail able plug for fixing U and CW channel L 8/80 (50 pcs. in box) <b>QTY: 10 box</b>			
83	Nail able plug for fixing U and CW channel L 8/100 (50 pcs. in box) <b>QTY: 10 box</b>			

1. Item Number	2. Specifications Required	3. Specifications Offered	4. Notes, remarks, ref to documentation	5. Evaluation Committee's notes
84	Metal cavity dowels loading 40 kg/50 kg 4/13 (50 pcs. in box) <b>QTY: 10 box</b>			
85	Metal cavity dowels loading 40 kg/50 kg 4/24 (50 pcs. in box) <b>QTY: 10 box</b>			
86	Metal cavity dowels loading 40 kg/50 kg 4/38 (50 pcs. in box) <b>QTY: 10 box</b>			
87	Metal cavity dowels loading 40 kg/50 kg 5/16 (50 pcs. in box) <b>QTY: 10 box</b>			
88	Metal cavity dowels loading 40 kg/50 kg 5/32 (50 pcs. in box) <b>QTY: 10 box</b>			
89	Metal cavity dowels loading 40 kg/50 kg 6/16 (50 pcs. in box) <b>QTY: 10 box</b>			
90	Metal cavity dowels loading 40 kg/50 kg 6/32 (50 pcs. in box) <b>QTY: 10 box</b>			

1. Item Number	2. Specifications Required	3. Specifications Offered	4. Notes, remarks, ref to documentation	5. Evaluation Committee's notes
91	20 mm 4-way PVC junction box for gypsum walls, Ø65 mm, 38 - 50 mm deep. <b>QTY: 10 each</b>			
92	Aluminium inspection parts for wall/ceiling for boards 12.5 mm 300x600 <b>QTY: 1 pcs</b>			
93	Aluminium inspection parts for wall/ceiling for boards 12.5 mm 800x800 <b>QTY: 1 pcs</b>			
<b>Carpentry</b>				
94	Adhesive for floor carpets <b>QTY: 50 lit</b>			
95	<b>Universal Glue</b> 800ml for bonding of leather, rubber, fabrics, cork, cardboard, different plastic screeds, profiles and of other materials together or onto wood, metals, concrete, stone and glass. <b>QTY: 20 tin</b>			
96	Commercial Carpet in rolls, Type: Needle felt with rubber back, Material 100 % PP, Boucle for heavy traffic-Class 33, Fire resistant B1 <b>QTY: 400 m2</b>			

1. Item Number	2. Specifications Required	3. Specifications Offered	4. Notes, remarks, ref to documentation	5. Evaluation Committee's notes
97	<p>Woven Geotextile Made of Poly Propylene Black Color Dimension 2.2 mtr high - 50 mtr long . Allows the transmission of water whilst forming a strong durable geotextile with high tensile strengths.</p> <p><b>QTY: 400.00 m2</b></p>			
98	<p>Melamine Faced Chipboard, 16 mm. 244 x 122 cm. Color white and brown, black.</p> <p><b>QTY: 10 each</b></p>			
99	<p>Melamine Faced Chipboard, 18 mm. 244 x 122 cm. Color white and brown.</p> <p><b>QTY: 10 each</b></p>			
100	<p>Melamine Faced Chipboard, 22 mm. 244 x 122 cm. Surface = Oak.</p> <p><b>QTY: 5 each</b></p>			
101	<p>Melamine edging tape, 16 and 18 mm. Color white, brown and black.</p> <p><b>QTY: 20 mtr</b></p>			
102	<p>Melamine edging tape, 22 mm. Color white, brown and black.</p> <p><b>QTY: 50 mtr</b></p>			

1. Item Number	2. Specifications Required	3. Specifications Offered	4. Notes, remarks, ref to documentation	5. Evaluation Committee's notes
103	Melamine Edging Tape, 50 mm. 244 x 122 cm. Color white, brown and black. <b>QTY: 50 mtr</b>			
104	Glass clear 3 mm <b>QTY: 5 m2</b>			
105	Glass clear 4 mm <b>QTY: 10 m2</b>			
106	Glazier's putty (in 620 ml cartridge) <b>QTY: 5 each</b>			
107	Glue brush <b>QTY: 5 each</b>			
108	Hinges door 100 mm <b>QTY: 10 each</b>			
109	Hinges door 80 mm <b>QTY: 10 each</b>			
110	Hinges windows 80 mm <b>QTY: 10 each</b>			
111	Hinges, life of Ø 13 with drill holes <b>QTY: 10 each</b>			

1. Item Number	2. Specifications Required	3. Specifications Offered	4. Notes, remarks, ref to documentation	5. Evaluation Committee's notes
112	Hinges, piano Ø 13 with drill holes <b>QTY: 10 each</b>			
113	Solid brass Padlock. Width = 38 mm <b>QTY: 50 each</b>			
114	Padlock Zinc Alloy 92.5mm C2-60H Dimension 92.5(H)*60(W)*22(D)mm Shackle diameter 12mm <b>QTY: 50 each</b>			
115	Solid brass Padlock. Width = 50 mm <b>QTY: 50 each</b>			
116	Chain Galvanized 3/8 <b>QTY: 50 mtr</b>			
117	Chain Galvanized 1/2 <b>QTY: 50 mtr</b>			
118	Chain Galvanized 3/4 <b>QTY: 50 mtr</b>			
119	Rope Polypropylene 6 mm thickness all weather <b>QTY: 50 mtr</b>			
120	Rope Polypropylene 8 mm thickness all weather <b>QTY: 50 mtr</b>			

1. Item Number	2. Specifications Required	3. Specifications Offered	4. Notes, remarks, ref to documentation	5. Evaluation Committee's notes
121	Rope Polypropylene 10 mm thickness all weather <b>QTY: 50 mtr</b>			
122	Hammer drill bit SDS Plus II Pointer fi 12 -40 Cm Long Drilling on Concrete and Brick <b>QTY: 5 each</b>			
123	Hammer drill bit SDS Plus II Pointer fi 14 -40 Cm Long Drilling on Concrete and Brick <b>QTY: 5 each</b>			
124	Hammer drill bit SDS Plus II Pointer fi 16 -40 Cm Long Drilling on Concrete and Brick <b>QTY: 1 each</b>			
125	Hammer drill bit SDS Plus II Pointer fi 32 -40 Cm Long Drilling on Concrete and Brick <b>QTY: 1 each</b>			
126	Hammer drill bit SDS Plus II Pointer fi 50 -40 Cm Long Drilling on Concrete and Brick <b>QTY: 1 each</b>			
127	Screw Drive Bit PH1 Heavy Duty Use 5CM Long <b>QTY: 10 each</b>			
128	Screw Drive Bit PH2 Heavy Duty Use 5CM Long <b>QTY: 10 each</b>			

1. Item Number	2. Specifications Required	3. Specifications Offered	4. Notes, remarks, ref to documentation	5. Evaluation Committee's notes
129	Screw Drive Bit PH3 Heavy Duty Use 5CM Long <b>QTY: 10 each</b>			
130	Magnetic Holder for Screw Drive Bit Hex Head <b>QTY: 10 each</b>			
131	Magnetic nut setter for hex head screws M6 <b>QTY: 10 each</b>			
132	Magnetic nut setter for hex head screws M8 <b>QTY: 10 each</b>			
133	Magnetic nut setter for hex head screws M10 <b>QTY: 10 each</b>			
134	Magnetic nut setter for hex head screws M13 <b>QTY: 10 each</b>			
135	Measuring Tape 5mtr Long With Belt Holder <b>QTY: 10 each</b>			
136	Measuring Tape 7.5 mtr Long With Belt Holder <b>QTY: 5 each</b>			
137	Measuring Tape 10 mtr Long With Belt Holder <b>QTY: 5 each</b>			

1. Item Number	2. Specifications Required	3. Specifications Offered	4. Notes, remarks, ref to documentation	5. Evaluation Committee's notes
138	Carpet Cutter Cutting Trim Fitting Fitters Edging Tool Knife Vinyl Flooring <b>QTY: 5 each</b>			
139	Cutter Blade for Cutter Knife 100x20mm packed in Box of 10PCS <b>QTY: 10 pack</b>			
140	Cutter Knife With PVC Handle Inside Aluminium Sliding Frame including Locking Knob <b>QTY: 20 each</b>			
141	Staplers/Tackers/Nailers Drives 20 gauge wide crown staples from 1/4" through 9/16 <b>QTY: 5 each</b>			
142	Acrylic Floating Trowel Heavy Duty 2 <b>QTY: 5 each</b>			
143	Plastering Trowel made of Stainless Steel and Protective Handle 25Cm Long 12Cm Wide <b>QTY: 5 each</b>			
144	Masonry Rope 2mm Thickness with Different Colour 100mtr roll <b>QTY: 10 roll</b>			

1. Item Number	2. Specifications Required	3. Specifications Offered	4. Notes, remarks, ref to documentation	5. Evaluation Committee's notes
145	Concrete Screeding Tools made of Aluminium 2mtr Long and 2cm thick <b>QTY: 1 each</b>			
146	Scraper made of Stainless Steel with PVC Handle 40mm <b>QTY: 5 each</b>			
147	Scraper made of Stainless Steel with PVC Handle 60mm <b>QTY: 5 each</b>			
148	Scraper made of Stainless Steel with PVC Handle 80mm <b>QTY: 5 each</b>			
149	Scraper made of Stainless Steel with PVC Handle 100 mm <b>QTY: 5 each</b>			
150	Silicone Gun skeleton, metal extra easy use with long lever <b>QTY: 5 each</b>			
151	Tile Cutting Machine incl. hole cutter and vertical cutting device size/mm 500 <b>QTY: 1 each</b>			

1. Item Number	2. Specifications Required	3. Specifications Offered	4. Notes, remarks, ref to documentation	5. Evaluation Committee's notes
152	Glass Cutter including 6 replacement blades <b>QTY: 1 each</b>			
153	Hand Planer for Plaster -rasp sizes/mm: 140*40 250*40 <b>QTY: 5 each</b>			
154	Foam Gun made of Metal to be used for the Foam B2 <b>QTY: 5 each</b>			
155	Two Component Expanding Foam 750ml Tube <b>QTY: 10 each</b>			
156	Fire Rated Expanding One Component Foam Gun Applied B2 Grade 750ml 42754 <b>QTY: 10 each</b>			
157	PU Gun Cleaner 500ml Tube <b>PUR500</b> <b>QTY: 10 each</b>			
158	Silicone White Acrylic in Tube of 330ml Multipurpose Use <b>QTY: 100 each</b>			
159	Silicone black general purpose in 310 ml <b>QTY: 25 each</b>			

1. Item Number	2. Specifications Required	3. Specifications Offered	4. Notes, remarks, ref to documentation	5. Evaluation Committee's notes
160	Silicone clear general purpose in 310 ml <b>QTY: 100 each</b>			
161	Silicone white general purpose in 310 ml <b>QTY: 100 each</b>			
162	Transparent Plexiglas 4 mm <b>QTY: 20 m2</b>			
163	Transparent Plexiglas 5 mm <b>QTY: 20 m2</b>			
<b>Paint</b>				
164	White paint for walls and ceiling (25 kg buckets) <b>QTY: 100 bucket</b>			
165	White Paint Oil Base, Characteristics- High mechanical and chemical resistance (fuel, motor oil, solvents, thinned acids and bases, usual cleaners) (10kg bucket) <b>QTY: 20 bucket</b>			

1. Item Number	2. Specifications Required	3. Specifications Offered	4. Notes, remarks, ref to documentation	5. Evaluation Committee's notes
166	<p>Traffic Zone Marking Paint, Chlorinated Solvent Base Type, White Dry Time 2 to 3 hr., Dry Time Tack Free 15 min., Application Temperature 40 to 100 Degrees F, Application Method Brush, Roll, Striping Machine, Surface Asphalt, Concrete, Brick, Re-Stripe Paint Lines, Mild to Moderate Exposure Conditions, VOC Content 388 g/L, Standards A-A-2886B Type II, For Use With Marking Guns.</p> <p><b>QTY: 100 lit</b></p>			
167	<p>Ready-mixed, synthetic resin paint for outdoors and indoors. (25 kg buckets)</p> <p><b>QTY: 20 bucket</b></p>			
168	<p>Paint Red toner (750 ml cartridge)</p> <p><b>QTY: 10 ea</b></p>			
169	<p>Paint Yellow toner (750 ml cartridge)</p> <p><b>QTY: 10 ea</b></p>			
170	<p>Paint Blue toner (750 ml cartridge)</p> <p><b>QTY: 10 ea</b></p>			
171	<p>Water based EPOXY Coating. Two component 100% reactive water based multifunctional EPOXY resin coating. Color: grey. (5lit. Can)</p> <p><b>QTY: 5 ea</b></p>			

1. Item Number	2. Specifications Required	3. Specifications Offered	4. Notes, remarks, ref to documentation	5. Evaluation Committee's notes
172	Primer for metal (1 litre can) Color grey,white,black. <b>QTY: 30 ea</b>			
173	Paint for exterior METAL. Oiled based. Color: white, black, grey, red, blue, yellow, brown and green. (1 litre can) <b>QTY: 20 ea</b>			
174	Paint for interior METAL. Water based. Color: white, black, grey, red, blue, yellow, brown and green. (1 litre can) <b>QTY: 20 ea</b>			
175	Paint for radiators and heating pipes. Color: white. (1 litre can) <b>QTY: 10 ea</b>			
176	Preservative for wood colourless (1 litre can) <b>QTY: 35 ea</b>			
177	Thinner f/paint (1 litre can) <b>QTY: 30 ea</b>			
178	Aerosol marking paint for spot marking of surface prior to surveying, earth works building constructions etc. Color: red, blue and yellow. can 350 gr. <b>QTY: 10 ea</b>			

1. Item Number	2. Specifications Required	3. Specifications Offered	4. Notes, remarks, ref to documentation	5. Evaluation Committee's notes
179	Masking tape 2 cm roll (50 m, roll) <b>QTY: 100 roll</b>			
180	Masking tape 4 cm roll (50m roll) <b>QTY: 100 roll</b>			
181	Masking tape 5 cm (50m roll) <b>QTY: 100 roll</b>			
182	Paint brush flat 20 mm <b>QTY: 20 ea</b>			
183	Paint brush flat 30 mm <b>QTY: 20 ea</b>			
184	Paint brush flat 40 mm <b>QTY: 20 ea</b>			
185	Paint brush flat 50 mm <b>QTY: 20 ea</b>			
186	Paint brush flat 60 mm <b>QTY: 20 ea</b>			
187	Paint brush flat 70 mm <b>QTY: 20 ea</b>			
188	Paint brush flat 80 mm <b>QTY: 20 ea</b>			

1. Item Number	2. Specifications Required	3. Specifications Offered	4. Notes, remarks, ref to documentation	5. Evaluation Committee's notes
189	Paint brush flat 100 mm <b>QTY: 20 ea</b>			
190	Paint roller 19 cm, w/handle <b>QTY: 10 ea</b>			
191	Paint roller with handle 11cm <b>QTY: 20 ea</b>			
192	Paint roller w/handle 25cm <b>QTY: 20 ea</b>			
193	Paint Grid Made of Galvanized Materials for Paint Roller 11-25 Cm to be Used on 25Kg bucket <b>QTY: 5 each</b>			
194	Plastic Construction and painting Covering Foil dimension 5x4 mtr Transparent <b>QTY: 20 pack</b>			
195	Plastic sheet 0.2 mm <b>QTY: 250 m2</b>			
196	Steel brush wooden handle 4 rows <b>QTY: 5 ea</b>			
197	Telescopic handle for paint roller Aluminum Body 6 mtr Log with 3 Section <b>QTY: 5 ea</b>			

1. Item Number	2. Specifications Required	3. Specifications Offered	4. Notes, remarks, ref to documentation	5. Evaluation Committee's notes
<b>Flooring</b>				
198	PVC-Flooring in rolls thickness= 2mm <b>QTY: 250 m2</b>			
199	Ceramic wall tile dimensions 20x20 cm. Suitable for wet room. Tile finish: glass. Color: white, beige, cream and light grey. <b>QTY: 50 m2</b>			
200	Ceramic flooring tile dimensions 20x20 cm Antislip resistance R 9 according to DIN 51130. Suitable for wet room. Tile finish: glass. Color: white, beige, cream and light grey. <b>QTY: 15 m2</b>			
201	Ceramic flooring tile dimensions 20x20 cm Antislip resistance R 10 according to DIN 51130. Suitable for wet room. Tile finish: glass. Color: white, beige, cream and light grey. <b>QTY: 15 m2</b>			
202	Ceramic flooring tile (for outside use) dimensions 30.5x30.5 cm Antislip resistance R12 according to DIN 51130. <b>QTY: 20 m2</b>			

1. Item Number	2. Specifications Required	3. Specifications Offered	4. Notes, remarks, ref to documentation	5. Evaluation Committee's notes
203	Laminate wood flooring 8mm including Floor Foil and Laminate Skirting <b>QTY: 80 m2</b>			
204	Granite flooring tile 2 cm <b>QTY: 10 m2</b>			
205	Tile adhesive. All weather condition for interior and exterior use. (25 kg bags) <b>QTY: 10 bags</b>			
206	Grouting compounds for trick narrow joints (2 kg bags) <b>QTY: 20 bags</b>			
<b>Sealing</b>				
207	Two- components sealing compound for sealing wall and floor surfaces. Fulfils the moisture classes 1,2 and 3. (1x5 kg bucket + 1x5 kg paper bag) <b>QTY: 2 set</b>			
208	Strip sealant for waterproofing and flexible bridging of movement joints, perimeter joints and crack prone connections and feedthroughs. Fulfils the moisture classes 1, 2 and 3. (50 m per roll) <b>QTY: 1 roll</b>			

1. Item Number	2. Specifications Required	3. Specifications Offered	4. Notes, remarks, ref to documentation	5. Evaluation Committee's notes
209	Ready Mixed Bitumen for Cold Insulation (BIMIZOL or Similar) 25 Kg Tin <b>QTY: 1 Tin</b>			
210	Bitumen coating, (cold coat before hydro insulation) 1 can/20 liter <b>QTY: 1 ea</b>			
211	Two Component Sealing Glue Including Spray Activator in Bottle of 500ml <b>QTY: 5 ea</b>			
212	SBS polymer-modified bitumen membran, self adhering. 3mm (12m <sup>2</sup> /roll). DIN 52130 <b>QTY: 5 ea</b>			
213	SBS polymer-modified bitumen membran, self adhering. 5mm (12m <sup>2</sup> /roll). DIN 52130 <b>QTY: 5 ea</b>			

**LOT 2: PRECAST CONCRETE ELEMENTES, CONCRETE AND MASONRY MATERIAL**

1. Item Number	2. Specifications Required	3. Specifications Offered	4. Notes, remarks, ref to documentation	5. Evaluation Committee's notes
1	Precast concrete blocks as foundation for office and sea-containers. 30x30x15 cm. Handles on two side. 2x3 Ø8 reinforcement crosswise in centre. <b>QTY: 30 ea</b>			
2	Precast concrete pavement blocks 20x10x8, grey, red <b>QTY: 30 m2</b>			
3	Precast concrete pavement blocks "s", t=8 cm, grey, red <b>QTY: 30 m2</b>			
4	Precast concrete pavement tiles 40x40x4 cm, grey, red <b>QTY: 30 m2</b>			
5	Kerb precast concrete blocks 8x20x100 cm, grey <b>QTY: 100 m2</b>			

1. Item Number	2. Specifications Required	3. Specifications Offered	4. Notes, remarks, ref to documentation	5. Evaluation Committee's notes
6	Precast concrete manhole base section, Ø1000 x 1000 mm <b>QTY: 1 ea</b>			
7	Precast concrete riser section, Ø1000 x 500 mm <b>QTY: 1 ea</b>			
8	Precast concrete cone, Ø1000 x 600 mm <b>QTY: 1 ea</b>			
9	Precast riser ring, Ø600 x 60 mm <b>QTY: 1 ea</b>			
10	Manhole cover, clear opening 600 mm, made from fiber reinforced polymer. Load rating: EN124 class C250 (250kN) <b>QTY: 1 ea</b>			
11	Hollow clay brick, 25x19x19 cm <b>QTY: 100 ea</b>			
12	Hollow clay brick, 25x12x19 cm. <b>QTY: 100 ea</b>			
13	Autoclaved aerated concrete blocks. 60x25x5 cm. Density 425 kg/m <sup>3</sup> , Compressive strength 3,0 N/mm <sup>2</sup> . <b>QTY: 20 ea</b>			

1. Item Number	2. Specifications Required	3. Specifications Offered	4. Notes, remarks, ref to documentation	5. Evaluation Committee's notes
14	Autoclaved aerated concrete blocks. 60x25x12.5 cm. Density 425 kg/m <sup>3</sup> , Compressive strength 3,0 N/mm <sup>2</sup> . <b>QTY: 50 ea</b>			
15	Autoclaved aerated concrete blocks. 60x25x20 cm. Density 425 kg/m <sup>3</sup> , Compressive strength 3,0 N/mm <sup>2</sup> . <b>QTY: 20 ea</b>			
16	Clay brick 24x12x6 cm. <b>QTY: 50 ea</b>			
17	Sacked Portland cement (CEM. II/B-M 32.5) according the EN 197-1/2000. (50 kg sack) <b>QTY: 50 sack</b>			
18	Ready-mixed concrete, Class: C20/25 according to EN 206-1, supply is only allowed in concrete mixer vehicle. <b>QTY: 5 m<sup>3</sup></b>			
19	Ready-mixed concrete, Class: C20/25 according to EN 206-1, supply is only allowed in concrete mixer vehicle. <b>Price should include a 30 m. concrete pump.</b> <b>QTY: 5 m<sup>3</sup></b>			

1. Item Number	2. Specifications Required	3. Specifications Offered	4. Notes, remarks, ref to documentation	5. Evaluation Committee's notes
20	Ready-mixed concrete, Class: C25/30, according to EN 206-1, supply is only allowed in concrete mixer vehicle. <b>QTY: 5 m3</b>			
21	Ready-mixed concrete, Class: C25/30, according to EN 206-1, supply is only allowed in concrete mixer vehicle. <b>Price should include a 30 m. concrete pump.</b> <b>QTY: 5 m3</b>			
22	Aditive for Concrete -Antifreez for ConcreteAntifreeze & Rapid Setter is designed to be added to render and mortar to allow their use in low temperatures <b>QTY: 5 lit</b>			
23	Sand for Plastering -River Sand 0.8-1.2mm <b>QTY: 20 m3</b>			
24	Sand for bedding and backfilling <b>QTY: 100 m3</b>			
25	Crushed gravel 0 - 8 mm <b>QTY: 20 m3</b>			
26	Crushed gravel 0 - 16 mm <b>QTY: 20 m3</b>			

1. Item Number	2. Specifications Required	3. Specifications Offered	4. Notes, remarks, ref to documentation	5. Evaluation Committee's notes
27	Crushed gravel 0 - 36 mm <b>QTY: 50 m3</b>			
28	Crushed gravel 36 - 64 mm <b>QTY: 50 m3</b>			

]

**LOT 3: DOORS, WINDOWS and LOCKS**

1. Item Number	2. Specifications Required	3. Specifications Offered	4. Notes, remarks, ref to documentation	5. Evaluation Committee's notes
1	PVC framed window, color white, stiffers in frame and casement. Turn/tilt opening. Double glazed thermal insulation, U=1.4 W/m2K. <b>QTY: 5 m2</b>			
2	Aluminium framed window, powder coated, color anthracite grey. Turn/tilt opening. Double glazed thermal insulation, U=1.4 W/m2K. <b>QTY: 5 m2</b>			
3	Thermal insulated glass for windows and doors. U value shall not exceed 1.2 W/m2K. All sizes as requested. <b>QTY: 5 m2</b>			
4	PVC inside solid door, dim. 90x200, incl. frame, Lock EN 12209 and cylinder with 3 keys EN 1303. <b>QTY: 5 ea</b>			
5	PVC inside solid door, dim. 80x200 ,incl. frame, Lock EN 12209 and cylinder with 3 keys EN 1303. <b>QTY: 5 ea</b>			

1. Item Number	2. Specifications Required	3. Specifications Offered	4. Notes, remarks, ref to documentation	5. Evaluation Committee's notes
6	PVC inside half glass upper part door, dim. 90x200 ,incl. frame, Lock EN 12209 and cylinder with 3 keys EN 1303. <b>QTY: 1 ea</b>			
7	PVC Entrance door, dim 90x200. Doors consist of a door frame and a massive door casement. Inside the door frame and the door casement the doors must be additionally reinforced with a metal profile. Door casement with a special angular welded PVC-stabilizer. Doors embedded with three massive hinges. Lock EN 12209 and cylinder with 3 keys EN 1303. <b>QTY: 1 ea</b>			
8	Same as item No. 7, 50% of the door leaf with thermal insulated glass U=1.2 W/m2K. <b>QTY: 1 ea</b>			
9	Aluminium Entrance door, dim 90x200. The profile system (68 - 80 mm) thick with a thermal break. Door leafe (25 - 30 mm) thick infill to ensure good thermal insulation. U-1.4 W/m2K. Doors embedded with three-way adjustable hinges. Lock EN 12209 and cylinder with 3 keys EN 1303. <b>QTY: 1 ea</b>			

1. Item Number	2. Specifications Required	3. Specifications Offered	4. Notes, remarks, ref to documentation	5. Evaluation Committee's notes
10	Same as item No. 9, 50% of the door leaf with thermal insulated glass, U=1.2 W/m <sup>2</sup> K <b>QTY: 1 ea</b>			
11	Wooden inside door, dim. 80x200, incl. frame, Lock EN 12209 and cylinder with 3 keys EN 1303. <b>QTY: 8 ea</b>			
12	Wooden inside door, dim. 90x200, incl. frame, Lock EN 12209 and cylinder with 3 keys EN 1303. <b>QTY: 8 ea</b>			
13	Wooden sound proof door, db=37, 90x200, incl. frame, Lock EN 12209 and cylinder with 3 keys EN 1303. <b>QTY: 2 ea</b>			
14	Fire resistant door, F-30, 90x200, incl. frame, Lock EN 12209 and cylinder with 3 keys EN 1303. <b>QTY: 1 ea</b>			
15	Door closers, hydraulic, EN 1154, for steel Doors Closing power 5, door weight 80-120kg, <b>QTY: 10 ea</b>			

1. Item Number	2. Specifications Required	3. Specifications Offered	4. Notes, remarks, ref to documentation	5. Evaluation Committee's notes
16	Door closers, hydraulic, EN 1154, Doors 20 - 60 kg. <b>QTY: 10 ea</b>			
17	Pushbar, off-line mounted, both -winged panic locking system with internal lock. Steel chassis - 100 cm long metal tube, Suitable for both left & right -handed doors CE certificate EN 1125 <b>QTY: 5 ea</b>			
18	Locking Lever handle for Panic Exit Device <b>QTY: 10 ea</b>			
19	Window handles set, nickel polished. EN 179 <b>QTY: 25 ea</b>			
20	Lock for wooden and metal door 40 mm. EN 12209 <b>QTY: 50 ea</b>			
21	Lock for wood cabinet <b>QTY: 50 ea</b>			
22	Lock safety metal door four pin <b>QTY: 10 ea</b>			
23	Padlock latch 75 mm <b>QTY: 25 ea</b>			

1. Item Number	2. Specifications Required	3. Specifications Offered	4. Notes, remarks, ref to documentation	5. Evaluation Committee's notes
24	Padlock latch 50 mm <b>QTY: 25 ea</b>			

**LOT 4: WOOD**

1. Item Number	2. Specifications Required	3. Specifications Offered	4. Notes, remarks, ref to documentation	5. Evaluation Committee's notes
1	Construction timber, 25x25 mm up to 100 x 250 mm Length= 4 - 7 m. <b>QTY: 8 m3</b>			
2	Plywood 1200x2400x10 mm. Glued veneers made from spruce. 5-ply <b>QTY: 13 ea</b>			
3	Plywood 1200x2400x21 mm. Glued veneers made from spruce. 7-ply <b>QTY: 13 ea</b>			
4	Plywood 1200x2400x18 mm. Glued veneers made from birch with a "film layer" (water proof). 13-ply <b>QTY: 65 ea</b>			
5	Plywood 1200x2400x21 mm. Glued veneers made from birch with a "film layer" (water proof). 15-ply <b>QTY: 65 ea</b>			
6	Mineral wool for interior insulation 50 mm. Thermal conductivity: $\lambda_d=0.035$ W/mK. <b>QTY: 200 m2</b>			

1. Item Number	2. Specifications Required	3. Specifications Offered	4. Notes, remarks, ref to documentation	5. Evaluation Committee's notes
7	Mineral wool for interior insulation 100 mm. Thermal conductivity: $\lambda_d=0.035$ W/mK. <b>QTY: 100 m2</b>			

**LOT 5: PLUMBING**

1. Item Number	2. Specifications Required	3. Specifications Offered	4. Notes, remarks, ref to documentation	5. Evaluation Committee's notes
<b>Drain pipes for outside use</b>				
1	PVC drain pipe Ø 110 mm <b>QTY: 50 mtr</b>			
2	PVC drain pipe Ø 160 mm <b>QTY: 20 mtr</b>			
3	PVC drain pipe Ø 200 mm <b>QTY: 20 mtr</b>			
4	PVC elbow 45° Ø 110 mm <b>QTY: 10 ea</b>			
5	PVC elbow 45° Ø 160 mm <b>QTY: 10 ea</b>			
6	PVC elbow 45° Ø 200 mm <b>QTY: 10 ea</b>			
7	PVC 45° oblique junction with 2 sockets Ø 110 mm <b>QTY: 10 ea</b>			

1. Item Number	2. Specifications Required	3. Specifications Offered	4. Notes, remarks, ref to documentation	5. Evaluation Committee's notes
8	PVC 45° oblique junction with 2 sockets Ø 160 mm <b>QTY: 10 ea</b>			
9	PVC 45° oblique junction with 2 sockets Ø 160 x 110 mm <b>QTY: 10 ea</b>			
10	PVC 45° oblique junction with 2 sockets Ø 200 mm <b>QTY: 10 ea</b>			
11	PVC 45° oblique junction with 2 sockets Ø 200 x 110 mm <b>QTY: 10 ea</b>			
12	PVC 45° oblique junction with 2 sockets Ø 200 x 160 mm <b>QTY: 10 ea</b>			
13	PVC coupling double socket Ø 110 mm <b>QTY: 10 ea</b>			
14	PVC coupling double socket Ø 160 mm <b>QTY: 10 ea</b>			
15	PVC coupling double socket Ø 200 mm <b>QTY: 10 ea</b>			

1. Item Number	2. Specifications Required	3. Specifications Offered	4. Notes, remarks, ref to documentation	5. Evaluation Committee's notes
16	PVC reducer, 200 x 160 mm <b>QTY: 10 ea</b>			
17	PVC reducer, 160 x 110 mm <b>QTY: 10 ea</b>			
18	Cap PVC 110 mm <b>QTY: 10 ea</b>			
19	Cap PVC 160 mm <b>QTY: 10 ea</b>			
20	Cap PVC 200 mm <b>QTY: 10 ea</b>			
21	Rubber ring for PVC pipe 110 mm <b>QTY: 100 ea</b>			
22	Rubber ring for PVC pipe 160 mm <b>QTY: 100 ea</b>			
23	Rubber ring for PVC pipe 200 mm <b>QTY: 100 ea</b>			
24	HT drain pipe Ø 50 mm for Interior Use <b>QTY: 50 mtr</b>			
25	HT drain pipe Ø 75 mm for Interior Use <b>QTY: 20 mtr</b>			


1. Item Number	2. Specifications Required	3. Specifications Offered	4. Notes, remarks, ref to documentation	5. Evaluation Committee's notes
26	HT drain pipe Ø 110 mm for Interior Use <b>QTY: 50 mtr</b>			
27	HTP elbow 45° Ø 50 mm for Interior Use <b>QTY: 10 ea</b>			
28	HTP elbow 90° Ø 50 mm for Interior Use <b>QTY: 10 ea</b>			
29	HTP elbow 45° Ø 75 mm for Interior Use <b>QTY: 10 ea</b>			
30	HTP elbow 90° Ø 75 mm for Interior Use <b>QTY: 10 ea</b>			
31	HTP elbow 45° Ø 110 mm for Interior Use <b>QTY: 10 ea</b>			
32	HTP elbow 90° Ø 110 mm for Interior Use <b>QTY: 10 ea</b>			
33	HTP 45° oblique junction with 2 sockets Ø 50 mm for Interior Use <b>QTY: 10 ea</b>			
34	HTP 45° oblique junction with 2 sockets Ø 75 mm for Interior Use <b>QTY: 10 ea</b>			


1. Item Number	2. Specifications Required	3. Specifications Offered	4. Notes, remarks, ref to documentation	5. Evaluation Committee's notes
35	HTP 45° oblique junction with 2 sockets Ø 75 x 50 mm for Interior Use <b>QTY: 10 ea</b>			
36	HTP 45° oblique junction with 2 sockets Ø 110 mm for Interior Use <b>QTY: 10 ea</b>			
37	HTP 45° oblique junction with 2 sockets Ø 110 x 50 mm for Interior Use <b>QTY: 10 ea</b>			
38	HTP 45° oblique junction with 2 sockets Ø 110 x 75 mm for Interior Use <b>QTY: 10 ea</b>			
39	HTP coupling double socket Ø 50 mm for Interior Use <b>QTY: 10 ea</b>			
40	HTP coupling double socket Ø 75 mm for Interior Use <b>QTY: 10 ea</b>			
41	HTP coupling double socket Ø 110 mm for Interior Use <b>QTY: 10 ea</b>			

1. Item Number	2. Specifications Required	3. Specifications Offered	4. Notes, remarks, ref to documentation	5. Evaluation Committee's notes
42	HTP reducer, 75 x 50 mm for Interior Use <b>QTY: 10 ea</b>			
43	HTP reducer, 110 x 50 mm for Interior Use <b>QTY: 10 ea</b>			
44	HTP reducer, 110 x 75 mm for Interior Use <b>QTY: 10 ea</b>			
45	Rubber ring for HTP pipe 110 mm <b>QTY: 100 ea</b>			
46	Rubber ring for HTP pipe 75 mm <b>QTY: 100 ea</b>			
47	Rubber ring for HTP pipe 50 mm <b>QTY: 100 ea</b>			
48	WC Flexible Hose fi 100 mm length 240-500mm PVC White Color <b>QTY: 10 ea</b>			
49	Rubber Seal for P Trap fi 40mm for Use on Drain Pipes Ø 50mm <b>QTY: 20 ea</b>			
50	Water pipe Polyethylene Ø 20mm. Max pressure PN 10 (10bar). DIN 8074. <b>QTY: 100mtr</b>			

1. Item Number	2. Specifications Required	3. Specifications Offered	4. Notes, remarks, ref to documentation	5. Evaluation Committee's notes
51	Water pipe Polyethylene Ø 25mm. Max pressure PN 10 (10bar). DIN 8074. <b>QTY: 100mtr</b>			
52	Water pipe Polyethylene Ø 32mm. Max pressure PN 10 (10bar). DIN 8074. <b>QTY: 100mtr</b>			
53	Water pipe Polyethylene Ø 50mm. Max pressure PN 10 (10bar). DIN 8074. <b>QTY: 50mtr</b>			
54	PP-R Water Pipe for Cold&Hot Water 1/2" Wall Thickness 1.8mm 4mtr long White Color. Certified for max pressure 10 bar. <b>QTY: 50mtr</b> 			
55	Elbow for PPR Water Pipe 1/2"-90° with threads Female. Certified for max pressure 10 bar <b>QTY: 20 ea</b> 			

1. Item Number	2. Specifications Required	3. Specifications Offered	4. Notes, remarks, ref to documentation	5. Evaluation Committee's notes
56	Elbow for PPR Water Pipe 1/2"-90° with threads Male. Certified for max pressure 10 bar <b>QTY: 20 ea</b> 			
57	Elbow for PPR Water Pipe 1/2"-90° White Color. Certified for max pressure 10 bar <b>QTY: 50 ea</b> 			
58	Elbow for PPR Water Pipe 1/2"-45° White Color. Certified for max pressure 10 bar <b>QTY: 50 ea</b> 			

1. Item Number	2. Specifications Required	3. Specifications Offered	4. Notes, remarks, ref to documentation	5. Evaluation Committee's notes
59	<p>Tee for PPR Water Pipe 1/2"-1/2" White Color. Certified for max pressure 10 bar</p> <p><b>QTY: 20 ea</b></p> 			
60	<p>Tee for PPR Water Pipe 1/2"-1/2" Threaded Female White Color. Certified for max pressure 10 bar</p> <p><b>QTY: 20 ea</b></p>  <p><b>FLUIDTHERM</b></p>			
61	<p>Tee for PPR Water Pipe 1/2"-1/2" Threaded Male White Color. Certified for max pressure 10 bar</p> <p><b>QTY: 20 ea</b></p> 			

1. Item Number	2. Specifications Required	3. Specifications Offered	4. Notes, remarks, ref to documentation	5. Evaluation Committee's notes
62	<p>Threaded Coupling for PPR Pipe 1/2" Female White Color. Certified for max pressure 10 bar</p> <p><b>QTY: 20 ea</b></p> 			
63	<p>Threaded Coupling for PPR Pipe 1/2" Male White Color. Certified for max pressure 10 bar</p> <p><b>QTY: 20 ea</b></p> 			
64	<p>Elbow for PPR Water Pipe 1/2"-90° with threads Female With Double Fixing Brackets. Certified for max pressure 10 bar</p> <p><b>QTY: 20 ea</b></p> 			

1. Item Number	2. Specifications Required	3. Specifications Offered	4. Notes, remarks, ref to documentation	5. Evaluation Committee's notes
65	Adaptor Metal Plastic PVC 1/2" White Color Male <b>QTY: 20 ea</b> 			
66	Ball Valve for PPR Pipe 1/2" White Color <b>QTY: 10 ea</b> 			
67	Pipe Clamp (Pipe Holder 1/2")White Color <b>QTY: 100 ea</b> 			

1. Item Number	2. Specifications Required	3. Specifications Offered	4. Notes, remarks, ref to documentation	5. Evaluation Committee's notes
68	Bridge (Crossover Pipe) 1/2" White Color <b>QTY: 10 ea</b> 			
69	Straight fitting double coupling for PE pipe Ø 20 mm. Material: brass <b>QTY: 5 ea</b>			
70	Straight fitting double coupling for PE pipe Ø 25 mm. Material: brass <b>QTY: 10 ea</b>			
71	Straight fitting double coupling for PE pipe Ø 32 mm. Material: brass <b>QTY: 10 ea</b>			
72	Straight fitting double coupling for PE pipe Ø 50 mm. Material: brass <b>QTY: 5 ea</b>			
73	Elbow 90° for PE pipe Ø20mm. Material brass <b>QTY: 5 ea</b>			
74	Elbow 90° for PE pipe Ø25mm. Material brass <b>QTY: 10 ea</b>			

1. Item Number	2. Specifications Required	3. Specifications Offered	4. Notes, remarks, ref to documentation	5. Evaluation Committee's notes
75	Elbow 90° for PE pipe Ø32mm. Material brass <b>QTY: 10 ea</b>			
76	Elbow 90° for PE pipe Ø50mm. Material brass <b>QTY: 5 ea</b>			
77	T-coupling for PE pipe Ø 20 mm. Material: brass <b>QTY: 5 ea</b>			
78	T-coupling for PE pipe Ø 25 mm. Material: brass <b>QTY: 10 ea</b>			
79	T-coupling for PE pipe Ø 32 mm. Material: brass <b>QTY: 10 ea</b>			
80	T-coupling for PE pipe Ø 50 mm. Material: brass <b>QTY: 5 ea</b>			
81	Compressed Double Coupling 1/2" Made of Brass With Elastic Ring <b>QTY: 10 ea</b> 			

1. Item Number	2. Specifications Required	3. Specifications Offered	4. Notes, remarks, ref to documentation	5. Evaluation Committee's notes
82	Compressed Double Coupling 3/4" Made of Brass With Elastic Ring <b>QTY: 10 ea</b>			
83	Compressed Double Coupling 1" Made of Brass With Elastic Ring <b>QTY: 10 ea</b>			
84	Compressed Double Coupling 5/4 " Made of Brass With Elastic Ring <b>QTY: 10 ea</b>			
85	Compressed Double Coupling 6/4") Made of Brass With Elastic Ring <b>QTY: 10 ea</b>			
86	Compressed Double Coupling 2" Made of Brass With Elastic Ring <b>QTY: 10 ea</b>			
87	Semi Coupling With Elastic Ring Made of brass 1/2" <b>QTY: 10 ea</b> 			

1. Item Number	2. Specifications Required	3. Specifications Offered	4. Notes, remarks, ref to documentation	5. Evaluation Committee's notes
88	Semi Coupling With Elastic Ring Made of brass 3/4" <b>QTY: 10 ea</b>			
89	Semi Coupling With Elastic Ring Made of brass 1" <b>QTY: 10 ea</b>			
90	Semi Coupling With Elastic Ring Made of brass 5/4" <b>QTY: 10 ea</b>			
91	Semi Coupling With Elastic Ring Made of brass 6/4" <b>QTY: 10 ea</b>			
92	Semi Coupling With Elastic Ring Made of brass 2" <b>QTY: 10 ea</b>			

1. Item Number	2. Specifications Required	3. Specifications Offered	4. Notes, remarks, ref to documentation	5. Evaluation Committee's notes
93	Quick Repair clamp pipe fitting for Polyethylene Water Pipe ½" Material HDPE- Made of None Toxic Materials <b>QTY: 5 ea</b> 			
94	Quick Repair clamp pipe fitting for Polyethylene Water Pipe ¾" Material HDPE- Made of None Toxic Materials <b>QTY: 5 ea</b>			
95	Quick Repair clamp pipe fitting for Polyethylene Water Pipe 1" Material HDPE- Made of None Toxic Materials <b>QTY: 5 ea</b>			
96	Quick Repair clamp pipe fitting for Polyethylene Water Pipe 5/4" Material HDPE- Made of None Toxic Materials <b>QTY: 5 ea</b>			

1. Item Number	2. Specifications Required	3. Specifications Offered	4. Notes, remarks, ref to documentation	5. Evaluation Committee's notes
97	Quick Repair clamp pipe fitting for Polyethylene Water Pipe 6/4" Material HDPE- Made of None Toxic Materials <b>QTY: 5 ea</b>			
98	Quick Repair clamp pipe fitting for Polyethylene Water Pipe 2" Material HDPE- Made of None Toxic Materials <b>QTY: 5 ea</b>			
99	Pipe galvanized. 1/2" <b>QTY: 24 mtr</b>			
100	Pipe galvanized. 3/4" <b>QTY: 24 mtr</b>			
101	Pipe galvanized. 1" <b>QTY: 24 mtr</b>			
102	Pipe galvanized. 1 1/4" <b>QTY: 24 mtr</b>			
103	Pipe galvanized. 1 1/2" <b>QTY: 24 mtr</b>			
104	Pipe galvanized. 2" <b>QTY: 24 mtr</b>			

1. Item Number	2. Specifications Required	3. Specifications Offered	4. Notes, remarks, ref to documentation	5. Evaluation Committee's notes
105	Aluplast Pipe for Heating and Water Ø16 mm. 1 mm wall thickness <b>QTY: 100 mtr</b>			
106	Female Brass Coupling for PE-X Pipe and AL- PE-X Pipe Ø 16mm Wall Thickness 1mm <b>QTY: 10 ea</b>			
107	Male Brass Coupling for PE-X Pipe and AL-PE-X Pipe Ø 16mm Wall Thickness 1mm <b>QTY: 10 ea</b>			
108	Elbow Male for PE-X Pipe and AL-PE-X Pipe Ø 16mm Wall Thickness 1mm <b>QTY: 10 ea</b>			
109	Elbow Female for PE-X Pipe and AL-PE-X Pipe Ø 16mm Wall Thickness 1mm <b>QTY: 10 ea</b>			
110	Tee Male for PE-X Pipe and AL-PE-X Pipe Ø 16mm Wall Thickness 1mm <b>QTY: 10 ea</b>			
111	Tee Female for PE-X Pipe and AL-PE-X Pipe Ø 16mm Wall Thickness 1mm <b>QTY: 10 ea</b>			

1. Item Number	2. Specifications Required	3. Specifications Offered	4. Notes, remarks, ref to documentation	5. Evaluation Committee's notes
112	Coupling for PE-X Pipe and AL-PE-X Pipe Ø 16mm Wall Thickness 1mm <b>QTY: 10 ea</b>			
113	Ball Valve for PE-X Pipe and AL-PE-X Pipe Ø 16mm Wall Thickness 1mm <b>QTY: 10 ea</b>			
114	Coupling galvanized 1/2" <b>QTY: 10 ea</b>			
115	Coupling galvanized 3/4" <b>QTY: 10 ea</b>			
116	Coupling galvanized 1" <b>QTY: 10 ea</b>			
117	Coupling galvanized 1-1/4" <b>QTY: 10 ea</b>			
118	Coupling galvanized 1-1/2" <b>QTY: 10 ea</b>			
119	Coupling galvanized 2" <b>QTY: 10 ea</b>			
120	Elbow 90° galvanized 1/2" <b>QTY: 10 ea</b>			

1. Item Number	2. Specifications Required	3. Specifications Offered	4. Notes, remarks, ref to documentation	5. Evaluation Committee's notes
121	Elbow 90° galvanized 3/4" <b>QTY: 10 ea</b>			
122	Elbow 90° galvanized 1" <b>QTY: 10 ea</b>			
123	Elbow 90° galvanized 1-1/4" <b>QTY: 10 ea</b>			
124	Elbow 90° galvanized 1-1/2" <b>QTY: 10 ea</b>			
125	Elbow 90° galvanized 2" <b>QTY: 10 ea</b>			
126	Nipple galvanized 1/2" <b>QTY: 10 ea</b>			
127	Nipple galvanized 3/4" <b>QTY: 10 ea</b>			
128	Nipple galvanized 1" <b>QTY: 10 ea</b>			
129	Nipple galvanized 1-1/4" <b>QTY: 10 ea</b>			
130	Nipple galvanized 1-1/2" <b>QTY: 10 ea</b>			

1. Item Number	2. Specifications Required	3. Specifications Offered	4. Notes, remarks, ref to documentation	5. Evaluation Committee's notes
131	Nipples galvanized 2" <b>QTY: 10 ea</b>			
132	T galvanized 1/2" <b>QTY: 10 ea</b>			
133	T galvanized 3/4" <b>QTY: 10 ea</b>			
134	T galvanized 1" <b>QTY: 10 ea</b>			
135	T galvanized 1-1/4" <b>QTY: 10 ea</b>			
136	T galvanized 1-1/2" <b>QTY: 10 ea</b>			
137	T galvanized 2" <b>QTY: 10 ea</b>			
138	Plug galvanized square head 1/2" <b>QTY: 10 ea</b>			
139	Plug galvanized square head 3/4" <b>QTY: 10 ea</b>			
140	Plug galvanized square head 1" <b>QTY: 10 ea</b>			

1. Item Number	2. Specifications Required	3. Specifications Offered	4. Notes, remarks, ref to documentation	5. Evaluation Committee's notes
141	Plug galvanized square head 1-1/4" <b>QTY: 10 ea</b>			
142	Plug galvanized square head 1-1/2" <b>QTY: 10 ea</b>			
143	Plug galvanized square head 2" <b>QTY: 10 ea</b>			
144	Union galvanized 1/2" <b>QTY: 10 ea</b>			
145	Union galvanized 3/4" <b>QTY: 10 ea</b>			
146	Union galvanized 1" <b>QTY: 10 ea</b>			
147	Union galvanized 1-1/4" <b>QTY: 10 ea</b>			
148	Union galvanized 1-1/2" <b>QTY: 10 ea</b>			
149	Union galvanized 2" <b>QTY: 10 ea</b>			
150	Reducer galvanized 1" x 1/2" <b>QTY: 10 ea</b>			

1. Item Number	2. Specifications Required	3. Specifications Offered	4. Notes, remarks, ref to documentation	5. Evaluation Committee's notes
151	Reducer galvanized 1" x 3/4" <b>QTY: 10 ea</b>			
152	Reducer galvanized 3/4 x 1/2" <b>QTY: 10 ea</b>			
153	Reducer galvanized 1-1/4" x 1" <b>QTY: 10 ea</b>			
154	Reducer galvanized 1 1/2" x 1-1/4" <b>QTY: 10 ea</b>			
155	Reducer galvanized 2" x 1-1/2" <b>QTY: 10 ea</b>			
156	Brass gate valve 1/2" <b>QTY: 2 ea</b>			
157	Brass gate valve 3/4" <b>QTY: 2 ea</b>			
158	Brass gate valve 1" <b>QTY: 2 ea</b>			
159	Brass gate valve 1-1/4" <b>QTY: 2 ea</b>			
160	Brass gate valve 1-1/2" <b>QTY: 2 ea</b>			

1. Item Number	2. Specifications Required	3. Specifications Offered	4. Notes, remarks, ref to documentation	5. Evaluation Committee's notes
161	Brass gate valve 2" <b>QTY: 2 ea</b>			
162	Valve angle 1/2" x 1/2", non-polished, chrome. <b>QTY: 10 ea</b>			
163	Valve angle 1/2" x 3/8", non-polished, chrome. <b>QTY: 10 ea</b>			
164	Valve angle 3/4 " x 1/2", non-polished, chrome. <b>QTY: 5 ea</b>			
165	Brass ball valve with flat handle, 1/2" <b>QTY: 5 ea</b>			
166	Brass ball valve with flat handle 3/4" <b>QTY: 5 ea</b>			
167	Brass ball valve with flat handle 1" <b>QTY: 5 ea</b>			
168	Brass ball valve with flat handle 1 1/4" <b>QTY: 5 ea</b>			
169	Brass ball valve with flat handle 1 1/2" <b>QTY: 5 ea</b>			
170	Brass ball valve with flat handle 2" <b>QTY: 5 ea</b>			

1. Item Number	2. Specifications Required	3. Specifications Offered	4. Notes, remarks, ref to documentation	5. Evaluation Committee's notes
171	Universal brass check valve, 1/2" <b>QTY: 10 ea</b>			
172	Universal brass check valve, 3/4" <b>QTY: 10 ea</b>			
173	Universal brass check valve, 1" <b>QTY: 10 ea</b>			
174	Universal brass check valve, 1-1/4" <b>QTY: 10 ea</b>			
175	Universal brass check valve, 1-1/2" <b>QTY: 10 ea</b>			
176	Universal brass check valve, 2" <b>QTY: 10 ea</b>			
177	Safety Valve for Water Heater 1/2" (Boiler) <b>QTY: 10 ea</b>			
178	Garden Water Tap with Flat Handle 1/2" Ball Bib Cock <b>QTY: 10 ea</b>			
179	Garden Water Tap with Flat Handle 3/4" Ball Bib Cock <b>QTY: 10 ea</b>			

1. Item Number	2. Specifications Required	3. Specifications Offered	4. Notes, remarks, ref to documentation	5. Evaluation Committee's notes
180	Garden Water Tap with Flat Handle 1" Ball Bib Cock <b>QTY: 10 ea</b>			
181	Water tap 1/2" <b>QTY: 10 ea</b>			
182	Stainless steel flexible hose 1/2" x 1/2" 60cm long. Both side brass nut, nickel plated. <b>QTY: 10 ea</b>			
183	Stainless steel flexible hose 1/2" x 1/2" 60cm long. One side brass nut, nickel plated. <b>QTY: 10 ea</b>			
184	Stainless steel flexible hose 1/2" x 3/8" 50cm long. Both side brass nut, nickel plated. <b>QTY: 10 ea</b>			
185	Stainless steel flexible hose 3/8" x 3/8" 50cm long. Both side brass nut, nickel plated. <b>QTY: 10 ea</b>			
186	Fiberglass pipe insulation with self-sealing all services vapour retarder jacket. Pipe dim. 1", Insulation thickness 25 mm. <b>QTY: 10 mtr</b>			

1. Item Number	2. Specifications Required	3. Specifications Offered	4. Notes, remarks, ref to documentation	5. Evaluation Committee's notes
187	Fiberglass pipe insulation with self-sealing all services vapour retarder jacket. Pipe dim. 1 1/4", Insulation thickness 38 mm. <b>QTY: 10 mtr</b>			
188	Fiberglass pipe insulation with self-sealing all services vapour retarder jacket. Pipe dim. 1 1/2", Insulation thickness 38 mm. <b>QTY: 10 mtr</b>			
189	Fiberglass pipe insulation with self-sealing all services vapour retarder jacket. Pipe dim. 2", Insulation thickness 51 mm. <b>QTY: 10 mtr</b>			
190	Armaflex, elastomeric, thermal pipe insulation. Pipe dim. 1/2", Insulation thickness 13 mm. <b>QTY: 30 mtr</b>			
191	Armaflex, elastomeric, thermal pipe insulation. Pipe dim. 3/4", Insulation thickness 13 mm. <b>QTY: 30 mtr</b>			
192	Armaflex, elastomeric, thermal pipe insulation. Pipe dim. 1", Insulation thickness 13 mm. <b>QTY: 100 mtr</b>			

1. Item Number	2. Specifications Required	3. Specifications Offered	4. Notes, remarks, ref to documentation	5. Evaluation Committee's notes
193	Armaflex, elastomeric, thermal pipe insulation. Pipe dim. 1 1/4", Insulation thickness 13 mm. <b>QTY: 100 mtr</b>			
194	Armaflex, elastomeric, thermal pipe insulation. Pipe dim. 1 1/2", Insulation thickness 13 mm. <b>QTY: 100 mtr</b>			
195	Armaflex, elastomeric, thermal pipe insulation. Pipe dim. 2", Insulation thickness 13 mm. <b>QTY: 100 mtr</b>			
196	Fire hose dia 52mm length 20 m' <b>QTY: 1 ea</b>			
197	Garden hose 100 MTR reinforced 3/4" <b>QTY: 5 ea</b>			
198	Tap hose bib 1/2", Material brass, chrome. <b>QTY: 10 ea</b>			
199	Washer flat M10x20 <b>QTY: 50 ea</b>			
200	Washer flat M13x23 <b>QTY: 50 ea</b>			

1. Item Number	2. Specifications Required	3. Specifications Offered	4. Notes, remarks, ref to documentation	5. Evaluation Committee's notes
201	Water meter. Qn 5-6 (7 - 10 m3) for cold water, 3/4", length 260 mm. <b>QTY: 2 ea</b>			
202	Water meter. Qn 5-6 (7 - 10 m3) for cold water, 1", length 260 mm. <b>QTY: 2 ea</b>			
203	P-trap 1 1/2" PVC <b>QTY: 30 ea</b>			
204	Trap for Urinal horizontal Mounted White Colour Supplied With Rubber Seal for Ø 50mm Pipe <b>QTY: 5 ea</b>			
205	P-trap washbasin flexible <b>QTY: 30 ea</b>			
206	Bras float valve with 100 mm float boll 1" <b>QTY: 5 ea</b>			
207	Quick Stop Float Valve Inlet Connector 1/2" Made of PP Materials Resistant in Temperatures up to 60' <b>QTY: 2 ea</b> 			

1. Item Number	2. Specifications Required	3. Specifications Offered	4. Notes, remarks, ref to documentation	5. Evaluation Committee's notes
208	Quick Stop Float Valve Inlet Connector 3/4" Made of PP Materials Resistant in Temperatures up to 60' <b>QTY: 2 ea</b>			
209	Quick Stop Float Valve Inlet Connector 1" Made of PP Materials Resistant in Temperatures up to 60' <b>QTY: 2 ea</b>			
210	Quick Stop Float Valve Inlet Connector 5/4" Made of PP Materials Resistant in Temperatures up to 60' <b>QTY: 2 ea</b>			
211	Cleanout plug PVC 100mm <b>QTY: 10 ea</b>			
212	Duct tape professional heavy duty. (50 m roll) <b>QTY: 10 roll</b>			
213	Floor drain 2" C/W trap bracket&fittings <b>QTY: 10 ea</b>			
214	PVC gully head floor type 50 mm 100x500 mm <b>QTY: 5 ea</b>			
215	PVC gully head floor type 75 mm 100x100 mm <b>QTY: 5 ea</b>			

1. Item Number	2. Specifications Required	3. Specifications Offered	4. Notes, remarks, ref to documentation	5. Evaluation Committee's notes
216	PVC gully head floor type 75 mm 10X50 Cm <b>QTY: 5 ea</b>			
217	Gasket for toilet bowl <b>QTY: 10 ea</b>			
218	Mirrors tempered glass with PVC White frame, 40 x 60 cm. <b>QTY: 5 ea</b>			
219	Shower Head Made of Chrome Wall Mounted with 1/2 Connector Male Threaded <b>QTY: 10 ea</b> 			
220	Male Threaded Shower&Faucet Aerator Made of Chrome with Connector 3/4 Threads Including Rubber Seal Washer <b>QTY: 20 ea</b> 			

1. Item Number	2. Specifications Required	3. Specifications Offered	4. Notes, remarks, ref to documentation	5. Evaluation Committee's notes
221	Shower curtain, size: 180 x 180 cm, color white. <b>QTY: 5 ea</b>			
222	Shower faucets C/W trim <b>QTY: 5 ea</b>			
223	Shower rail, length: 90 x 90 cm. (compatible with 5.209) <b>QTY: 5 ea</b>			
224	Automatic mix taps for shower basin. <b>QTY: 5 ea</b>			
225	Flexible Shower Hose Made of Chrome Mixing Tape with Shower Handle Hose length 1.5mtr <b>QTY: 5 ea</b>			
226	Adjustable flow rate shower head including shower rail <b>QTY: 2 ea</b>			
227	Washbasin porcelain 510 mm, with screws. Color white. <b>QTY: 5 ea</b>			
228	Wash basin faucet. High quality brass (copper content: more than 58%) color chrome. Inner and outer packing. <b>QTY: 5 set</b>			

1. Item Number	2. Specifications Required	3. Specifications Offered	4. Notes, remarks, ref to documentation	5. Evaluation Committee's notes
229	Sink mixer - low pressure - <b>medical handle</b> . High quality brass (copper content: more than 58%) color chrome. Inner and outer packing. <b>QTY: 2 set</b> 			
230	Wall sink mixer, low pressure - 150mm spout.Small Boiler 10 Lit. High quality brass (copper content: more than 58%) color chrome. Inner and outer packing. <b>QTY: 2 set</b> 			
231	Air-condition Bracket for AC Units 12000BTU 2Pcs Set <b>QTY: 10 set</b>			
232	Air-codition Disinfectant spray 250-400ml container <b>QTY: 12 each</b>			

1. Item Number	2. Specifications Required	3. Specifications Offered	4. Notes, remarks, ref to documentation	5. Evaluation Committee's notes
233	Copper Soft Refrigeration Pipe 1/4" <b>QTY: 40 mtr</b>			
234	Copper Soft Refrigeration Pipe 3/8" <b>QTY: 30 mtr</b>			
235	Copper Soft Refrigeration Pipe 1/2" <b>QTY: 30 mtr</b>			
236	Copper Soft Refrigeration Pipe 3/4" <b>QTY: 30 mtr</b>			
237	Thermo insulation for copper Pipe 1/4" used for AC. <b>QTY: 30 mtr</b>			
238	Thermo insulation for copper Pipe 1/2" used for AC. <b>QTY: 30 mtr</b>			
239	Thermo insulation for copper Pipe 3/4" used for AC. <b>QTY: 30 mtr</b>			
240	Vacuum Cleaner for Air-condition Filters 2000 Wat power Industrial Use <b>QTY: 1 each</b>			

1. Item Number	2. Specifications Required	3. Specifications Offered	4. Notes, remarks, ref to documentation	5. Evaluation Committee's notes
241	Welding Electrodes for Copper Contents 20% Silver, 80% Copper <b>QTY: 10 kg</b>			
242	Drain Pipe for Air-conditions 1/2" ribbed colorless <b>QTY: 100 mtr</b>			
243	Boric Acid/Borax Free Fluxes 0.5Kg Pack <b>QTY: 5 pack</b>			
244	Copper Type M Hard Temper Straight Pipe for plumbing and heating 3/8"x 4mtr, 1mm wall thickness <b>QTY: 24 mtr</b>			
245	Copper Type M Hard Temper Straight Pipe for plumbing and heating 1/2"x 4mtr, 1mm wall thickness <b>QTY: 24 mtr</b>			
246	Copper Type M Hard Temper Straight Pipe for plumbing and heating 3/4"x4mtr, 1mm wall thickness <b>QTY: 24 mtr</b>			

1. Item Number	2. Specifications Required	3. Specifications Offered	4. Notes, remarks, ref to documentation	5. Evaluation Committee's notes
247	Copper Type M Hard Temper Straight Pipe for plumbing and heating 1" x 4mtr, 1mm wall thickness <b>QTY: 24 mtr</b>			
248	Elbow 90" Copper 1mm Wall Thickness Both Ends With Stops Copper-Copper 3/8" <b>QTY: 5 each</b>			
249	Elbow 90" Copper 1mm Wall Thickness Both Ends With Stops Copper-Copper 1/2" <b>QTY: 5 each</b>			
250	Elbow 90" Copper 1mm Wall Thickness Both Ends With Stops Copper-Copper 5/8" <b>QTY: 5 each</b>			
251	Elbow 90" Copper 1mm Wall Thickness Both Ends With Stops Copper-Copper 3/4" <b>QTY: 5 each</b>			
252	Elbow 45" Copper 1mm Wall Thickness Both Ends With Stops Copper-Copper 3/8" <b>QTY: 5 each</b>			
253	Elbow 45" Copper 1mm Wall thickness Both Ends With Stops Copper-Copper 1/2" <b>QTY: 5 each</b>			

1. Item Number	2. Specifications Required	3. Specifications Offered	4. Notes, remarks, ref to documentation	5. Evaluation Committee's notes
254	Elbow45" Copper 1mm Wall thickness Both Ends With Stops Copper-Copper 5/8" <b>QTY: 5 each</b>			
255	Elbow45" Copper 1mm Wall thickness Both Ends With Stops Copper-Copper 3/4" <b>QTY: 5 each</b>			
256	Coupling Copper 1mm Wall thickness 1/4" <b>QTY: 5 each</b>			
257	Coupling Copper 1mm Wall thickness 3/8" <b>QTY: 5 each</b>			
258	Coupling Copper 1mm Wall thickness 1/2" <b>QTY: 5 each</b>			
259	Coupling Copper 1mm Wall thickness 5/8" <b>QTY: 5 each</b>			
260	Coupling Copper 1mm Wall thickness 3/4" <b>QTY: 5 each</b>			
261	Reducer Copper 1mm Wall thickness 3/8"-1/4" <b>QTY: 5 each</b>			
262	Reducer Copper 1mm Wall thickness 1/2"-3/8" <b>QTY: 5 each</b>			

1. Item Number	2. Specifications Required	3. Specifications Offered	4. Notes, remarks, ref to documentation	5. Evaluation Committee's notes
263	Reducer Copper 1mm Wall thickness 5/8"-1/2" <b>QTY: 5 each</b>			
264	Reducer Copper 1mm Wall thickness 3/4"-1/2" <b>QTY: 5 each</b>			
265	Tee Connector 1/2" - 3/8" Copper 1mm Wall thickness <b>QTY: 5 each</b>			
266	Tee Connector 1/2" - 1/2" Copper 1mm Wall thickness <b>QTY: 5 each</b>			
267	Tee Connector 3/4" -1/2" Copper 1mm Wall thickness <b>QTY: 5 each</b>			
268	Tee Connector 3/4" - 3/4" Copper 1mm Wall thickness <b>QTY: 5 each</b>			
269	Tee Connector 3/4" - 1" Copper 1mm Wall thickness <b>QTY: 5 each</b>			
270	Valve Ball 3/8" With Flat Handle for Copper Pipes <b>QTY: 5 each</b>			

1. Item Number	2. Specifications Required	3. Specifications Offered	4. Notes, remarks, ref to documentation	5. Evaluation Committee's notes
271	Valve Ball 1/2" With Flat Handle for Copper Pipes <b>QTY: 5 each</b>			
272	Valve Ball 3/4" With Flat Handle for Copper Pipes <b>QTY: 5 each</b>			
273	Valve Ball 1" With Flat Handle for Copper Pipes <b>QTY: 5 each</b>			
274	Copper C x FPT Adapter 1/4" Female <b>QTY: 5 each</b>			
275	Copper C x FPT Adapter 3/8" Female <b>QTY: 5 each</b>			
276	Copper C x FPT Adapter 1/2" Female <b>QTY: 5 each</b>			
277	Copper C x FPT Adapter 3/4" Female <b>QTY: 5 each</b>			
278	Copper C x FPT Adapter 1/4" Male <b>QTY: 5 each</b>			
279	Copper C x FPT Adapter 3/8" Male <b>QTY: 5 each</b>			

1. Item Number	2. Specifications Required	3. Specifications Offered	4. Notes, remarks, ref to documentation	5. Evaluation Committee's notes
280	Copper C x FPT Adapter 1/2" Male <b>QTY: 5 each</b>			
281	Copper C x FPT Adapter 3/4" Male <b>QTY: 5 each</b>			
282	Micro Air Release Valve-ARVX 1/2" <b>QTY: 5 each</b>			
283	Micro Air Release Valve-ARVX 3/4" <b>QTY: 5 each</b>			
284	Thermostatic Valve for Radiator 1/2" <b>QTY: 5 each</b>			
285	Thermostatic Valve for Radiator 3/4" <b>QTY: 5 each</b>			
286	Brass Valve for Radiator 1/2" <b>QTY: 5 each</b>			
287	Brass Valve for Radiator 3/4" <b>QTY: 5 each</b>			
288	Soldering Wire for Copper Pipes in Roll of 20mtr <b>QTY: 5 roll</b>			

1. Item Number	2. Specifications Required	3. Specifications Offered	4. Notes, remarks, ref to documentation	5. Evaluation Committee's notes
289	Loctite Thread Sealant 55 - Thread Pipe Sealant for plastic & metal, LC 55 in PVC Tube 150mtr <b>QTY: 2 tube</b>			
290	Teflon Tape in Roll 2cm Wide 50mtr roll <b>QTY: 10 roll</b>			
291	Two piece toilet bowl,ceramic toilet, Size:640*410*730mm, S-trap,300mm roughing-in, P-trap,180mm roughing-in. With screws. Color white. <b>QTY: 2 ea</b>			
292	WC seat (ABS=plastic material) white colour, (Compatible with item Nr. 291) <b>QTY: 10 ea</b>			
293	Wall hung urinal with screws, Material ceramic, size: 34 x 30 cm, color white. <b>QTY: 3 ea</b>			
294	WC bowl flush pipe, PVC. <b>QTY: 5 ea</b>			
295	Start-stop flushing plate for a single flush Internal Wall mounted WC Cistern Eco for a dual flush Suitable for flushing cisterns type 7512 (Herkul), 9012 (Jog) and 9052 <b>QTY: 5 ea</b>			

1. Item Number	2. Specifications Required	3. Specifications Offered	4. Notes, remarks, ref to documentation	5. Evaluation Committee's notes
296	WC cistern low mounted, material PVC, dim: 43 x 40 cm, color white. <b>QTY: 5 ea</b>			
297	WC cistern refill tube <b>QTY: 5 ea</b>			
298	Float valve f/toilet cistern <b>QTY: 5 ea</b>			
299	Flush system f/toilet cistern <b>QTY: 5 ea</b>			
300	Flushing push valves for urinals 1/2" WI <b>QTY: 5 ea</b>			
301	Refrigerant R 410 A (13 kg. bottle) <b>QTY: 1 bottle</b>			
302	Freon Gas 407C 11KG Cylinder <b>QTY: 1 cylinder</b>			
303	Refrigerant R 22 A (13 kg. bottle) <b>QTY: 1 bottle</b>			
304	Refrigerant R 134 A (13 kg. bottle) <b>QTY: 1 bottle</b>			

1. Item Number	2. Specifications Required	3. Specifications Offered	4. Notes, remarks, ref to documentation	5. Evaluation Committee's notes
305	Propane and Mappgas Cylinder (1 kg. bottle) <b>QTY: 4 bottle</b>			
306	Hand Turbo Torch Burner Professional STK9 Model Conform to Standards UL STD 252 for LPG&MPS Gas for use with 14.1-16 OZ gas Container <b>QTY: 2 each</b>			
307	Acetylene Gass for CO2 Welding Machine <b>QTY: 50 lit</b>			
308	Mixed Gas for CO2 Welding Machine- CO2 Capacity of Gas Cylinder 25 Lit <b>QTY: 50 lit</b>			
309	Welding Torch for Welding Machine with Wire including Hose 3Mtr Long <b>QTY: 1 each</b>			
310	Brass Cylinder Valve - CO2 3/4 NGT Inlet for steel cylinders, 3360PSI safety for 2015PSI cylinders, <b>QTY: 2 each</b>			

1. Item Number	2. Specifications Required	3. Specifications Offered	4. Notes, remarks, ref to documentation	5. Evaluation Committee's notes
311	<p>Brass Cylinder Valve - CGA540 Oxygen 3/4 NGT Inlet for steel cylinders, 3360PSI safety for 2015PSI cylinders, CG1 Safety.</p> <p><b>QTY: 2 each</b></p> 			
312	<p>Gas Regulator for Carbone Dioxide, Single Stage Double Meter Regulator Inlet Pressure 0-200 bar Outlet Pressure 0-20 bar</p> <p>Outlet Connection: 3/4" BSP(R/H) MFlow-4m<sup>3</sup>/h(60lit/min) Use for Mig &amp; Tig Welding purpose</p> <p><b>QTY: 1 each</b></p> 			

1. Item Number	2. Specifications Required	3. Specifications Offered	4. Notes, remarks, ref to documentation	5. Evaluation Committee's notes
313	Fire Hydrant Valve with Quick Connector Male/Female Thread for 2" Pipe <b>QTY: 1 each</b> 			

1. Item Number	2. Specifications Required	3. Specifications Offered	4. Notes, remarks, ref to documentation	5. Evaluation Committee's notes
314	<p>Electrical Water Boiler 10 lit Capacity , 2000 Wat Heater Element ,230 Volt Electrical Supply. Supply of two or more outlets. Under basin and over basin mounting option. Tank made of high quality sheet steel, enamel coated at 850°C.</p> <ul style="list-style-type: none"> <li>• Magnesium anode for additional anti-corrosion protection of the tank. Insulated version of heating flange. Optional setting of water temperature of up to 75°C.</li> <li>• Possibility of selecting an economical water temperature setting and freeze prevention temperature setting. Indicator of electric heating element operation.</li> <li>• Can be used as a nonpressurized unit if properly connected and fitted with a mixer tap</li> </ul> <p><b>QTY: 2 each</b></p> 			

1. Item Number	2. Specifications Required	3. Specifications Offered	4. Notes, remarks, ref to documentation	5. Evaluation Committee's notes
315	<p>Vertical wall mounting Electrical Water Boiler 50 Lit Capacity 2000 wat heater element .230 Volt Electrical Supply.</p> <p>Electric immersion heating element. Compact sizes suitable for small rooms. Arbitrary water temperature setting up to 75°C.with a rotating knob</p> <p>Temperature setting options: economical temperature protection against freezing. Thermometer displaying water temperature inside water heater. Indicator of electric heating element operation. Tank made of high quality steel sheet, enamel coated at 850°C. Magnesium anode for additional anti-corrosion protection of tank.</p> <p>Insulated version of heating flange prevents unnecessary consumption of magnesium anode at the surface of immersion heating element (long life of anode).</p> <p><b>QTY: 2 each</b></p> 			

1. Item Number	2. Specifications Required	3. Specifications Offered	4. Notes, remarks, ref to documentation	5. Evaluation Committee's notes
316	<p>Vertical wall mounting Electrical Water Boiler 80Lit Capacity 2000 wat Heater Element.230 Volt Electrical Supply.</p> <p>Electric immersion heating element. Compact sizes suitable for small rooms. Arbitrary water temperature setting up to 75°C.with a rotating knob</p> <p>Temperature setting options: economical temperature protection against freezing. Thermometer displaying water temperature inside water heater. Indicator of electric heating element operation. Tank made of high quality steel sheet, enamel coated at 850°C. Magnesium anode for additional anti-corrosion protection of tank.</p> <p>Insulated version of heating flange prevents unnecessary consumption of magnesium anode at the surface of immersion heating element (long life of anode).</p> <p><b>QTY: 2 each</b></p>			

1. Item Number	2. Specifications Required	3. Specifications Offered	4. Notes, remarks, ref to documentation	5. Evaluation Committee's notes
317	ANTI VIBRATION FLEXIBLE HOSE 1"-52Cm long <b>QTY: 5 ea</b> 			
318	Pressure Tank for Water Pump 24Lit Including Membrane Horizontal Mounted <b>QTY: 2 ea</b> 			

1. Item Number	2. Specifications Required	3. Specifications Offered	4. Notes, remarks, ref to documentation	5. Evaluation Committee's notes
319	<p>Automatic Pressure Regulator 16A -230Volt            .Device avoids dry running working and protects            the pump from over-suction capacity. 60 114 1”G            Maximum Working Pressure 10 Bar, Protection            Rating IP 65. 1" Connector ,Maximum            Temperature 65 °C</p> <p><b>QTY: 5 ea</b></p> 			

1. Item Number	2. Specifications Required	3. Specifications Offered	4. Notes, remarks, ref to documentation	5. Evaluation Committee's notes
320	<p>Water Pump</p> <ol style="list-style-type: none"> <li>1. Adjustable pressure switch (maximum height)</li> <li>2. Bar pressure gauge field 0-7</li> <li>3. Pump 1 inch D. diameter</li> <li>4. 24 - liter tank with membrane</li> <li>5. Qmax = 70 l/min (maximum flow) Hmax=45 m</li> <li>6. Absorptive max 24 m ( depth)</li> <li>7. 220/50Hz-1100W electric motor</li> </ol> <p><b>QTY: 2 ea</b></p> 			

**LOT 6: ELECTRICAL MATERIAL**

1. Item Number	2. Specifications Required	3. Specifications Offered	4. Notes, remarks, ref to documentation	5. Evaluation Committee's notes
<b>Cables</b>				
1	POWER CABLE H 0 5 VV-F 3X1.5 MM2 FLEXIBLE-Cu <b>QTY: 100 m</b>			
2	CABLE H 0 5 VV-F 3X2.5 MM2 FLEXIBLE-Cu <b>QTY: 100 m</b>			
3	CABLE H 0 5 VV-F 5X2.5 MM2 FLEXIBLE-Cu <b>QTY: 100 m</b>			
4	CABLE H 0 5 VV-F 5X4 MM2 FLEXIBLE-Cu <b>QTY: 100 m</b>			
5	CABLE H 0 5 VV-F 5X6 MM2 FLEXIBLE-Cu <b>QTY: 100 m</b>			
6	CABLE H 0 5 VV-F 5X10 MM2 FLEXIBLE-Cu <b>QTY: 1 m</b>			
7	CABLE H 0 5 VV-F 5X16 MM2 FLEXIBLE-Cu <b>QTY: 1 m</b>			

1. Item Number	2. Specifications Required	3. Specifications Offered	4. Notes, remarks, ref to documentation	5. Evaluation Committee's notes
8	CABLE H 0 5 VV-F 4X25 MM2 FLEXIBLE-Cu <b>QTY: 1 m</b>			
9	CABLE H 0 5 VV-F 4X35 MM2 FLEXIBLE-Cu <b>QTY: 1 m</b>			
10	CABLE H 0 5 VV-F 4X120 MM2 FLEXIBLE-Cu <b>QTY: 1 m</b>			
11	CABLE H 0 5 VV-F 4X150 MM2 FLEXIBLE-Cu <b>QTY: 1 m</b>			
12	CABLE_NYM-J_(PPY CABLE) 3X1.5MM2_RIGID-Cu <b>QTY: 100 m</b>			
13	CABLE_NYM-J_(PPY CABLE) 3X2.5MM2_RIGID-Cu <b>QTY: 100 m</b>			
14	CABLE_NYM-J_(PPY CABLE)_5X1.5MM2_RIGID-Cu <b>QTY: 100 m</b>			
15	CABLE_NYM-J_(PPY CABLE) 5X2.5 MM2_RIGID-Cu <b>QTY: 100 m</b>			

1. Item Number	2. Specifications Required	3. Specifications Offered	4. Notes, remarks, ref to documentation	5. Evaluation Committee's notes
16	CABLE_NYM-J_(PPY CABLE) 5X4 MM2_RIGID-Cu <b>QTY: 100 m</b>			
17	CABLE_NYM-J_(PPY CABLE) 5X6 MM2_RIGID -Cu <b>QTY: 100 m</b>			
18	POWER CABLE_NYY-J_5X10MM2_Cu <b>QTY: 10 m</b>			
19	POWER CABLE_NYY-J_4X16 MM2 Cu <b>QTY: 10 m</b>			
20	POWER CABLE_NYY-J_4X25MM2-Cu <b>QTY: 10 m</b>			
21	POWER CABLE_NYY-J_4X35MM2-Cu <b>QTY: 10 m</b>			
22	POWER CABLE_NYY-J_4X50MM2-Cu <b>QTY: 1 m</b>			
23	POWER CABLE_NYY-J_4X150MM2-Cu <b>QTY: 1 m</b>			
24	POWER CABLE_NYY-J_4X185MM2-Cu <b>QTY: 1 m</b>			

1. Item Number	2. Specifications Required	3. Specifications Offered	4. Notes, remarks, ref to documentation	5. Evaluation Committee's notes
25	CABLE_H 07 V-K_ 1.5MM2_SINGLE WIRE_FLEXIBLE_YELLOW-GREEN-Cu <b>QTY: 50 m</b>			
26	CABLE_H 07 V-K_ 2.5MM2_SINGLE WIRE_FLEXIBLE_BLACK-Cu <b>QTY: 50 m</b>			
27	CABLE_H 07 V-K_ 6MM2_SINGLE WIRE_FLEXIBL BLACK/BLUE/YELLOW- GREEN-Cu <b>QTY: 50 m</b>			
28	CABLE_H 07 V-K_ 10 MM2_SINGLE WIRE_FLEXIBLE_BLACK-Cu <b>QTY: 50 m</b>			
29	CABLE_H 07 V-K_ 16MM2_SINGLE WIRE FLEXIBLE BLACK-Cu <b>QTY: 50 m</b>			
30	CABLE_H 07 V-K_ 25MM2_SINGLE WIRE_FLEXIBLE BLACK-Cu <b>QTY: 50 m</b>			
31	CABLE_H 07 V-K_ 35MM2_SINGLE WIRE_YELLOW-GREEN-Cu <b>QTY: 50 m</b>			

1. Item Number	2. Specifications Required	3. Specifications Offered	4. Notes, remarks, ref to documentation	5. Evaluation Committee's notes
32	CABLE_H 07 V-K_ 70MM2_SINGLE WIRE_FLEXIBLE_YELLOW-GREEN-Cu <b>QTY: 50 m</b>			
33	SELF REGULATING HEATING CABLE-230V- POWER 20 - 25 W/m <b>QTY: 100 m</b>			
34	HEAT RESISTANT(Silicone) CABLE,1X 2.5MM2-Cu <b>QTY: 10 m</b>			
<b>Cable Lugs</b>				
35	CABLE LUG_ 1.5MM2_PIN_CU_CRIMPING TYPE_INSULATED <b>QTY: 10 ea</b>			
36	CABLE LUG_ 1.5MM2_RING_N8_CU_CRIMPING TYPE_INSULATED_RED <b>QTY: 10 ea</b>			
37	CABLE LUG_ 2.5MM2_RING_N8_CU_CRIMPING TYPE_INSULATED_BLUE <b>QTY: 10 ea</b>			

1. Item Number	2. Specifications Required	3. Specifications Offered	4. Notes, remarks, ref to documentation	5. Evaluation Committee's notes
38	CABLE LUG_ 4MM2_RING_N8_CU_CRIMPING TYPE_INSULATED_YELLOW  <b>QTY: 10 ea</b>			
39	CABLE LUG_ 6MM2_RING_N8_CU_CRIMPING TYPE_UNINSULATED  <b>QTY: 10 ea</b>			
40	CABLE LUG_ 6MM2_SPLICE_N8_CU_CRIMPING TYPE_UNINSULATED  <b>QTY: 10 ea</b>			
41	CABLE LUG_ 10MM2_RING_N8_CU_CRIMPING TYPE_UNINSULATED  <b>QTY: 10 ea</b>			
42	CABLE LUG_ 10MM2_SPLICE_N8_CU_CRIMPING TYPE_UNINSULATED  <b>QTY: 10 ea</b>			
43	CABLE LUG_ 16MM2_SPLICE_N8_CU_CRIMPING TYPE_UNINSULATED  <b>QTY: 10 ea</b>			

1. Item Number	2. Specifications Required	3. Specifications Offered	4. Notes, remarks, ref to documentation	5. Evaluation Committee's notes
44	CABLE LUG_ 25MM2_RING_N8_CU_CRIMPING TYPE_UNINSULATED  <b>QTY: 10 ea</b>			
45	CABLE LUG_ 25MM2_SPLICE_N8_CU_CRIMPING TYPE_UNINSULATED  <b>QTY: 10 ea</b>			
46	CABLE LUG_ 35MM2_RING_N8_CU_CRIMPING TYPE_UNINSULATED  <b>QTY: 10 ea</b>			
47	CABLE LUG_ 35MM2_SPLICE_N8_CU_CRIMPING TYPE_UNINSULATED  <b>QTY: 10 ea</b>			
48	CABLE LUG_ 50MM2_RING_CONVERSION AL/CU_CRIMPING TYPE_UNINSULATED  <b>QTY: 10 ea</b>			
49	CABLE LUG_ 50MM2_RING_N10_CU_CRIMPING TYPE_UNINSULATED  <b>QTY: 10 ea</b>			

1. Item Number	2. Specifications Required	3. Specifications Offered	4. Notes, remarks, ref to documentation	5. Evaluation Committee's notes
50	CABLE LUG_ 70MM2_RING_N10_CU_CRIMPING TYPE_UNINSULATED  <b>QTY: 10 ea</b>			
51	CABLE LUG_ 95MM2_RING_N10_CU_CRIMPING TYPE_UNINSULATED  <b>QTY: 10 ea</b>			
52	CABLE LUG_120MM2_RING_N10_CU_CRIMPING TYPE_UNINSULATED  <b>QTY: 10 ea</b>			
53	CABLE LUG_150MM2_RING_N10_CU_CRIMPING TYPE_UNINSULATED  <b>QTY: 10 ea</b>			
54	CABLE LUG_185MM2_RING_N10_CU_CRIMPING TYPE_UNINSULATED  <b>QTY: 10 ea</b>			
55	CABLE LUG_240MM2_RING_N10_CU_CRIMPING TYPE_UNINSULATED  <b>QTY: 10 ea</b>			

1. Item Number	2. Specifications Required	3. Specifications Offered	4. Notes, remarks, ref to documentation	5. Evaluation Committee's notes
56	INSULATED DISCONNECT LUG FEMALE 2.8MM STUD <b>QTY: 100 ea</b>			
57	INSULATED DICONNECT LUG FEMALE 4.8MM STUD <b>QTY: 100 ea</b>			
<b>Circuit breakers/Residual current circuit breakers/Industrial Fuse</b>				
58	MOLDED CASE CIRCUIT BREAKER,4POLE ,160A <b>QTY: 1 ea</b>			
59	MOLDED CASE CIRCUIT BREAKER,4POLE ,250A <b>QTY: 1 ea</b>			
60	RESIDUAL CURRENT CIRCUIT BREAKER - FID 2 POLE 25A/0.30mA <b>QTY: 1 ea</b>			
61	RESIDUAL CURRENT CIRCUIT BREAKER - FID 4 POLE 40A/0.300mA <b>QTY: 1 ea</b>			
62	RESIDUAL CURRENT CIRCUIT BREAKER - FID 4 POLE 40A/0.500mA <b>QTY: 1 ea</b>			

1. Item Number	2. Specifications Required	3. Specifications Offered	4. Notes, remarks, ref to documentation	5. Evaluation Committee's notes
63	RESIDUAL CURRENT CIRCUIT BREAKER - FID 4 POLE 63A/0.300mA <b>QTY: 1 ea</b>			
64	RESIDUAL CURRENT CIRCUIT BREAKER - FID 4 POLE 63A/0.500mA <b>QTY: 1 ea</b>			
65	RESIDUAL CURRENT CIRCUIT BREAKER - FID 4 POLE 40A/0.30mA <b>QTY: 1 ea</b>			
66	RESIDUAL CURRENT CIRCUIT BREAKER - FID 4 POLE 63A/0.30mA <b>QTY: 1 ea</b>			
67	CIRCUIT BREAKER_MINIATURE_MCB_1- POLE_ 10 _TYPE B <b>QTY: 12 ea</b>			
68	CIRCUIT BREAKER_MINIATURE_MCB_1- POLE_ 16 _TYPE B <b>QTY: 12 ea</b>			
69	CIRCUIT BREAKER_MINIATURE_MCB_1- POLE_ 16A_TYPE C <b>QTY: 12 ea</b>			

1. Item Number	2. Specifications Required	3. Specifications Offered	4. Notes, remarks, ref to documentation	5. Evaluation Committee's notes
70	CIRCUIT BREAKER_MINIATURE_MCB_1- POLE_ 20 A TYPE B <b>QTY: 12 ea</b>			
71	CIRCUIT BREAKER_MINIATURE_MCB_1- POLE_ 20A_TYPE C <b>QTY: 12 ea</b>			
72	CIRCUIT BREAKER_MINIATURE_MCB_1- POLE_ 25A_TYPE B <b>QTY: 12 ea</b>			
73	CIRCUIT BREAKER_MINIATURE_MCB_1- POLE_ 25A_TYPE C <b>QTY: 12 ea</b>			
74	CIRCUIT BREAKER_MINIATURE_MCB_1- POLE_ 32A_TYPE B <b>QTY: 12 ea</b>			
75	CIRCUIT BREAKER_MINIATURE_MCB_1- POLE_ 32A_TYPE C <b>QTY: 12 ea</b>			
76	CIRCUIT BREAKER_MINIATURE_MCB_1- POLE_ 40A_TYPE C <b>QTY: 12 ea</b>			

1. Item Number	2. Specifications Required	3. Specifications Offered	4. Notes, remarks, ref to documentation	5. Evaluation Committee's notes
77	CIRCUIT BREAKER_MINIATURE_MCB_1- POLE_ 50A_TYPE C <b>QTY: 25 ea</b>			
78	CIRCUIT BREAKER_MINIATURE_MCB_1- POLE_ 63A_TYPE B <b>QTY: 25 ea</b>			
79	CIRCUIT BREAKER_MINIATURE_MCB_2- POLE_ 20_TYPE B <b>QTY: 25 ea</b>			
80	CIRCUIT BREAKER_MINIATURE_MCB_2- POLE_ 25_TYPE B <b>QTY: 25 ea</b>			
81	CIRCUIT BREAKER_MINIATURE_MCB_3- POLE_ 16_TYPE C <b>QTY: 25 ea</b>			
82	CIRCUIT BREAKER_MINIATURE_MCB_3- POLE_ 32_TYPE C <b>QTY: 25 ea</b>			
83	CIRCUIT BREAKER_MINIATURE_MCB_4- POLE_ 125A_TYPE C <b>QTY: 1 ea</b>			

1. Item Number	2. Specifications Required	3. Specifications Offered	4. Notes, remarks, ref to documentation	5. Evaluation Committee's notes
84	FUSE_INDUSTRIAL KNIFE_gL_gG_500V_80A_NH0 <b>QTY: 6 ea</b>			
85	FUSE_INDUSTRIAL KNIFE_gL-gG_500V_ 100A_NH00 <b>QTY: 6 ea</b>			
86	FUSE_INDUSTRIAL KNIFE_gL-gG_500V_ 100A_NH1 <b>QTY: 6 ea</b>			
87	FUSE_INDUSTRIAL KNIFE_gL-gG_500V_ 100A_NH2 <b>QTY: 6 ea</b>			
88	FUSE_INDUSTRIAL KNIFE_gL-gG_500V_ 125A_N <b>QTY: 6 ea</b>			
89	FUSE_INDUSTRIAL KNIFE_gL-gG_500V_ 125A_NH0 <b>QTY: 6 ea</b>			
90	FUSE_INDUSTRIAL KNIFE_gL-gG_500V_ 160A_N <b>QTY: 6 ea</b>			

1. Item Number	2. Specifications Required	3. Specifications Offered	4. Notes, remarks, ref to documentation	5. Evaluation Committee's notes
91	FUSE_INDUSTRIAL KNIFE_gL-gG_500V_ 160A_NH0 <b>QTY: 6 ea</b>			
92	FUSE_INDUSTRIAL KNIFE_gL-gG_500V_ 160A_NH00 <b>QTY: 6 ea</b>			
93	FUSE_INDUSTRIAL KNIFE_gL-gG_500V_ 160A_NH2 <b>QTY: 6 ea</b>			
94	FUSE_INDUSTRIAL KNIFE_gL-gG_500V_ 63A_NH0 <b>QTY: 6 ea</b>			
95	FUSE_INDUSTRIAL KNIFE_gL-gG_500V_ 63A_NH00 <b>QTY: 6 ea</b>			
96	FUSE_INDUSTRIAL KNIFE_gL-gG_500V_ 63A_NH1 <b>QTY: 6 ea</b>			
97	FUSE_INDUSTRIAL KNIFE_gL-gG_500V_ 80A_NH <b>QTY: 6 ea</b>			

1. Item Number	2. Specifications Required	3. Specifications Offered	4. Notes, remarks, ref to documentation	5. Evaluation Committee's notes
98	FUSE_INDUSTRIAL KNIFE_gL-gG_500V_ 400A_NH <b>QTY: 6 ea</b>			
99	BUSBAR SUPPORT FOR CIRCUIT BREACKERS_1 CONDUCTOR SYSTEM_CU - 1 m <b>QTY: 5 ea</b>			
100	BUSBAR SUPPORT FOR CIRCUIT BREACKERS_3 CONDUCTOR SYSTEM_CU - 1 m <b>QTY: 5 ea</b>			
<b>Fuse base /Fuse Holders</b>				
101	NH FUSE SWITCH DISCONNECTOR,63A,3 POLE,CONNECTION TOP OR BOTTON GY ROTATING <b>QTY: 1 ea</b>			
102	NH FUSE SWITCH DISCONNECTOR,160A,3 POLE,CONNECTION TOP OR BOTTON GY ROTATING <b>QTY: 1 ea</b>			

1. Item Number	2. Specifications Required	3. Specifications Offered	4. Notes, remarks, ref to documentation	5. Evaluation Committee's notes
103	FUSE BASE WITH HOLDER INDUSTRIAL KNIFE_3-POLE_ 400A_SIZE 2_BUSBAR MOUNT <b>QTY: 2 ea</b>			
104	FUSE BASE WITH HOLDER INDUSTRIAL KNIFE_3POLE_SIZE 0 <b>QTY: 2 ea</b>			
105	RAIL_DIN_"TOP HAT"-PROFILE_PLAIN_IN 1MTR LENGTH <b>QTY: 5 ea</b>			
<b>Contactors</b>				
106	CONTACTOR 3 POLE ,COIL CONTACTOR,16A- 230V/AC <b>QTY: 5 ea</b>			
107	CONTACTOR 3 POLE 2NO/2NC,COIL CONTACTOR,25A- 230V/AC <b>QTY: 2 ea</b>			
108	CONTACTOR 3 POLE 2NO/2NC,COIL CONTACTOR,63A- 230V/AC <b>QTY: 2 ea</b>			

1. Item Number	2. Specifications Required	3. Specifications Offered	4. Notes, remarks, ref to documentation	5. Evaluation Committee's notes
109	CONTACTOR 3 POLE 2NO/2NC,COIL CONTACTOR,110A- 230V/AC <b>QTY: 2 ea</b>			
110	CONTACTOR 3 POLE 2NO/2NC,COIL CONTACTOR,250A- 230V/AC <b>QTY: 2 ea</b>			
111	CONTACTOR 3 POLE 2NO/2NC,COIL CONTACTOR,800A- 230V/AC <b>QTY: 1 ea</b>			
112	OVERLOAD RELAY_FOR CONTACTOR_3- POLE_16-32A <b>QTY: 1 ea</b>			
113	OVERLOAD RELAY_FOR CONTACTOR_3- POLE_5.5-16A <b>QTY: 1 ea</b>			
<b>Socket/Plugs</b>				
114	ELECTRIC SOCKETS-DOUBLE -230 VOLT 16 A.FOR MOUNTING OF PVC OPTILINE TRUNKING COMPLETE WITH FRONT PLATE <b>QTY: 1 ea</b>			

1. Item Number	2. Specifications Required	3. Specifications Offered	4. Notes, remarks, ref to documentation	5. Evaluation Committee's notes
115	SOCKET FLUSH SINGLE 220V -16A <b>QTY: 50 ea</b>			
116	SOCKET_ STANDARD_2P+E_230V_SINGLE_ROUND_S URFACE MOUNT <b>QTY: 100 ea</b>			
117	SOCKET_INDUSTRIAL_2P+E_16A_230V_RO UND_FREE_STRAIGHT_IP44 <b>QTY: 20 ea</b>			
118	SOCKET_INDUSTRIAL_2P+E_16A_230V_SU RFACE MOUNT_IP44 <b>QTY: 10 ea</b>			
119	SOCKET_INDUSTRIAL_3P+N+E_16A_400V_ RED_SURFACE MOUNT_IP44 <b>QTY: 10 ea</b>			
120	SOCKET_INDUSTRIAL_3P+N+E_16A_400V_ RED_FREE_STRAIGHT_IP44 <b>QTY: 10 ea</b>			
121	SOCKET_INDUSTRIAL_3P+N+E_32A_400V_ RED_FREE_STRAIGHT_IP44 <b>QTY: 10 ea</b>			

1. Item Number	2. Specifications Required	3. Specifications Offered	4. Notes, remarks, ref to documentation	5. Evaluation Committee's notes
122	SOCKET_INDUSTRIAL_3P+N+E_32A_400V_ RED_SURFACE MOUNT_IP44 <b>QTY: 10 ea</b>			
123	SOCKET_INDUSTRIAL_3P+N+E_63A_400V_ BLUE_SURFACE MOUNT_IP44 <b>QTY: 10 ea</b>			
124	SOCKET_INDUSTRIAL_3P+N+E_63A_400V_ RED_FREE_STRAIGHT_IP44 <b>QTY: 10 ea</b>			
125	SOCKET_STANDARD_2P+E_230V_DOUBLE_ SURFACE MOUNT_WHITE <b>QTY: 100 ea</b>			
126	SOCKETS 3P_230/400 V_16A SURFACE MOUNTED <b>QTY: 1 ea</b>			
127	PLUG THREE-PHASE STANDARD,THREE PIN ,N+E,16A_400V <b>QTY: 10 ea</b>			
128	PLUG_STANDARD_2P+E_230V_WHITE -16A <b>QTY: 50 ea</b>			

1. Item Number	2. Specifications Required	3. Specifications Offered	4. Notes, remarks, ref to documentation	5. Evaluation Committee's notes
129	PLUG_INDUSTRIAL_2P+E_16A_230V_ROUND_FREE_STRAIGHT_IP44 <b>QTY: 1 ea</b>			
130	PLUG_INDUSTRIAL_3P+N+E_16A_400V_ROUND_RED_FREE_STRAIGHT_IP44 <b>QTY: 1 ea</b>			
131	PLUG_INDUSTRIAL_3P+N+E_32A_400V_ROUND_RED_FREE_STRAIGHT_IP44 <b>QTY: 1 ea</b>			
132	PLUG_INDUSTRIAL_3P+N+E_63A_400V_ROUND_RED_FREE_STRAIGHT_IP44 <b>QTY: 1 ea</b>			
133	PLUG_RELAY SOCKET 11PIN ROUND PIN <b>QTY: 5 ea</b>			
134	PLUG_RELAY SOCKET 8PIN ROUND PIN <b>QTY: 5 ea</b>			
<b>Distribution Fuse Box &amp; Connection Box</b>				
135	DISTRIBUTION BOX PVC 12 MCB SURFACE WALL MOUNTED <b>QTY: 1 ea</b>			

1. Item Number	2. Specifications Required	3. Specifications Offered	4. Notes, remarks, ref to documentation	5. Evaluation Committee's notes
136	DISTRIBUTION BOX PVC 6 MCB SURFACE WALL MOUNTED <b>QTY: 10 ea</b>			
137	DISTRIBUTION BOX,METAL,NO EQUIPMENT,25X25X20CM ,WATER PROOF,SURFACE WALL MOUNTED <b>QTY: 1 ea</b>			
138	DISTRIBUTION BOX,METAL,NO EQUIPMENT,80X60X20CM ,WATER PROOF,SURFACE WALL MOUNTED <b>QTY: 1 ea</b>			
139	DISTRIBUTION PANEL,POLYSTER,100X80X20CM,2 DOOR,WATER PROOF,SURFACE WALL MOUNTED <b>QTY: 1 ea</b>			
140	DISTRIBUTION PANEL,POLYSTER,60X40X20CM,1 DOOR,WATER PROOF,SURFACE WALL MOUNTED <b>QTY: 1 ea</b>			

1. Item Number	2. Specifications Required	3. Specifications Offered	4. Notes, remarks, ref to documentation	5. Evaluation Committee's notes
141	DISTRIBUTION PANEL,POLYSTER,85X32X20CM,1 DOOR,WATER PROOF,SURFACE WALL MOUNTED  <b>QTY: 1 ea</b>			
142	CONNECTION BOX_100X100X50MM_GREY PVC_WITH SCREW ON LID & PG KNOCKOUTS_IP55_COMPLETE WITH CLANDS  <b>QTY: 50 ea</b>			
143	CONNECTION BOX_180X110X65MM_GREY PVC_WITH SCREW ON TR. LID & PG KNOCKOUTS_IP55_COMPLETE WITH CLANDS  <b>QTY: 50 ea</b>			
144	CONNECTION BOX_240X190X90MM_GREY PVC_WIT SCREW ON TR. LID & PG KNOCKOUTS_IP55_COMPLETE WITH CLANDS  <b>QTY: 20 ea</b>			
<b>Light fittings/Light tubes/Light Bulbs/Light ballast/Starters</b>				

1. Item Number	2. Specifications Required	3. Specifications Offered	4. Notes, remarks, ref to documentation	5. Evaluation Committee's notes
145	LED PANEL LIGHT-FOR ARMSTRONG CEILING-60X60CM-INPUT VOLTAGE 185- 260-WARM WHITE <b>QTY: 1 ea</b>			
146	LED PANEL LIGHT-FOR ARMSTRONG CEILING-60X60CM-INPUT VOLTAGE 185- 260-NATURAL WHITE <b>QTY: 1 ea</b>			
147	LED PANEL LIGHT-FOR ARMSTRONG CEILING-60X60CM-INPUT VOLTAGE 185- 260-COOL WHITE <b>QTY: 1 ea</b>			
148	LED PANEL LIGHT-SURFACE MOUNTED- 60X60CM-INPUT VOLTAGE 185-260-WARM WHITE <b>QTY: 1 ea</b>			
149	LED PANEL LIGHT-SURFACE MOUNTED60X60CM-INPUT VOLTAGE 185- 260-NATURAL WHITE <b>QTY: 1 ea</b>			
150	LED PANEL LIGHT-SURFACE MOUNTED- 60X60CM-INPUT VOLTAGE 185-260-COOL WHITE <b>QTY: 1 ea</b>			

1. Item Number	2. Specifications Required	3. Specifications Offered	4. Notes, remarks, ref to documentation	5. Evaluation Committee's notes
151	LED FLOOD LIGHT 25W LED POWER OUT DOOR USE IP-65-110-220 VOLT <b>QTY: 1 ea</b>			
152	LED FLOOD LIGHT 37W LED POWER -OUT DOOR USE - IP-65-110-220 VOLT <b>QTY: 1 ea</b>			
153	LED FLOOD LIGHT 75W LED POWER OUT DOOR USE -IP-65-110-220 VOLT <b>QTY: 1 ea</b>			
154	LIGHT FITTING_FULL SPECTRUM FLOURECENT_4x14W_230V_FOR ARMSTRONG CEILING. SOFT, BALANCED ILLUMINATION AND GLARE- FREE LIGHT INVIRONMENT. PERFORATED BAFFLES AND CURVED REFLECTOR FOR AN IDEAL COMBINATION OF DIRECT AND INDIRECT LIGHT. FIXTURES COMPLETE WITH T5 HIGH OUTPUT FULL SPECTRUM FLOURECENT BULBS. <b>UltraLux</b> or equivalent. <b>QTY: 5 ea</b>			
155	LIGHT FITTING_FLOURECENT_4X18W_230V_FOR AMSTRONG CELING <b>QTY: 10 ea</b>			

1. Item Number	2. Specifications Required	3. Specifications Offered	4. Notes, remarks, ref to documentation	5. Evaluation Committee's notes
156	LIGHT FITTING_FLOURECENT_4X18W_23OV_50HZ -SURFACE MOUNTED <b>QTY: 10 ea</b>			
157	LIGHT FITTING_FLUORECENT_2X36W_230V_50H- SURFACE MOUNTED <b>QTY: 10 ea</b>			
158	LIGHT FITTING_STREETLIGHT_230V_400W NATRIUM LIGHT BULB <b>QTY: 10 ea</b>			
159	METALL HALIDE LIGHT FITTING 250 WATT ,MIN -IP54-COMPLETE <b>QTY: 1 ea</b>			
160	METALL HALIDE LIGHT FITTING 400 WATT, MIN-IP 54-COMPLETE <b>QTY: 1 ea</b>			
161	LIGHT TUBE_FLUORECENT_240V__18W_60CM_CO OL WHITE <b>QTY: 100 ea</b>			

1. Item Number	2. Specifications Required	3. Specifications Offered	4. Notes, remarks, ref to documentation	5. Evaluation Committee's notes
162	LIGHT TUBE_FLUORECENT_240V__36W_120CM_C OOL WHITE <b>QTY: 100 ea</b>			
163	LIGHT TUBE_FLUORECENT_240V__58W_150CM_C OOL WHITE <b>QTY: 100 ea</b>			
164	LIGHT TUBE_FLUORECENT_240V__18W_60CM_L18 W-840 <b>QTY: 100 ea</b>			
165	LIGHT TUBE_FLUORECENT_240V__36W_120CM_L3 6W-840 <b>QTY: 100 ea</b>			
166	LIGHT TUBE_FLUORECENT_240V__58W_150CM_L5 8W-840 <b>QTY: 100 ea</b>			
167	LIGHT TUBE_FLUORECENT_240V__14W_60CM_14 W-840 <b>QTY: 50 ea</b>			

1. Item Number	2. Specifications Required	3. Specifications Offered	4. Notes, remarks, ref to documentation	5. Evaluation Committee's notes
168	LED LIGHT BULB SAVING ENERGY 4.5 WATT-E27 <b>QTY: 50 ea</b>			
169	LIGHT BULB SAVING ENERGY 15 WATT-E27 <b>QTY: 100 ea</b>			
170	LIGHT BULB SAVING ENERGY 18 WATT-E27 <b>QTY: 100 ea</b>			
171	LIGHT BULB SAVING ENERGY 23 WATT-E27 <b>QTY: 10 ea</b>			
172	LIGHT BULB SAVING ENERGY 65 WATT-E27 <b>QTY: 10 ea</b>			
173	LIGHT BULB SAVING ENERGY 85 WATT-E27 <b>QTY: 10 ea</b>			
174	LIGHT BULB_FOR METAL HALIDE_240V_Rx7S ,150 W DAYLIGHT <b>QTY: 10 ea</b>			

1. Item Number	2. Specifications Required	3. Specifications Offered	4. Notes, remarks, ref to documentation	5. Evaluation Committee's notes
175	LIGHT BULB_HALOGEN_240V_300W-R7s <b>QTY: 100 ea</b>			
176	LIGHT BULB_HALOGEN_240V_500W-R7s <b>QTY: 25 ea</b>			
177	LIGHT BULB_INCANDESCENT_240V_ 60W_E14_PEARL <b>QTY: 100 ea</b>			
178	LIGHT BULB_INCANDESCENT_240V_ 75W_E27_CLARE <b>QTY: 100 ea</b>			
179	LIGHT BULB_MERCURY_240V_125W_E27 <b>QTY: 100 ea</b>			
180	LIGHT BULB_MERCURY_240V_250W_E40 <b>QTY: 100 ea</b>			
181	LIGHT BULB_REFLECTOR_100W-E27 <b>QTY: 20 ea</b>			
182	LIGHT BULB_SODIUM_240V_250 W_E40 <b>QTY: 20 ea</b>			
183	LIGHT BULB_SODIUM_240V_400 W_E40 <b>QTY: 20 ea</b>			

1. Item Number	2. Specifications Required	3. Specifications Offered	4. Notes, remarks, ref to documentation	5. Evaluation Committee's notes
184	HALOGEN LIGHT BULB GU-10- 220V- 11WATT SAVING ENERGY, DAYLIGHT <b>QTY: 50 ea</b>			
185	HALOGEN LIGHT BULB GU-10- 220V-50 WATT , DAYLIGHT <b>QTY: 50 ea</b>			
186	HALOGEN LIGHT BULB GU-5.3- 220V-50 WATT, DAYLIGHT <b>QTY: 50 ea</b>			
187	DOWN LIGHT BULB PL-C-2 P-13 WATT- DAYLIGHT <b>QTY: 100 ea</b>			
188	DOWN LIGHT BULB PL-C-2 P-18 WATT- DAYLIGHT <b>QTY: 100 ea</b>			
189	DOWN LIGHT BULB PL-C-4 P-18 WATT- DAYLIGHT <b>QTY: 100 ea</b>			
190	3W GU10 SMD POWER LED BULB, EQUAL TO 35W HALOGEN BULB, WARM WHITE <b>QTY: 1 ea</b>			

1. Item Number	2. Specifications Required	3. Specifications Offered	4. Notes, remarks, ref to documentation	5. Evaluation Committee's notes
191	5W GU10 SMD POWER LED BULB, EQUAL TO 50W HALOGEN BULB, WARM WHITE <b>QTY: 1 ea</b>			
192	LED LIGHT FITTING BALLAST/TRANSFORMER 40-50 WATT- INPUT 185-260VOLT AC.OUTPUT 30-40VOLT DC <b>QTY: 10 ea</b>			
193	LIGHT FITTING BALLAST 230 VOLT,4x14W_ELECTRONIC,WARM STARTING,ELXc,T5 <b>QTY: 1 ea</b>			
194	LIGHT FITTING BALLAST 230 VOLT,1x36W_ELECTRONIC <b>QTY: 20 ea</b>			
195	LIGHT FITTING BALLAST 230 VOLT,2x36W_ELECTRONIC <b>QTY: 20 ea</b>			
196	LIGHT FITTING BALLAST_FLUORESCENT_240V_50HZ_1X18 W <b>QTY: 30 ea</b>			

1. Item Number	2. Specifications Required	3. Specifications Offered	4. Notes, remarks, ref to documentation	5. Evaluation Committee's notes
197	LIGHT FITTING BALLAST_FLUORESCENT_240V_50HZ_1X36 W <b>QTY: 30 ea</b>			
198	LIGHT FITTING BALLAST_FLUORESCENT_240V_50HZ_1X58 W <b>QTY: 20 ea</b>			
199	LIGHT FITTING BALLAST_MERCURY_240V_50HZ_125W <b>QTY: 10 ea</b>			
200	LIGHT FITTING BALLAST_SODIUM_240V_50HZ_250W <b>QTY: 10 ea</b>			
201	LIGHT FITTING BALLAST- SODIUM_240V_50HZ_400W <b>QTY: 10 ea</b>			
202	LIGHT BULB HOLDER E27-PORCELAN (FOR STREET LIGHTS) <b>QTY: 50 ea</b>			
203	LIGHT BULB HOLDER E40-PORCELAN (FOR STREET LIGHTS) <b>QTY: 50 ea</b>			

1. Item Number	2. Specifications Required	3. Specifications Offered	4. Notes, remarks, ref to documentation	5. Evaluation Committee's notes
204	STARTER_4-22W_STANDARD GLOW TYPE FOR FLUORECENT FITTING <b>QTY: 500 ea</b>			
205	STARTER_4-65W_STANDARD GLOW TYPE FOR FLUORECENT FITTING <b>QTY: 500 ea</b>			
206	STARTER_4-80W_STANDARD GLOW TYPE FOR FLUORECENT FITTING <b>QTY: 500 ea</b>			
207	LIGHT FITTING BRACKET_FOR STREETLIGHT,Ø40MM,ANGLE 45 DEGREE <b>QTY: 10 ea</b>			

**Switches/Motion sensors/Photocell sensors**

208	WALL SWITCH ROTARY TYPE SINGLE SURFACE 32A 220V <b>QTY: 1 ea</b>			
209	WALL SWITCH SINGLE SURFACE ROTARY TYPE, 25A 220V <b>QTY: 1 ea</b>			

1. Item Number	2. Specifications Required	3. Specifications Offered	4. Notes, remarks, ref to documentation	5. Evaluation Committee's notes
210	SWITCH BELL 220V SURFACE MOUNTED WHITE COLOR <b>QTY: 5 ea</b>			
211	SWITCH_LIGHT_220V_10A_DOUBLE_SURF ACE MOUNTED <b>QTY: 30 ea</b>			
212	SWITCH_LIGHT_220V_10A_DOUBLE_FLUS H MOUNTED <b>QTY: 20 ea</b>			
213	SWITCH_LIGHT_220V_10A_SINGLE_SURFA CE MOUNTED <b>QTY: 20 ea</b>			
214	SWITCH_LIGHT_220V_10A_ALTERNATIV_S URFACE MOUNTED <b>QTY: 20 ea</b>			
215	SWITCH_LIGHT_220V_10A_ALTERNATIV_F LASH MOUNTED <b>QTY: 20 ea</b>			
216	SWITCH_MOTOR PROTECTION_0.4-0.6A <b>QTY: 1 ea</b>			
217	SWITCH_MOTOR PROTECTION_1.6-2.5A <b>QTY: 1 ea</b>			

1. Item Number	2. Specifications Required	3. Specifications Offered	4. Notes, remarks, ref to documentation	5. Evaluation Committee's notes
218	SWITCH_SELECTOR_ROTARY_OFF-ON_ 25A_690V_3-POLE_FLUSH MOUNTED <b>QTY: 1 ea</b>			
219	SWITCH_SELECTOR_ROTARY_OFF-ON_ 63A_690V_3-POLE_FLUSH MOUNTED <b>QTY: 1 ea</b>			
220	SWITCH THREE-POLE ROTARY 16A- 1-0-2 <b>QTY: 1 ea</b>			
221	SWITCH_SELECTOR_ROTARY_OFF- ON_125A_690V_ <b>QTY: 1 ea</b>			
222	CHANGE OVER SWITCH_4POLE_160A-1-0-2 <b>QTY: 1 ea</b>			
223	MONTION SENSOR 180 DEGREE ,230 VOLT- 16A <b>QTY: 2 ea</b>			
224	MONTION SENSOR 360 DEGREE ,230 VOLT- 16A <b>QTY: 2 ea</b>			
225	PHOTOCELL SENSOR AUTOMATIC LIGHT CONTROL SWITCH 16 AMPERE <b>QTY: 10 ea</b>			

1. Item Number	2. Specifications Required	3. Specifications Offered	4. Notes, remarks, ref to documentation	5. Evaluation Committee's notes
226	PHOTOCELL SENSOR AUTOMATIC LIGHT CONTROL SWITCH 6 AMPERE <b>QTY: 10 ea</b>			
<b>Thermostat/ Thermometer</b>				
227	CAPILLARY & BULB THERMOSTAT 16A/230 VOLT/20-80 DEGREE <b>QTY: 10 ea</b>			
228	THERMOSTAT_SINGLE PHASE 220V /16 A-STANDARD FOR WATER BOILER <b>QTY: 1 ea</b>			
229	THERMOSTAT FOR BOILER_3 PHASE_16A 230V <b>QTY: 1 ea</b>			
230	THERMOSTAT_SINGLE PHASE 220V /16 A-INDOOR WALL MOUNTED <b>QTY: 1 ea</b>			
231	DIGITAL THERMOSTAT PROGRAMMABLE-MULTISTAGE-INPUT/OUTPUT 230 VOLT-FOR CENTRAL HEATING <b>QTY: 1 ea</b>			
<b>Cable Pipe &amp; Cable Trunking</b>				

1. Item Number	2. Specifications Required	3. Specifications Offered	4. Notes, remarks, ref to documentation	5. Evaluation Committee's notes
232	PVC PIPE -FOR ELECTRICAL INSTALATION PG-16MM <b>QTY: 100 m</b>			
233	PVC PIPE -FOR ELECTRICAL INSTALATION PG-26MM <b>QTY: 100 m</b>			
234	PVC PIPE -FOR ELECTRICAL INSTALATION PG-32MM <b>QTY: 100 m</b>			
235	PVC ELBOW 90 DEEGRE-WITH BELL END size 16-32 mm <b>QTY: 1 ea</b>			
236	PVC PIPE HOLDERS-SIZE:16mm - 32 mm <b>QTY: 1 ea</b>			
237	CABLE PROTECTIVE PIPE-UNDERGROUND- 20MM-RIBBED <b>QTY: 100 m</b>			
238	CABLE PROTECTIVE PIPE-UNDERGROUND- 30MM-RIBBED <b>QTY: 100 m</b>			

1. Item Number	2. Specifications Required	3. Specifications Offered	4. Notes, remarks, ref to documentation	5. Evaluation Committee's notes
239	CABLE PROTECTIVE PIPE-UNDERGROUND- 50MM-RIBBED <b>QTY: 100 m</b>			
240	CABLE PROTECTIVE PIPE-UNDERGROUND- 70MM-RIBBED <b>QTY: 100 m</b>			
241	TRUNKING_STANDARD_100X60MM WHITE PVC_COMPLETE WITH COVER <b>QTY: 50 m</b>			
242	TRUNKING_STANDARD_120X60MM WHITE PVC_COMPLETE WITH COVER <b>QTY: 50 m</b>			
243	TRUNKING_STANDARD_16X16MM WHITE PVC_COMPLETE WITH COVER <b>QTY: 50 m</b>			
244	TRUNKING_STANDARD_25X17MM WHITE PVC_COMPLETE WITH COVER <b>QTY: 50 m</b>			
245	TRUNKING_STANDARD_60X40MM_WHITE_ PVC_COMPLETE WITH COVER <b>QTY: 50 m</b>			

1. Item Number	2. Specifications Required	3. Specifications Offered	4. Notes, remarks, ref to documentation	5. Evaluation Committee's notes
246	OPTILINE PVC TRUNKING WITH SEPERATOR -TRUNKING BASE 95X55MM COMLETE WITH COVER <b>QTY: 1 m</b>			
247	INTERNAL CORNER 95X55MM FOR OPTILINE PVC TRUNKING <b>QTY: 1 ea</b>			
248	EXTERNAL CORNER 95X55MM FOR OPTILINE PVC TRUNKING <b>QTY: 1 ea</b>			
249	L-PIECE FOR OPTILINE PVC TRUNKING 95X55MM <b>QTY: 1 ea</b>			
250	T-PIECE FOR OPTILINE PVC TRUNKING 95X55MM <b>QTY: 1 ea</b>			
251	CABLE SHELF FOR OPTILINE PVC TRUNKING <b>QTY: 1 m</b>			
252	STOP END FOR OPTILINE PVC TRUNKING 95X55MM <b>QTY: 1 ea</b>			

1. Item Number	2. Specifications Required	3. Specifications Offered	4. Notes, remarks, ref to documentation	5. Evaluation Committee's notes
<b>Cable connectors/Cable tape/Cable Ties/Heat shrink tubing</b>				
253	WAGO- CONNECTIONS 3 HOLE -1,5 MM2-100EA <b>QTY: 1 pack</b>			
254	WAGO- CONNECTIONS 3 HOLE -2,5 MM2-100EA <b>QTY: 1 pack</b>			
255	WAGO- CONNECTIONS 5 HOLE -1,5 MM2-100EA <b>QTY: 1 pack</b>			
256	WAGO- CONNECTIONS 5 HOLE -2,5 MM2-100EA <b>QTY: 1 pack</b>			
257	INSULATED SCREW CONNECTOR ,4MM2 - (BLOCK 5 PCS.) <b>QTY: 10 ea</b>			
258	INSULATED SCREW CONNECTOR _6MM2- (BLOCK 5 PCS.) <b>QTY: 10 ea</b>			
259	INSULATED SCREW CONNECTOR _16MM2- (BLOCK 5 PCS.) <b>QTY: 10 ea</b>			

1. Item Number	2. Specifications Required	3. Specifications Offered	4. Notes, remarks, ref to documentation	5. Evaluation Committee's notes
260	TERMINAL BLOCK_12-WAY_WHITE PVC_6MM2 <b>QTY: 10 ea</b>			
261	DIN RAIL TERMINAL BLOCK,POLYAMID,10MM2 <b>QTY: 10 ea</b>			
262	DIN RAIL TERMINAL BLOCK,POLYAMID,16MM2 <b>QTY: 10 ea</b>			
263	DIN RAIL TERMINAL BLOCK,POLYAMID,25MM2 <b>QTY: 10 ea</b>			
264	DIN RAIL TERMINAL BLOCK,POLYAMID,35MM2 <b>QTY: 10 ea</b>			
265	TAPE_INSULATION_BLACK_ON ROLL PVC 0.13mmX19mmX20M <b>QTY: 50 ea</b>			
266	TAPE_INSULATION_BLUE_ON ROLL PVC 0.13mmX19mmX20M <b>QTY: 50 ea</b>			

1. Item Number	2. Specifications Required	3. Specifications Offered	4. Notes, remarks, ref to documentation	5. Evaluation Committee's notes
267	TAPE_INSULATION_BROWN_ON_ROLL PVC 0.13mmX19mmX20M <b>QTY: 50 ea</b>			
268	TAPE_INSULATION_RED_ON_ROLL PVC 0.13mmX19mmX20M <b>QTY: 50 ea</b>			
269	TAPE_INSULATION_YELLOW/GREEN_ON ROLL PVC 0.13mmX19mmX20M <b>QTY: 50 ea</b>			
270	CABLE TIES_160X2.5MM_WEATHER RESISTANT_PACK 100EA <b>QTY: 1 pack</b>			
271	CABLE TIES_260X3.8MM_WEATHER RESISTANT-PACK 100EA <b>QTY: 1 pack</b>			
272	CABLE TIES_290X4.8MM_WEATHER RESISTANT-PACK 100EA <b>QTY: 1 pack</b>			
273	CABLE TIES_368X7.6MM_WEATHER RESISTANT-PACK 100EA <b>QTY: 1 pack</b>			

1. Item Number	2. Specifications Required	3. Specifications Offered	4. Notes, remarks, ref to documentation	5. Evaluation Committee's notes
274	FLAME RETARDANT HEAT SHRINK TUBING FOR 150 MM2 WIRE (SCHRUMPFSCHLAUCH) <b>QTY: 10 m</b>			
275	FLAME RETARDANT HEAT SHRINK TUBING FOR 240 MM2 WIRE (SCHRUMPFSCHLAUCH) <b>QTY: 10 m</b>			
276	FLAME RETARDANT HEAT SHRINK TUBING FOR 50 MM2 WIRE (SCHRUMPFSCHLAUCH) <b>QTY: 10 m</b>			
277	FLAME RETARDANT HEAT SHRINK TUBING FOR 70 MM2 WIRE (SCHRUMPFSCHLAUCH) <b>QTY: 10 m</b>			

**Mixed electric material**

278	SEALED RECHARGEABLE BATTERY 12VOLT -1.3Ah-NP1.3-12 <b>QTY: 2 ea</b>			
-----	--	--	--	--

1. Item Number	2. Specifications Required	3. Specifications Offered	4. Notes, remarks, ref to documentation	5. Evaluation Committee's notes
279	EARTH ROD_2 mtr LONG-COPPER INCLUDING CABLE CONECTORS <b>QTY: 10 ea</b>			
280	ELECTRO CURRENT READING INDUSTRIAL METER DIGITAL 200/5A <b>QTY: 1 ea</b>			
281	ELECTRO CURRENT READING METER STANDARD 10/60A <b>QTY: 1 ea</b>			
282	EXTENSION LEADS 220VOLT , 3 SOCKETS 5m LONG,3X2,5MM2 <b>QTY: 1 ea</b>			
283	EXTRACTOR FAN FOR TOILET 100 MM <b>QTY: 5 ea</b>			
284	EXTRACTOR FAN FOR TOILET 120 MM <b>QTY: 5 ea</b>			
285	EXTRACTOR FAN FOR TOILET 150 MM <b>QTY: 5 ea</b>			
286	HEATER ELEMENTS FOR BOILERS 1200W- 220V(TYPE-ISEA,ARISTON,LEOV,BIRA) <b>QTY: 10 ea</b>			

1. Item Number	2. Specifications Required	3. Specifications Offered	4. Notes, remarks, ref to documentation	5. Evaluation Committee's notes
287	HEATING ELEMENT FOR BOILER 2000W-220V(TYPE-ISEA,ARISTON,LEOV,BIRA) <b>QTY: 5 ea</b>			
288	RELAY TIMER-ST 3 P-A-D pin multifunction <b>QTY: 1 ea</b>			
289	RELAY, STEP, MODULAR, 230VAC,16A,Mounting Type:DIN Rail <b>QTY: 1 ea</b>			
290	RELAY_8 PIN_230V AC COIL_10A_DPCO_ROUND PINS_PLUG IN TYPE_WITH TEST BUTTON & INDICATOR <b>QTY: 1 ea</b>			
291	RELAY_OVER/UNDER VOLTAGE_3P- SENSING_300-500V PHASE-PHASE_0.5-10 SEC DELAY_5-25% <b>QTY: 1 ea</b>			
292	SPACE HEATER FAN_ELECTRIC_380V_3PHASE_9KW+B184 <b>QTY: 1 ea</b>			
293	LOCK FOR ELECTRIC PANEL(SELL PANEL LOCK) <b>QTY: 10 ea</b>			

1. Item Number	2. Specifications Required	3. Specifications Offered	4. Notes, remarks, ref to documentation	5. Evaluation Committee's notes
294	CAPACITOR_230V_50HZ_60 MICROFARAD_(for metal halide lamp)(CONDENSATOR)  <b>QTY: 10 ea</b>			
295	VOLTAGE TESTER(screwdriver) 220-250 VOLT-0.5x3.0 MM-WITH INSULATED BLADE  <b>QTY: 10 ea</b>			
296	VOLTAGE TESTER(screwdriver) 220-250 VOLT-0.6x3.5 MM-WITH INSULATED BLADE  <b>QTY: 10 ea</b>			
297	VOLTAGE STABILISATOR 1 PHASE -15 KVA-FULL AUTOMATIC,INPUT 120V- 240V/OUTPUT 230 V_ AC/VOLTAGE  <b>QTY: 1 ea</b>			
298	VOLTAGE REGULATOR 3 PHASE -60 KVA- FULL AUTOMATIC,SERVO MOTOR_INPUT160-430 VOLT/OUTPUT 230- 400 VOLT_ AC/VOLTAGE  <b>QTY: 1 ea</b>			

1. Item Number	2. Specifications Required	3. Specifications Offered	4. Notes, remarks, ref to documentation	5. Evaluation Committee's notes
299	WIRELESS DOOR BELL WITH REMOTE CONTROL-DC-WITH BATTERY -MIN.3 STEPS VOLUME-MIN.3 SOUNDS-MIN.DISTANCE 30 METERS  <b>QTY: 1 ea</b>			

Annex II+III: Technical Specifications **“Matrix Technical Documents”**

The (x) marked documents must be added to the technical offer.

Line Item	Manufactures Datasheets	Manufacturers Installation Guidelines	Manufacturers Quality Control Certificate, ISO 9001	Manufactures MSDS	Manufactures Warranty Declaration	Remarks
<b>LOT 1 Interior / Façade material</b>						
3 - 5	x	x		x		
12	x	x		x		
21 - 24	x		x			
29 - 32	x	x		x		
94 - 97	x					
155 - 161	x	x		x		
164 - 178	x	x		x		
198 - 204	x	x				
205 - 206	x	x		x		
207	x	x		x		
208 - 213	x	x				
<b>LOT 2 Concrete and Cement</b>						
6 - 9	x	x				
10	x		x			

17 and 22	x			x		
<b>LOT 3 Doors and Windows</b>						
1 - 3	x	x	x		min 5 years for frame, profile system, door leaf and insulated glass	
7 - 10	x	x	x		min 5 years for frame, profile system, door leaf and insulated glass	
13 - 17	x	x	x			
<b>LOT 4 Wood</b>						
2 - 7	x					
<b>LOT 5 Plumbing</b>						
50 - 66	<b>x</b>	<b>x</b>	<b>x</b>			
93 - 98	<b>x</b>	<b>x</b>	<b>x</b>			
196 - 195	x	x	x			
201 - 202	x	x	x		min 5 years	
207 - 210	x	x	x			
227 - 230	x	x	x			
244 - 281	x	x	x			
291 + 293	x	x	x			
301 - 308	x				x	
312						
314-316	x	x	x		min 2 years in general, min 5 years for rust.	
318-320	x	x	x		min 2 years	
<b>LOT 6 Electrical material</b>						

1 - 34	x		x			
58 - 83	x		x			
101 - 113	x	x	x			
145 - 153	x	x	x		min 2 years	
154	x	x	x			
231	x	x	x		min 2 years	
280 - 281	x	x	x		min 2 years	
297 - 298	x	x	x		min 1 year	

**ANNEX IV : Budget breakdown (Model financial offer)**

**PUBLICATION REFERENCE: PROC/599/15 (EuropeAid/137648/ID/SUP/XK)**

**NAME OF TENDERER: [.....]**

*Note: The estimated quantities are only indicative quantities and do NOT compel the contracting authority to buy any of them. The contracting authority may at its own discretion purchase fewer or more quantities than those estimated quantities per item.*

<b>LOT 1: INTERIOR / FAÇADE WORKS MATERIAL</b>
--

A	B	C	D	E
ITEM NUMBER	ESTIMATED QUANTITY	SPECIFICATIONS OFFERED (INCL BRAND/MODEL)	UNIT COSTS WITH DELIVERY DAP1 EULEX KOSOVO EUROS	TOTAL EUROS
<b>Plastering and Façade</b>				
1	25 bag			
2	10 bag			
3	10 bag			

<sup>1</sup> DAP (Delivered At Place) — Incoterms 2010 International Chamber of Commerce <http://www.iccwbo.org/products-and-services/trade-facilitation/incoterms-2010/the-incoterms-rules/>.

<b>A</b>	<b>B</b>	<b>C</b>	<b>D</b>	<b>E</b>
<b>ITEM NUMBER</b>	<b>ESTIMATED QUANTITY</b>	<b>SPECIFICATIONS OFFERED (INCL BRAND/MODEL)</b>	<b>UNIT COSTS WITH DELIVERY DAP1 EULEX KOSOVO EUROS</b>	<b>TOTAL EUROS</b>
4	10 bag			
5	10 bag			
6	10 bag			
7	10 bag			
8	20 roll			
9	1 roll			
10	10 bag			
11	10 bag			
12	10 bucket			
13	10 bucket			
14	50 m2			
15	30 m2			
16	10 m2			
17	10 m2			

A	B	C	D	E
ITEM NUMBER	ESTIMATED QUANTITY	SPECIFICATIONS OFFERED (INCL BRAND/MODEL)	UNIT COSTS WITH DELIVERY DAP1 EULEX KOSOVO EUROS	TOTAL EUROS
18	10 m2			
<b>Gypsum boards</b>				
19	50 m2			
20	500 m2			
21	50 m2			
22	50 m2			
23	10 m2			
24	200 m2			
25	50 each			
26	50 each			
27	50 each			
28	50 each			
29	5 bucket			
30	1 bucket			

<b>A</b>	<b>B</b>	<b>C</b>	<b>D</b>	<b>E</b>
<b>ITEM NUMBER</b>	<b>ESTIMATED QUANTITY</b>	<b>SPECIFICATIONS OFFERED (INCL BRAND/MODEL)</b>	<b>UNIT COSTS WITH DELIVERY DAP1 EULEX KOSOVO EUROS</b>	<b>TOTAL EUROS</b>
31	1 bucket			
32	1 bucket			
<b>Galvanized CW-/UW-/UA-profiles</b>				
33	500 mtr			
34	100 mtr			
35	100 mtr			
36	100 mtr			
37	100 mtr			
38	50 mtr			
39	50 mtr			
40	50 mtr			
41	100 mtr			
42	100 mtr			
43	100 mtr			

A	B	C	D	E
ITEM NUMBER	ESTIMATED QUANTITY	SPECIFICATIONS OFFERED (INCL BRAND/MODEL)	UNIT COSTS WITH DELIVERY DAP1 EULEX KOSOVO EUROS	TOTAL EUROS
<b>Accessories</b>				
44	5 box			
45	5 box			
46	1 box			
47	1 box			
48	1 box			
49	1 box			
50	1 box			
51	1 box			
52	1 box			
53	1 box			
54	1 box			
55	1 box			
56	1 box			

<b>A</b>	<b>B</b>	<b>C</b>	<b>D</b>	<b>E</b>
<b>ITEM NUMBER</b>	<b>ESTIMATED QUANTITY</b>	<b>SPECIFICATIONS OFFERED (INCL BRAND/MODEL)</b>	<b>UNIT COSTS WITH DELIVERY DAP1 EULEX KOSOVO EUROS</b>	<b>TOTAL EUROS</b>
57	4 box			
58	4 box			
59	4 box			
60	4 box			
61	4 box			
62	4 box			
63	4 box			
64	4 box			
65	2 roll			
66	2 roll			
67	2 roll			
68	2 roll			
69	100 mtr			
70	5 box			

<b>A</b>	<b>B</b>	<b>C</b>	<b>D</b>	<b>E</b>
<b>ITEM NUMBER</b>	<b>ESTIMATED QUANTITY</b>	<b>SPECIFICATIONS OFFERED (INCL BRAND/MODEL)</b>	<b>UNIT COSTS WITH DELIVERY DAP1 EULEX KOSOVO EUROS</b>	<b>TOTAL EUROS</b>
71	10 box			
72	10 box			
73	25 box			
74	25 box			
75	25 box			
76	10 pack			
77	10 pack			
78	10 pack			
79	10 pack			
80	10 pack			
81	10 box			
82	10 box			
83	10 box			
84	10 box			

<b>A</b>	<b>B</b>	<b>C</b>	<b>D</b>	<b>E</b>
<b>ITEM NUMBER</b>	<b>ESTIMATED QUANTITY</b>	<b>SPECIFICATIONS OFFERED (INCL BRAND/MODEL)</b>	<b>UNIT COSTS WITH DELIVERY DAP1 EULEX KOSOVO EUROS</b>	<b>TOTAL EUROS</b>
85	10 box			
86	10 box			
87	10 box			
88	10 box			
89	10 box			
90	10 box			
91	10 each			
92	1 pcs			
93	1 pcs			
<b>Carpentry</b>				
94	50 lit			
95	20 tin			
96	400 m2			
97	400.00 m2			

<b>A</b>	<b>B</b>	<b>C</b>	<b>D</b>	<b>E</b>
<b>ITEM NUMBER</b>	<b>ESTIMATED QUANTITY</b>	<b>SPECIFICATIONS OFFERED (INCL BRAND/MODEL)</b>	<b>UNIT COSTS WITH DELIVERY DAP1 EULEX KOSOVO EUROS</b>	<b>TOTAL EUROS</b>
98	10 each			
99	10 each			
100	5 each			
101	20 mtr			
102	50 mtr			
103	50 mtr			
104	5 m2			
105	10 m2			
106	5 each			
107	5 each			
108	10 each			
109	10 each			
110	10 each			
111	10 each			

<b>A</b>	<b>B</b>	<b>C</b>	<b>D</b>	<b>E</b>
<b>ITEM NUMBER</b>	<b>ESTIMATED QUANTITY</b>	<b>SPECIFICATIONS OFFERED (INCL BRAND/MODEL)</b>	<b>UNIT COSTS WITH DELIVERY DAP1 EULEX KOSOVO EUROS</b>	<b>TOTAL EUROS</b>
112	10 each			
113	50 each			
114	50 each			
115	50 each			
116	50 mtr			
117	50 mtr			
118	50 mtr			
119	50 mtr			
120	50 mtr			
121	50 mtr			
122	5 each			
123	5 each			
124	1 each			
125	1 each			

<b>A</b>	<b>B</b>	<b>C</b>	<b>D</b>	<b>E</b>
<b>ITEM NUMBER</b>	<b>ESTIMATED QUANTITY</b>	<b>SPECIFICATIONS OFFERED (INCL BRAND/MODEL)</b>	<b>UNIT COSTS WITH DELIVERY DAP1 EULEX KOSOVO EUROS</b>	<b>TOTAL EUROS</b>
126	<b>1 each</b>			
127	<b>10 each</b>			
128	<b>10 each</b>			
129	<b>10 each</b>			
130	<b>10 each</b>			
131	<b>10 each</b>			
132	<b>10 each</b>			
133	<b>10 each</b>			
134	<b>10 each</b>			
135	<b>10 each</b>			
136	<b>5 each</b>			
137	<b>5 each</b>			
138	<b>5 each</b>			
139	<b>10 pack</b>			

<b>A</b>	<b>B</b>	<b>C</b>	<b>D</b>	<b>E</b>
<b>ITEM NUMBER</b>	<b>ESTIMATED QUANTITY</b>	<b>SPECIFICATIONS OFFERED (INCL BRAND/MODEL)</b>	<b>UNIT COSTS WITH DELIVERY DAP1 EULEX KOSOVO EUROS</b>	<b>TOTAL EUROS</b>
140	<b>20 each</b>			
141	<b>5 each</b>			
142	<b>5 each</b>			
143	<b>5 each</b>			
144	<b>10 roll</b>			
145	<b>1 each</b>			
146	<b>5 each</b>			
147	<b>5 each</b>			
148	<b>5 each</b>			
149	<b>5 each</b>			
150	<b>5 each</b>			
151	<b>1 each</b>			
152	<b>1 each</b>			
153	<b>5 each</b>			

A	B	C	D	E
ITEM NUMBER	ESTIMATED QUANTITY	SPECIFICATIONS OFFERED (INCL BRAND/MODEL)	UNIT COSTS WITH DELIVERY DAP1 EULEX KOSOVO EUROS	TOTAL EUROS
154	5 each			
155	10 each			
156	10 each			
157	10 each			
158	100 each			
159	25 each			
160	100 each			
161	100 each			
162	20 m2			
163	20 m2			
<b>Paint</b>				
164	100 bucket			
165	20 bucket			
166	100 lit			

<b>A</b>	<b>B</b>	<b>C</b>	<b>D</b>	<b>E</b>
<b>ITEM NUMBER</b>	<b>ESTIMATED QUANTITY</b>	<b>SPECIFICATIONS OFFERED (INCL BRAND/MODEL)</b>	<b>UNIT COSTS WITH DELIVERY DAP1 EULEX KOSOVO EUROS</b>	<b>TOTAL EUROS</b>
167	<b>20 bucket</b>			
168	<b>10 ea</b>			
169	<b>10 ea</b>			
170	<b>10 ea</b>			
171	<b>5 ea</b>			
172	<b>30 ea</b>			
173	<b>20 ea</b>			
174	<b>20 ea</b>			
175	<b>10 ea</b>			
176	<b>35 ea</b>			
177	<b>30 ea</b>			
178	<b>10 ea</b>			
179	<b>100 roll</b>			
180	<b>100 roll</b>			

A	B	C	D	E
ITEM NUMBER	ESTIMATED QUANTITY	SPECIFICATIONS OFFERED (INCL BRAND/MODEL)	UNIT COSTS WITH DELIVERY DAP1 EULEX KOSOVO EUROS	TOTAL EUROS
181	100 roll			
182	20 ea			
183	20 ea			
184	20 ea			
185	20 ea			
186	20 ea			
187	20 ea			
188	20 ea			
189	20 ea			
190	10 ea			
191	20 ea			
192	20 ea			
193	5 each			
194	20 pack			

<b>A</b>	<b>B</b>	<b>C</b>	<b>D</b>	<b>E</b>
<b>ITEM NUMBER</b>	<b>ESTIMATED QUANTITY</b>	<b>SPECIFICATIONS OFFERED (INCL BRAND/MODEL)</b>	<b>UNIT COSTS WITH DELIVERY DAP1 EULEX KOSOVO EUROS</b>	<b>TOTAL EUROS</b>
195	250 m2			
196	5 ea			
197	5 ea			
<b>Flooring</b>				
198	250 m2			
199	50 m2			
200	15 m2			
201	15 m2			
202	20 m2			
203	80 m2			
204	10 m2			
205	10 bags			
206	20 bags			
<b>Sealing</b>				

A	B	C	D	E
ITEM NUMBER	ESTIMATED QUANTITY	SPECIFICATIONS OFFERED (INCL BRAND/MODEL)	UNIT COSTS WITH DELIVERY DAP1 EULEX KOSOVO EUROS	TOTAL EUROS
207	2 set			
208	1 roll			
209	1 Tin			
210	1 ea			
211	5 ea			
212	5 ea			
213	5 ea			
<b>TOTAL</b>				

**ANNEX IV : Budget breakdown (Model financial offer)**

**PUBLICATION REFERENCE: PROC/599/15 (EuropeAid/137648/ID/SUP/XK)**

**NAME OF TENDERER: [.....]**

**LOT 2: PRECAST CONCRETE ELEMENTES, CONCRETE AND MASONRY MATERIAL**

<b>A</b>	<b>B</b>	<b>C</b>	<b>D</b>	<b>E</b>
<b>ITEM NUMBER</b>	<b>ESTIMATED QUANTITY</b>	<b>SPECIFICATIONS OFFERED (INCL BRAND/MODEL)</b>	<b>UNIT COSTS WITH DELIVERY DAP1 EULEX Kosovo EUROS</b>	<b>TOTAL EUROS</b>
1	30 ea			
2	30 m2			
3	30 m2			
4	30 m2			
5	100 m2			

---

<sup>1</sup> DAP (Delivered At Place) — Incoterms 2010 International Chamber of Commerce <http://www.iccwbo.org/products-and-services/trade-facilitation/incoterms-2010/the-incoterms-rules/>.

<b>A</b>	<b>B</b>	<b>C</b>	<b>D</b>	<b>E</b>
<b>ITEM NUMBER</b>	<b>ESTIMATED QUANTITY</b>	<b>SPECIFICATIONS OFFERED (INCL BRAND/MODEL)</b>	<b>UNIT COSTS WITH DELIVERY DAP1 EULEX KOSOVO EUROS</b>	<b>TOTAL EUROS</b>
6	1 ea			
7	1 ea			
8	1 ea			
9	1 ea			
10	1 ea			
11	100 ea			
12	100 ea			
13	20 ea			
14	50 ea			
15	20 ea			
16	50 ea			
17	50 sack			
18	5 m3			
19	50 m3			

<b>A</b>	<b>B</b>	<b>C</b>	<b>D</b>	<b>E</b>
<b>ITEM NUMBER</b>	<b>ESTIMATED QUANTITY</b>	<b>SPECIFICATIONS OFFERED (INCL BRAND/MODEL)</b>	<b>UNIT COSTS WITH DELIVERY DAP1 EULEX KOSOVO EUROS</b>	<b>TOTAL EUROS</b>
20	5 m3			
21	5 m3			
22	5 l			
23	20 m3			
24	100 m3			
25	20 m3			
26	20 m3			
27	50 m3			
28	50 m3			
<b>TOTAL</b>				

**ANNEX IV : Budget breakdown (Model financial offer)**

**PUBLICATION REFERENCE: PROC/599/15 (EuropeAid/137648/ID/SUP/XK)**

**NAME OF TENDERER: [.....]**

<b>LOT 3: DOORS, WINDOWS and LOCKS</b>
--

A	B	C	D	E
ITEM NUMBER	ESTIMATED QUANTITY	SPECIFICATIONS OFFERED (INCL BRAND/MODEL)	UNIT COSTS WITH DELIVERY DAP1 EULEX KOSOVO EUROS	TOTAL EUROS
1	5 m2			
2	5 m2			
3	5 m2			
4	5 ea			
5	5 ea			
6	1 ea			

---

<sup>1</sup> DAP (Delivered At Place) — Incoterms 2010 International Chamber of Commerce <http://www.iccwbo.org/products-and-services/trade-facilitation/incoterms-2010/the-incoterms-rules/>.

<b>A</b>	<b>B</b>	<b>C</b>	<b>D</b>	<b>E</b>
<b>ITEM NUMBER</b>	<b>ESTIMATED QUANTITY</b>	<b>SPECIFICATIONS OFFERED (INCL BRAND/MODEL)</b>	<b>UNIT COSTS WITH DELIVERY DAP1 EULEX KOSOVO EUROS</b>	<b>TOTAL EUROS</b>
7	1 ea			
8	1 ea			
9	1 ea			
10	1 ea			
11	8 ea			
12	8 ea			
13	2 ea			
14	1 ea			
15	10 ea			
16	10 ea			
17	5 ea			
18	10 ea			
19	25 ea			
20	50 ea			

A	B	C	D	E
ITEM NUMBER	ESTIMATED QUANTITY	SPECIFICATIONS OFFERED (INCL BRAND/MODEL)	UNIT COSTS WITH DELIVERY DAP1 EULEX KOSOVO EUROS	TOTAL EUROS
21	50 ea			
22	10 ea			
23	25 ea			
24	25 ea			
<b>TOTAL</b>				

]

**ANNEX IV : Budget breakdown (Model financial offer)**

**PUBLICATION REFERENCE: PROC/599/15 (EuropeAid/137648/ID/SUP/XK)**

**NAME OF TENDERER: [.....]**

<b>LOT 4: WOOD</b>
--------------------

A	B	C	D	E
ITEM NUMBER	ESTIMATED QUANTITY	SPECIFICATIONS OFFERED (INCL BRAND/MODEL)	UNIT COSTS WITH DELIVERY DAP1 EULEX KOSOVO EUROS	TOTAL EUROS
1	8 m3			
2	13 ea			
3	13 ea			
4	65 ea			
5	65 ea			
6	200 m2			

---

<sup>1</sup> DAP (Delivered At Place) — Incoterms 2010 International Chamber of Commerce <http://www.iccwbo.org/products-and-services/trade-facilitation/incoterms-2010/the-incoterms-rules/>.

<b>A</b>	<b>B</b>	<b>C</b>	<b>D</b>	<b>E</b>
<b>ITEM NUMBER</b>	<b>ESTIMATED QUANTITY</b>	<b>SPECIFICATIONS OFFERED (INCL BRAND/MODEL)</b>	<b>UNIT COSTS WITH DELIVERY DAP1 EULEX KOSOVO EUROS</b>	<b>TOTAL EUROS</b>
7	100 m2			
<b>TOTAL</b>				

**ANNEX IV : Budget breakdown (Model financial offer)**

**PUBLICATION REFERENCE: PROC/599/15 (EuropeAid/137648/ID/SUP/XK)**

**NAME OF TENDERER: [.....]**

<b>LOT 5: PLUMBING</b>
------------------------

A	B	C	D	E
---	---	---	---	---

<b>ITEM NUMBER</b>	<b>ESTIMATED QUANTITY</b>	<b>SPECIFICATIONS OFFERED (INCL BRAND/MODEL)</b>	<b>UNIT COSTS WITH DELIVERY DAP1 EULEX KOSOVO EUROS</b>	<b>TOTAL EUROS</b>
<b>Drain pipes for outside use</b>				
1	50 mtr			
2	20 mtr			
3	20 mtr			
4	10 ea			
5	10 ea			
6	10 ea			
7	10 ea			
8	10 ea			
9	10 ea			
10	10 ea			
11	10 ea			
12	10 ea			

---

<sup>1</sup> DAP (Delivered At Place) — Incoterms 2010 International Chamber of Commerce <http://www.iccwbo.org/products-and-services/trade-facilitation/incoterms-2010/the-incoterms-rules/>.

<b>A</b>	<b>B</b>	<b>C</b>	<b>D</b>	<b>E</b>
<b>ITEM NUMBER</b>	<b>ESTIMATED QUANTITY</b>	<b>SPECIFICATIONS OFFERED (INCL BRAND/MODEL)</b>	<b>UNIT COSTS WITH DELIVERY DAPI EULEX KOSOVO EUROS</b>	<b>TOTAL EUROS</b>
13	10 ea			
14	10 ea			
15	10 ea			
16	10 ea			
17	10 ea			
18	10 ea			
19	10 ea			
20	10 ea			
21	100 ea			
22	100 ea			
23	100 ea			
24	50 mtr			
25	20 mtr			
26	50 mtr			

<b>A</b>	<b>B</b>	<b>C</b>	<b>D</b>	<b>E</b>
<b>ITEM NUMBER</b>	<b>ESTIMATED QUANTITY</b>	<b>SPECIFICATIONS OFFERED (INCL BRAND/MODEL)</b>	<b>UNIT COSTS WITH DELIVERY DAP1 EULEX KOSOVO EUROS</b>	<b>TOTAL EUROS</b>
27	10 ea			
28	10 ea			
29	10 ea			
30	10 ea			
31	10 ea			
32	10 ea			
33	10 ea			
34	10 ea			
35	10 ea			
36	10 ea			
37	10 ea			
38	10 ea			
39	10 ea			
40	10 ea			

<b>A</b>	<b>B</b>	<b>C</b>	<b>D</b>	<b>E</b>
<b>ITEM NUMBER</b>	<b>ESTIMATED QUANTITY</b>	<b>SPECIFICATIONS OFFERED (INCL BRAND/MODEL)</b>	<b>UNIT COSTS WITH DELIVERY DAP1 EULEX KOSOVO EUROS</b>	<b>TOTAL EUROS</b>
41	10 ea			
42	10 ea			
43	10 ea			
44	10 ea			
45	100 ea			
46	100 ea			
47	100 ea			
48	10 ea			
49	20 ea			
50	100 mtr			
51	100 mtr			
52	100 mtr			
53	50 mtr			
54	50 mtr			

<b>A</b>	<b>B</b>	<b>C</b>	<b>D</b>	<b>E</b>
<b>ITEM NUMBER</b>	<b>ESTIMATED QUANTITY</b>	<b>SPECIFICATIONS OFFERED (INCL BRAND/MODEL)</b>	<b>UNIT COSTS WITH DELIVERY DAP1 EULEX KOSOVO EUROS</b>	<b>TOTAL EUROS</b>
55	20 ea			
56	20 ea			
57	50 ea			
58	50 ea			
59	20 ea			
60	20 ea			
61	20 ea			
62	20 ea			
63	20 ea			
64	20 ea			
65	20 ea			
66	10 ea			
67	100 ea			
68	10 ea			

<b>A</b>	<b>B</b>	<b>C</b>	<b>D</b>	<b>E</b>
<b>ITEM NUMBER</b>	<b>ESTIMATED QUANTITY</b>	<b>SPECIFICATIONS OFFERED (INCL BRAND/MODEL)</b>	<b>UNIT COSTS WITH DELIVERY DAP1 EULEX KOSOVO EUROS</b>	<b>TOTAL EUROS</b>
69	5 ea			
70	10 ea			
71	10 ea			
72	5 ea			
73	5 ea			
74	10 ea			
75	10 ea			
76	5 ea			
77	5 ea			
78	10 ea			
79	10 ea			
80	5 ea			
81	10 ea			
82	10 ea			

<b>A</b>	<b>B</b>	<b>C</b>	<b>D</b>	<b>E</b>
<b>ITEM NUMBER</b>	<b>ESTIMATED QUANTITY</b>	<b>SPECIFICATIONS OFFERED (INCL BRAND/MODEL)</b>	<b>UNIT COSTS WITH DELIVERY DAPI EULEX KOSOVO EUROS</b>	<b>TOTAL EUROS</b>
83	10 ea			
84	10 ea			
85	10 ea			
86	10 ea			
87	10 ea			
88	10 ea			
89	10 ea			
90	10 ea			
91	10 ea			
92	10 ea			
93	5 ea			
94	5 ea			
95	5 ea			
96	5 ea			

<b>A</b>	<b>B</b>	<b>C</b>	<b>D</b>	<b>E</b>
<b>ITEM NUMBER</b>	<b>ESTIMATED QUANTITY</b>	<b>SPECIFICATIONS OFFERED (INCL BRAND/MODEL)</b>	<b>UNIT COSTS WITH DELIVERY DAP1 EULEX KOSOVO EUROS</b>	<b>TOTAL EUROS</b>
97	5 ea			
98	5 ea			
99	24 mtr			
100	24 mtr			
101	24 mtr			
102	24 mtr			
103	24 mtr			
104	24 mtr			
105	100 mtr			
106	10 ea			
107	10 ea			
108	10 ea			
109	10 ea			
110	10 ea			

<b>A</b>	<b>B</b>	<b>C</b>	<b>D</b>	<b>E</b>
<b>ITEM NUMBER</b>	<b>ESTIMATED QUANTITY</b>	<b>SPECIFICATIONS OFFERED (INCL BRAND/MODEL)</b>	<b>UNIT COSTS WITH DELIVERY DAP1 EULEX KOSOVO EUROS</b>	<b>TOTAL EUROS</b>
111	10 ea			
112	10 ea			
113	10 ea			
114	10 ea			
115	10 ea			
116	10 ea			
117	10 ea			
118	10 ea			
119	10 ea			
120	10 ea			
121	10 ea			
122	10 ea			
123	10 ea			
124	10 ea			

<b>A</b>	<b>B</b>	<b>C</b>	<b>D</b>	<b>E</b>
<b>ITEM NUMBER</b>	<b>ESTIMATED QUANTITY</b>	<b>SPECIFICATIONS OFFERED (INCL BRAND/MODEL)</b>	<b>UNIT COSTS WITH DELIVERY DAP1 EULEX KOSOVO EUROS</b>	<b>TOTAL EUROS</b>
125	10 ea			
126	10 ea			
127	10 ea			
128	10 ea			
129	10 ea			
130	10 ea			
131	10 ea			
132	10 ea			
133	10 ea			
134	10 ea			
135	10 ea			
136	10 ea			
137	10 ea			
138	10 ea			

A	B	C	D	E
ITEM NUMBER	ESTIMATED QUANTITY	SPECIFICATIONS OFFERED (INCL BRAND/MODEL)	UNIT COSTS WITH DELIVERY DAP1 EULEX KOSOVO EUROS	TOTAL EUROS
139	10 ea			
140	10 ea			
141	10 ea			
142	10 ea			
143	10 ea			
144	10 ea			
145	10 ea			
146	10 ea			
147	10 ea			
148	10 ea			
149	10 ea			
150	10 ea			
151	10 ea			
152	10 ea			

<b>A</b>	<b>B</b>	<b>C</b>	<b>D</b>	<b>E</b>
<b>ITEM NUMBER</b>	<b>ESTIMATED QUANTITY</b>	<b>SPECIFICATIONS OFFERED (INCL BRAND/MODEL)</b>	<b>UNIT COSTS WITH DELIVERY DAPI EULEX KOSOVO EUROS</b>	<b>TOTAL EUROS</b>
153	10 ea			
154	10 ea			
155	10 ea			
156	2 ea			
157	2 ea			
158	2 ea			
159	2 ea			
160	2 ea			
161	2 ea			
162	10 ea			
163	10 ea			
164	5 ea			
165	5 ea			
166	5 ea			

<b>A</b>	<b>B</b>	<b>C</b>	<b>D</b>	<b>E</b>
<b>ITEM NUMBER</b>	<b>ESTIMATED QUANTITY</b>	<b>SPECIFICATIONS OFFERED (INCL BRAND/MODEL)</b>	<b>UNIT COSTS WITH DELIVERY DAP1 EULEX KOSOVO EUROS</b>	<b>TOTAL EUROS</b>
167	5 ea			
168	5 ea			
169	5 ea			
170	5 ea			
171	10 ea			
172	10 ea			
173	10 ea			
174	10 ea			
175	10 ea			
176	10 ea			
177	10 ea			
178	10 ea			
179	10 ea			
180	10 ea			

<b>A</b>	<b>B</b>	<b>C</b>	<b>D</b>	<b>E</b>
<b>ITEM NUMBER</b>	<b>ESTIMATED QUANTITY</b>	<b>SPECIFICATIONS OFFERED (INCL BRAND/MODEL)</b>	<b>UNIT COSTS WITH DELIVERY DAP1 EULEX KOSOVO EUROS</b>	<b>TOTAL EUROS</b>
181	10 ea			
182	10 ea			
183	10 ea			
184	10 ea			
185	10 ea			
186	10 mtr			
187	10 mtr			
188	10 mtr			
189	10 mtr			
190	30 mtr			
191	30 mtr			
192	100 mtr			
193	100 mtr			
194	100 mtr			

A	B	C	D	E
ITEM NUMBER	ESTIMATED QUANTITY	SPECIFICATIONS OFFERED (INCL BRAND/MODEL)	UNIT COSTS WITH DELIVERY DAP1 EULEX KOSOVO EUROS	TOTAL EUROS
195	100 mtr			
196	1 ea			
197	5 ea			
198	10 ea			
199	50 ea			
200	50 ea			
201	2 ea			
202	2 ea			
203	30 ea			
204	5 ea			
205	30 ea			
206	5 ea			
207	2 ea			
208	2 ea			

<b>A</b>	<b>B</b>	<b>C</b>	<b>D</b>	<b>E</b>
<b>ITEM NUMBER</b>	<b>ESTIMATED QUANTITY</b>	<b>SPECIFICATIONS OFFERED (INCL BRAND/MODEL)</b>	<b>UNIT COSTS WITH DELIVERY DAP1 EULEX KOSOVO EUROS</b>	<b>TOTAL EUROS</b>
209	2 ea			
210	2 ea			
211	10 ea			
212	10 roll			
213	10 ea			
214	5 ea			
215	5 ea			
216	5 ea			
217	10 ea			
218	5 ea			
219	10 ea			
220	20 ea			
221	5 ea			
222	5 ea			

<b>A</b>	<b>B</b>	<b>C</b>	<b>D</b>	<b>E</b>
<b>ITEM NUMBER</b>	<b>ESTIMATED QUANTITY</b>	<b>SPECIFICATIONS OFFERED (INCL BRAND/MODEL)</b>	<b>UNIT COSTS WITH DELIVERY DAPI EULEX KOSOVO EUROS</b>	<b>TOTAL EUROS</b>
223	<b>5 ea</b>			
224	<b>5 ea</b>			
225	<b>5 ea</b>			
226	<b>2 ea</b>			
227	<b>5 ea</b>			
228	<b>5 set</b>			
229	<b>2 set</b>			
230	<b>2 set</b>			
231	<b>10 set</b>			
232	<b>12 each</b>			
233	<b>40 mtr</b>			
234	<b>30 mtr</b>			
235	<b>30 mtr</b>			
236	<b>30 mtr</b>			

A	B	C	D	E
ITEM NUMBER	ESTIMATED QUANTITY	SPECIFICATIONS OFFERED (INCL BRAND/MODEL)	UNIT COSTS WITH DELIVERY DAPI EULEX KOSOVO EUROS	TOTAL EUROS
237	30 mtr			
238	30 mtr			
239	30 mtr			
240	1 each			
241	10 kg			
242	100 mtr			
243	5 pack			
244	24 mtr			
245	24 mtr			
246	24 mtr			
247	24 mtr			
248	5 each			
249	5 each			
250	5 each			

A	B	C	D	E
ITEM NUMBER	ESTIMATED QUANTITY	SPECIFICATIONS OFFERED (INCL BRAND/MODEL)	UNIT COSTS WITH DELIVERY DAPI EULEX KOSOVO EUROS	TOTAL EUROS
251	5 each			
252	5 each			
253	5 each			
254	5 each			
255	5 each			
256	5 each			
257	5 each			
258	5 each			
259	5 each			
260	5 each			
261	5 each			
262	5 each			
263	5 each			
264	5 each			

A	B	C	D	E
ITEM NUMBER	ESTIMATED QUANTITY	SPECIFICATIONS OFFERED (INCL BRAND/MODEL)	UNIT COSTS WITH DELIVERY DAPI EULEX KOSOVO EUROS	TOTAL EUROS
265	5 each			
266	5 each			
267	5 each			
268	5 each			
269	5 each			
270	5 each			
271	5 each			
272	5 each			
273	5 each			
274	5 each			
275	5 each			
276	5 each			
277	5 each			
278	5 each			

<b>A</b>	<b>B</b>	<b>C</b>	<b>D</b>	<b>E</b>
<b>ITEM NUMBER</b>	<b>ESTIMATED QUANTITY</b>	<b>SPECIFICATIONS OFFERED (INCL BRAND/MODEL)</b>	<b>UNIT COSTS WITH DELIVERY DAPI EULEX KOSOVO EUROS</b>	<b>TOTAL EUROS</b>
279	5 each			
280	5 each			
281	5 each			
282	5 each			
283	5 each			
284	5 each			
285	5 each			
286	5 each			
287	5 each			
288	5 roll			
289	2 tube			
290	10 roll			
291	2 ea			
292	10 ea			

<b>A</b>	<b>B</b>	<b>C</b>	<b>D</b>	<b>E</b>
<b>ITEM NUMBER</b>	<b>ESTIMATED QUANTITY</b>	<b>SPECIFICATIONS OFFERED (INCL BRAND/MODEL)</b>	<b>UNIT COSTS WITH DELIVERY DAPI EULEX KOSOVO EUROS</b>	<b>TOTAL EUROS</b>
293	3 ea			
294	5 ea			
295	5 ea			
296	5 ea			
297	5 ea			
298	5 ea			
299	5 ea			
300	5 ea			
301	1 bottle			
302	1 cylinder			
303	1 bottle			
304	1 bottle			
305	4 bottle			
306	2 each			

<b>A</b>	<b>B</b>	<b>C</b>	<b>D</b>	<b>E</b>
<b>ITEM NUMBER</b>	<b>ESTIMATED QUANTITY</b>	<b>SPECIFICATIONS OFFERED (INCL BRAND/MODEL)</b>	<b>UNIT COSTS WITH DELIVERY DAP1 EULEX KOSOVO EUROS</b>	<b>TOTAL EUROS</b>
307	50 lit			
308	50 lit			
309	1 each			
310	2 each			
311	2 each			
312	1 each			
313	1 each			
314	2 each			
315	2 each			
316	2 each			
317	5 ea			
318	2 ea			
319	5 ea			
320	2 ea			

<b>A</b>	<b>B</b>	<b>C</b>	<b>D</b>	<b>E</b>
<b>ITEM NUMBER</b>	<b>ESTIMATED QUANTITY</b>	<b>SPECIFICATIONS OFFERED (INCL BRAND/MODEL)</b>	<b>UNIT COSTS WITH DELIVERY DAPI EULEX KOSOVO EUROS</b>	<b>TOTAL EUROS</b>
<b>TOTAL</b>				

**ANNEX IV : Budget breakdown (Model financial offer)**

**PUBLICATION REFERENCE: PROC/599/15 (EuropeAid/137648/ID/SUP/XK)**

**NAME OF TENDERER: [.....]**

<b>LOT 6: ELECTRICAL MATERIAL</b>
-----------------------------------

A	B	C	D	E
ITEM NUMBER	ESTIMATED QUANTITY	SPECIFICATIONS OFFERED (INCL BRAND/MODEL)	UNIT COSTS WITH DELIVERY DAP1 EULEX KOSOVO EUROS	TOTAL EUROS
<b>Cables</b>				
1	100 m			
2	100 m			
3	100 m			
4	100 m			
5	100 m			

---

<sup>1</sup> DAP (Delivered At Place) — Incoterms 2010 International Chamber of Commerce <http://www.iccwbo.org/products-and-services/trade-facilitation/incoterms-2010/the-incoterms-rules/>.

A	B	C	D	E
ITEM NUMBER	ESTIMATED QUANTITY	SPECIFICATIONS OFFERED (INCL BRAND/MODEL)	UNIT COSTS WITH DELIVERY DAP1 EULEX KOSOVO EUROS	TOTAL EUROS
6	1 m			
7	1 m			
8	1 m			
9	1 m			
10	1 m			
11	1 m			
12	100 m			
13	100 m			
14	100 m			
15	100 m			
16	100 m			
17	100 m			
18	10 m			
19	10 m			

<b>A</b>	<b>B</b>	<b>C</b>	<b>D</b>	<b>E</b>
<b>ITEM NUMBER</b>	<b>ESTIMATED QUANTITY</b>	<b>SPECIFICATIONS OFFERED (INCL BRAND/MODEL)</b>	<b>UNIT COSTS WITH DELIVERY DAP1 EULEX KOSOVO EUROS</b>	<b>TOTAL EUROS</b>
20	10 m			
21	10 m			
22	1 m			
23	1 m			
24	1 m			
25	50 m			
26	50 m			
27	50 m			
28	50 m			
29	50 m			
30	50 m			
31	50 m			
32	50 m			
33	100 m			

A	B	C	D	E
ITEM NUMBER	ESTIMATED QUANTITY	SPECIFICATIONS OFFERED (INCL BRAND/MODEL)	UNIT COSTS WITH DELIVERY DAP1 EULEX KOSOVO EUROS	TOTAL EUROS
34	10 m			
<b>Cable Lugs</b>				
35	10 ea			
36	10 ea			
37	10 ea			
38	10 ea			
39	10 ea			
40	10 ea			
41	10 ea			
42	10 ea			
43	10 ea			
44	10 ea			
45	10 ea			
46	10 ea			

<b>A</b>	<b>B</b>	<b>C</b>	<b>D</b>	<b>E</b>
<b>ITEM NUMBER</b>	<b>ESTIMATED QUANTITY</b>	<b>SPECIFICATIONS OFFERED (INCL BRAND/MODEL)</b>	<b>UNIT COSTS WITH DELIVERY DAP1 EULEX KOSOVO EUROS</b>	<b>TOTAL EUROS</b>
47	10 ea			
48	10 ea			
49	10 ea			
50	10 ea			
51	10 ea			
52	10 ea			
53	10 ea			
54	10 ea			
55	10 ea			
56	100 ea			
57	100 ea			
<b>Circuit breakers/Residual current circuit breakers/Industrial Fuse</b>				
58	1 ea			
59	1 ea			

<b>A</b>	<b>B</b>	<b>C</b>	<b>D</b>	<b>E</b>
<b>ITEM NUMBER</b>	<b>ESTIMATED QUANTITY</b>	<b>SPECIFICATIONS OFFERED (INCL BRAND/MODEL)</b>	<b>UNIT COSTS WITH DELIVERY DAP1 EULEX KOSOVO EUROS</b>	<b>TOTAL EUROS</b>
60	1 ea			
61	1 ea			
62	1 ea			
63	1 ea			
64	1 ea			
65	1 ea			
66	1 ea			
67	12 ea			
68	12 ea			
69	12 ea			
70	12 ea			
71	12 ea			
72	12 ea			
73	12 ea			

A	B	C	D	E
ITEM NUMBER	ESTIMATED QUANTITY	SPECIFICATIONS OFFERED (INCL BRAND/MODEL)	UNIT COSTS WITH DELIVERY DAP1 EULEX KOSOVO EUROS	TOTAL EUROS
74	12 ea			
75	12 ea			
76	12 ea			
77	25 ea			
78	25 ea			
79	25 ea			
80	25 ea			
81	25 ea			
82	25 ea			
83	1 ea			
84	6 ea			
85	6 ea			
86	6 ea			
87	6 ea			

<b>A</b>	<b>B</b>	<b>C</b>	<b>D</b>	<b>E</b>
<b>ITEM NUMBER</b>	<b>ESTIMATED QUANTITY</b>	<b>SPECIFICATIONS OFFERED (INCL BRAND/MODEL)</b>	<b>UNIT COSTS WITH DELIVERY DAP1 EULEX KOSOVO EUROS</b>	<b>TOTAL EUROS</b>
88	6 ea			
89	6 ea			
90	6 ea			
91	6 ea			
92	6 ea			
93	6 ea			
94	6 ea			
95	6 ea			
96	6 ea			
97	6 ea			
98	6 ea			
99	5 ea			
100	5 ea			
<b>Fuse base /Fuse Holders</b>				

<b>A</b>	<b>B</b>	<b>C</b>	<b>D</b>	<b>E</b>
<b>ITEM NUMBER</b>	<b>ESTIMATED QUANTITY</b>	<b>SPECIFICATIONS OFFERED (INCL BRAND/MODEL)</b>	<b>UNIT COSTS WITH DELIVERY DAP1 EULEX KOSOVO EUROS</b>	<b>TOTAL EUROS</b>
101	1 ea			
102	1 ea			
103	2 ea			
104	2 ea			
105	5 ea			
<b>Contractors</b>				
106	5 ea			
107	2 ea			
108	2 ea			
109	2 ea			
110	2 ea			
111	1 ea			
112	1 ea			
113	1 ea			

A	B	C	D	E
ITEM NUMBER	ESTIMATED QUANTITY	SPECIFICATIONS OFFERED (INCL BRAND/MODEL)	UNIT COSTS WITH DELIVERY DAP1 EULEX KOSOVO EUROS	TOTAL EUROS
<b>Socket/Plugs</b>				
114	1 ea			
115	50 ea			
116	100 ea			
117	20 ea			
118	10 ea			
119	10 ea			
120	10 ea			
121	10 ea			
122	10 ea			
123	10 ea			
124	10 ea			
125	100 ea			
126	1 ea			

<b>A</b>	<b>B</b>	<b>C</b>	<b>D</b>	<b>E</b>
<b>ITEM NUMBER</b>	<b>ESTIMATED QUANTITY</b>	<b>SPECIFICATIONS OFFERED (INCL BRAND/MODEL)</b>	<b>UNIT COSTS WITH DELIVERY DAP1 EULEX KOSOVO EUROS</b>	<b>TOTAL EUROS</b>
127	10 ea			
128	50 ea			
129	1 ea			
130	1 ea			
131	1 ea			
132	1 ea			
133	5 ea			
134	5 ea			
<b>Distribution Fuse Box &amp; Connection Box</b>				
135	1 ea			
136	10 ea			
137	1 ea			
138	1 ea			
139	1 ea			

<b>A</b>	<b>B</b>	<b>C</b>	<b>D</b>	<b>E</b>
<b>ITEM NUMBER</b>	<b>ESTIMATED QUANTITY</b>	<b>SPECIFICATIONS OFFERED (INCL BRAND/MODEL)</b>	<b>UNIT COSTS WITH DELIVERY DAP1 EULEX KOSOVO EUROS</b>	<b>TOTAL EUROS</b>
140	1 ea			
141	1 ea			
142	50 ea			
143	50 ea			
144	20 ea			
<b>Light fittings/Light tubes/Light Bulbs/Light ballast/Starters</b>				
145	1 ea			
146	1 ea			
147	1 ea			
148	1 ea			
149	1 ea			
150	1 ea			
151	1 ea			
152	1 ea			

<b>A</b>	<b>B</b>	<b>C</b>	<b>D</b>	<b>E</b>
<b>ITEM NUMBER</b>	<b>ESTIMATED QUANTITY</b>	<b>SPECIFICATIONS OFFERED (INCL BRAND/MODEL)</b>	<b>UNIT COSTS WITH DELIVERY DAP1 EULEX KOSOVO EUROS</b>	<b>TOTAL EUROS</b>
153	1 ea			
154	5 ea			
155	10 ea			
156	10 ea			
157	10 ea			
158	10 ea			
159	1 ea			
160	1 ea			
161	100 ea			
162	100 ea			
163	100 ea			
164	100 ea			
165	100 ea			
166	100 ea			

<b>A</b>	<b>B</b>	<b>C</b>	<b>D</b>	<b>E</b>
<b>ITEM NUMBER</b>	<b>ESTIMATED QUANTITY</b>	<b>SPECIFICATIONS OFFERED (INCL BRAND/MODEL)</b>	<b>UNIT COSTS WITH DELIVERY DAP1 EULEX KOSOVO EUROS</b>	<b>TOTAL EUROS</b>
167	50 ea			
168	50 ea			
169	100 ea			
170	100 ea			
171	10 ea			
172	10 ea			
173	10 ea			
174	10 ea			
175	100 ea			
176	25 ea			
177	100 ea			
178	100 ea			
179	100 ea			
180	100 ea			

<b>A</b>	<b>B</b>	<b>C</b>	<b>D</b>	<b>E</b>
<b>ITEM NUMBER</b>	<b>ESTIMATED QUANTITY</b>	<b>SPECIFICATIONS OFFERED (INCL BRAND/MODEL)</b>	<b>UNIT COSTS WITH DELIVERY DAP1 EULEX KOSOVO EUROS</b>	<b>TOTAL EUROS</b>
181	20 ea			
182	20 ea			
183	20 ea			
184	50 ea			
185	50 ea			
186	50 ea			
187	100 ea			
188	100 ea			
189	100 ea			
190	1 ea			
191	1 ea			
192	10 ea			
193	1 ea			
194	20 ea			

<b>A</b>	<b>B</b>	<b>C</b>	<b>D</b>	<b>E</b>
<b>ITEM NUMBER</b>	<b>ESTIMATED QUANTITY</b>	<b>SPECIFICATIONS OFFERED (INCL BRAND/MODEL)</b>	<b>UNIT COSTS WITH DELIVERY DAP1 EULEX KOSOVO EUROS</b>	<b>TOTAL EUROS</b>
195	20 ea			
196	30 ea			
197	30 ea			
198	20 ea			
199	10 ea			
200	10 ea			
201	10 ea			
202	50 ea			
203	50 ea			
204	500 ea			
205	500 ea			
206	500 ea			
207	10 ea			
<b>Switches/ Motion sensors/Photocell sensors</b>				

<b>A</b>	<b>B</b>	<b>C</b>	<b>D</b>	<b>E</b>
<b>ITEM NUMBER</b>	<b>ESTIMATED QUANTITY</b>	<b>SPECIFICATIONS OFFERED (INCL BRAND/MODEL)</b>	<b>UNIT COSTS WITH DELIVERY DAP1 EULEX KOSOVO EUROS</b>	<b>TOTAL EUROS</b>
208	1 ea			
209	1 ea			
210	5 ea			
211	30 ea			
212	20 ea			
213	20 ea			
214	20 ea			
215	20 ea			
216	1 ea			
217	1 ea			
218	1 ea			
219	1 ea			
220	1 ea			
221	1 ea			

<b>A</b>	<b>B</b>	<b>C</b>	<b>D</b>	<b>E</b>
<b>ITEM NUMBER</b>	<b>ESTIMATED QUANTITY</b>	<b>SPECIFICATIONS OFFERED (INCL BRAND/MODEL)</b>	<b>UNIT COSTS WITH DELIVERY DAP1 EULEX KOSOVO EUROS</b>	<b>TOTAL EUROS</b>
222	1 ea			
223	2 ea			
224	2 ea			
225	10 ea			
226	10 ea			
<b>Thermostat/ Thermometer</b>				
227	10 ea			
228	1 ea			
229	1 ea			
230	1 ea			
231	1 ea			
<b>Cable Pipe &amp; Cable Trunking</b>				
232	100 m			
233	100 m			

<b>A</b>	<b>B</b>	<b>C</b>	<b>D</b>	<b>E</b>
<b>ITEM NUMBER</b>	<b>ESTIMATED QUANTITY</b>	<b>SPECIFICATIONS OFFERED (INCL BRAND/MODEL)</b>	<b>UNIT COSTS WITH DELIVERY DAP1 EULEX KOSOVO EUROS</b>	<b>TOTAL EUROS</b>
234	100 m			
235	1 ea			
236	1 ea			
237	100 m			
238	100 m			
239	100 m			
240	100 m			
241	50 m			
242	50 m			
243	50 m			
244	50 m			
245	50 m			
246	1 m			
247	1 ea			

<b>A</b>	<b>B</b>	<b>C</b>	<b>D</b>	<b>E</b>
<b>ITEM NUMBER</b>	<b>ESTIMATED QUANTITY</b>	<b>SPECIFICATIONS OFFERED (INCL BRAND/MODEL)</b>	<b>UNIT COSTS WITH DELIVERY DAP1 EULEX KOSOVO EUROS</b>	<b>TOTAL EUROS</b>
248	1 ea			
249	1 ea			
250	1 ea			
251	1 m			
252	1 ea			
<b>Cable connectors/Cable tape/Cable Ties/Heat shrink tubing</b>				
253	1 pack			
254	1 pack			
255	1 pack			
256	1 pack			
257	10 ea			
258	10 ea			
259	10 ea			
260	10 ea			

<b>A</b>	<b>B</b>	<b>C</b>	<b>D</b>	<b>E</b>
<b>ITEM NUMBER</b>	<b>ESTIMATED QUANTITY</b>	<b>SPECIFICATIONS OFFERED (INCL BRAND/MODEL)</b>	<b>UNIT COSTS WITH DELIVERY DAP1 EULEX KOSOVO EUROS</b>	<b>TOTAL EUROS</b>
261	10 ea			
262	10 ea			
263	10 ea			
264	10 ea			
265	50 ea			
266	50 ea			
267	50 ea			
268	50 ea			
269	50 ea			
270	1 pack			
271	1 pack			
272	1 pack			
273	1 pack			
274	10 m			

<b>A</b>	<b>B</b>	<b>C</b>	<b>D</b>	<b>E</b>
<b>ITEM NUMBER</b>	<b>ESTIMATED QUANTITY</b>	<b>SPECIFICATIONS OFFERED (INCL BRAND/MODEL)</b>	<b>UNIT COSTS WITH DELIVERY DAP1 EULEX KOSOVO EUROS</b>	<b>TOTAL EUROS</b>
275	10 m			
276	10 m			
277	10 m			
<b>Mixed electric material</b>				
278	2 ea			
279	10 ea			
280	1 ea			
281	1 ea			
282	1 ea			
283	5 ea			
284	5 ea			
285	5 ea			
286	10 ea			
287	5 ea			

A	B	C	D	E
ITEM NUMBER	ESTIMATED QUANTITY	SPECIFICATIONS OFFERED (INCL BRAND/MODEL)	UNIT COSTS WITH DELIVERY DAP1 EULEX KOSOVO EUROS	TOTAL EUROS
288	1 ea			
289	1 ea			
290	1 ea			
291	1 ea			
292	1 ea			
293	10 ea			
294	10 ea			
295	10 ea			
296	10 ea			
297	1 ea			
298	1 ea			
299	1 ea			
<b>TOTAL</b>				





# TENDER GUARANTEE FORM

Specimen tender guarantee

< To be completed on paper bearing the letterhead of the financial institution >

For the attention of **European Union Rule of Law Mission in Kosovo (EULEX Kosovo)**, and address at EULEX Kosovo, Ndertesa Farmed St. Muharrem Fejza p.n., Lagja e Spitalit P.O. Box 268, 10000 Pristina-Kosovo referred to below as the “Contracting Authority”

<Date>

Title of contract: Framework Contract for the Supply of Construction Materials

Identification number: PROC/599/15/Construction Materials No.4 EuropeAid/137648/ID/SUP/XK

We, the undersigned, <name and address of financial institution>, hereby irrevocably declare that we will guarantee as primary obligor, and not merely as a surety on behalf of <Tenderer's name and address> the payment to the Contracting Authority of <amount of the tender guarantee>, this amount representing the guarantee referred to in article 11 of the Contract notice.

Payment shall be made without objection or legal proceedings of any kind, upon receipt of your first written claim (sent by registered letter with confirmation of receipt) if the Tenderer does not fulfil all obligations stated in its tender. We shall not delay the payment, nor shall we oppose it for any reason whatsoever. We shall inform you in writing as soon as payment has been made.

We note that the guarantee will be released at the latest within 60 days of the expiry of the tender validity period, including any extensions, in accordance with Article 8 of the Instructions to Tenderers [and in any case at the latest on (1 year after the deadline for submission of tenders)]<sup>1</sup>.

The law applicable to this guarantee shall be that < enter Belgium/ If the Contracting Authority is an authority in the beneficiary country: the name of the country of the Contracting Authority or the country in which the financial institution issuing the guarantee is established>. Any dispute arising out of or in connection with this guarantee shall be referred to the courts of Belgium.

The guarantee will enter into force and take effect from the submission deadline of the tender.

Name: ..... Position: .....

Signature: .....

Date:

---

<sup>1</sup> This mention has to be inserted only where required, for example where the law applicable to the guarantee imposes a precise expiry date or where the guarantor can justify that he is unable to provide such a guarantee without expiry date

## ANNEX V: MODEL PERFORMANCE GUARANTEE

<To be completed on paper bearing the letterhead of the financial institution >

For the attention of **European Union Rule of Law Mission in Kosovo (EULEX Kosovo)**, and address at EULEX Kosovo, Ndertesa Farmed St. Muharrem Fejza p.n., Lagja e Spitalit P.O. Box 268, 10000 Pristina-Kosovo, referred to below as the “Contracting Authority”

Subject: Guarantee No...

Performance Guarantee for the full and proper execution of contract PROC/599/15/Construction Materials No.4 EuropeAid/137648/ID/SUP/XK (please quote number and title in all correspondence)

We the undersigned, <name and address of financial institution>, hereby irrevocably declare that we guarantee as primary obligor, and not merely as a surety on behalf of <Contractor's name and address>, hereinafter referred to as “the Contractor”, payment to the Contracting Authority of <amount of the performance guarantee>, representing the performance guarantee mentioned in Article 11 of the Special Conditions of the contract PROC/599/15/Construction Materials No.4) EuropeAid/137648/ID/SUP/XK concluded between the Contractor and the Contracting Authority, hereinafter referred to as “the Contract”.

Payment shall be made without objection or legal proceedings of any kind, upon receipt of your first written claim (sent by registered letter with confirmation of receipt) stating that the Contractor has failed to perform its contractual obligations fully and properly and that the Contract has been terminated. We shall not delay the payment, nor shall we oppose it for any reason whatsoever. We shall inform you in writing as soon as payment has been made.

We accept notably that no amendment to the terms of the Contract can release us from our obligation under this guarantee. We waive the right to be informed of any change, addition or amendment to the Contract.

We note that the guarantee will be released within 60 days of the issue of the final acceptance certificate (except for such part as may be specified in the Special Conditions in respect of after sales service). [and in any case at the latest on (at the expiry of 18 months after the period of implementation of the tasks)]<sup>1</sup>

The law applicable to this guarantee shall be that of < Belgium, or the country of the Contracting Authority if this is not the European Commission /country in which the financial institution issuing the guarantee is established>. Any dispute arising out of or in connection with this guarantee shall be referred to the courts of enter Belgium.

This guarantee shall enter into force and take effect upon its signature.

Name: .....Position: .....<sup>2</sup>

Signature: ..... Date: <Date>

---

<sup>1</sup> This mention has to be inserted only where required, for example where the law applicable to the guarantee imposes a precise expiry date or where the guarantor can justify that he is unable to provide such a guarantee without expiry date.

<sup>2</sup> The name(s) and position(s) of the persons signing on behalf of the guarantor must be shown in printed characters.

## PART B: ANNEX V: PRE-FINANCING GUARANTEE FORM

<To be completed on paper bearing the letterhead of the financial institution >

For the attention of : **European Union Rule of Law Mission in Kosovo (EULEX Kosovo)**,  
Ndertesa Farmed, St. Muharrem Fejza p.n., Lagja e Spitalit P.O. Box 268, 10000 Pristina-Kosovo.

Subject: Guarantee No...

Financing Guarantee for the repayment of pre-financing payable under contract  
PROC/599/15/Construction Materials No.4 (EuropeAid/137648/ID/SUP/XK)

(please quote number and title in all correspondence)

We, the undersigned, <name, and address of financial institution>, hereby irrevocably declare that we guarantee as primary obligor, and not merely as surety on behalf of <Contractor's name and address>, hereinafter referred to as "the Contractor", the payment to the Contracting Authority of <indicate the amount of the pre-financing>, corresponding to the pre-financing as mentioned in Article 26.1 of the Special Conditions of the PROC/599/15/Construction Materials No.4 EuropeAid/137648/ID/SUP/XK concluded between the Contractor and the Contracting Authority, hereinafter referred to as "the Contract".

Payment shall be made without objection or legal proceedings of any kind, upon receipt of your first written claim (sent by registered letter with confirmation or receipt) stating that the Contractor has not repaid the pre-financing on request or that the Contract has been terminated. We shall not delay the payment, nor shall we oppose it for any reason whatsoever. We shall inform you in writing as soon as payment has been made.

We accept notably that no amendment to the terms of the Contract can release us from our obligation under this guarantee. We waive the right to be informed of any change, addition or amendment of the Contract.

We note that the guarantee will be released 30 days at the latest after the provisional acceptance of the goods [and in any case at the latest on (at the expiry of 18 months after the period of implementation of the tasks)]<sup>1</sup>

The law applicable to this guarantee shall be that of <enter Belgium, or the country of the Contracting Authority if this is not the European Commission /country in which the financial institution issuing the guarantee is established>. Any dispute arising out of or in connection with this guarantee shall be referred to the courts of Belgium.

The guarantee will enter into force and take effect on receipt of the pre-financing payment in the account designated by the Contractor to receive payments.

Name: ..... Position: .....

<sup>2</sup>Signature: ..... Date: <Date>

---

<sup>1</sup> This mention has to be inserted only where required, for example where the law applicable to the guarantee imposes a precise expiry date or where the guarantor can justify that he is unable to provide such a guarantee without expiry date.

<sup>2</sup> The name(s) and position(s) of the persons signing on behalf of the guarantor must be shown in printed characters.



## FINANCIAL IDENTIFICATION

PRIVACY STATEMENT

[http://ec.europa.eu/budget/contracts\\_grants/info\\_contracts/financial\\_id/financial\\_id\\_en.cfm#en](http://ec.europa.eu/budget/contracts_grants/info_contracts/financial_id/financial_id_en.cfm#en)

Please use CAPITAL LETTERS and LATIN CHARACTERS when filling in the form.

### BANKING DETAILS ①

ACCOUNT NAME ②	<input type="text"/>		
IBAN/ACCOUNT NUMBER ③	<input type="text"/>		
CURRENCY	<input type="text"/>		
BIC/SWIFT CODE	<input type="text"/>	BRANCH CODE ④	<input type="text"/>
BANK NAME	<input type="text"/>		
<b>ADDRESS OF BANK BRANCH</b>			
STREET & NUMBER	<input type="text"/>		
	<input type="text"/>		
TOWN/CITY	<input type="text"/>	POSTCODE	<input type="text"/>
COUNTRY	<input type="text"/>		

### ACCOUNT HOLDER'S DATA

AS DECLARED TO THE BANK

ACCOUNT HOLDER	<input type="text"/>		
STREET & NUMBER	<input type="text"/>		
	<input type="text"/>		
TOWN/CITY	<input type="text"/>	POSTCODE	<input type="text"/>
COUNTRY	<input type="text"/>		

REMARK	<input type="text"/>
--------	----------------------

BANK STAMP + SIGNATURE OF BANK REPRESENTATIVE ⑤	DATE (Obligatory)
	SIGNATURE OF ACCOUNT HOLDER (Obligatory)

- ① Enter the final bank data and not the data of the intermediary bank.
- ② This does not refer to the type of account. The account name is usually the one of the account holder. However, the account holder may have chosen to give a different name to its bank account.
- ③ Fill in the IBAN Code (International Bank Account Number) if it exists in the country where your bank is established
- ④ Only applicable for US (ABA code), for AU/NZ (BSB code) and for CA (Transit code). Does not apply for other countries.
- ⑤ It is preferable to attach a copy of RECENT bank statement. Please note that the bank statement has to confirm all the information listed above under 'ACCOUNT NAME', 'ACCOUNT NUMBER/IBAN' and 'BANK NAME'. With an attached statement, the stamp of the bank and the signature of the bank's representative are not required. The signature of the account-holder and the date are ALWAYS mandatory.



THIS "LEGAL ENTITY" SHEET MUST BE COMPLETED AND SIGNED, AND SUBMITTED TOGETHER WITH A LEGIBLE PHOTOCOPY OF THE IDENTITY DOCUMENT

## LEGAL ENTITY

PRIVACY STATEMENT

[http://ec.europa.eu/budget/contracts\\_grants/info\\_contracts/legal\\_entities/legal\\_entities\\_en.cfm#en](http://ec.europa.eu/budget/contracts_grants/info_contracts/legal_entities/legal_entities_en.cfm#en)

Please use CAPITAL LETTERS and LATIN CHARACTERS when filling in the form.

### NATURAL PERSON

#### I. PERSONAL DATA

FAMILY NAME(S) ①	<input type="text"/>		
FIRST NAME(S) ①	<input type="text"/>		
DATE OF BIRTH	<input type="text"/> DD	<input type="text"/> MM	<input type="text"/> YYYY
PLACE OF BIRTH (CITY, VILLAGE)	<input type="text"/>	COUNTRY OF BIRTH	<input type="text"/>
TYPE OF IDENTITY DOCUMENT			
IDENTITY CARD <input type="checkbox"/> PASSPORT <input type="checkbox"/> DRIVING LICENCE ② <input type="checkbox"/> OTHER ③ <input type="checkbox"/>			
ISSUING COUNTRY	<input type="text"/>		
IDENTITY DOCUMENT NUMBER	<input type="text"/>		
PERSONAL IDENTIFICATION NUMBER ④	<input type="text"/>		
PERMANENT PRIVATE ADDRESS	<input type="text"/>		
POSTCODE	<input type="text"/>	P.O. BOX	<input type="text"/>
		CITY	<input type="text"/>
REGION ⑤	<input type="text"/>	COUNTRY	<input type="text"/>
PRIVATE PHONE	<input type="text"/>		
PRIVATE E-MAIL	<input type="text"/>		

#### II. BUSINESS DATA

If YES, please provide business data and attach copies of official supporting documents

Do you run your own business without a separate legal personality (e.g. sole traders, self-employed etc.) and you provide as such services to the Commission, other Institutions, Agencies and EU-Bodies? YES <input type="checkbox"/> NO <input type="checkbox"/>	BUSINESS NAME (if applicable)	<input type="text"/>
	VAT NUMBER	<input type="text"/>
	REGISTRATION NUMBER	<input type="text"/>
	PLACE OF REGISTRATION: CITY	<input type="text"/>
	COUNTRY	<input type="text"/>

DATE	<input type="text"/>
------	----------------------

SIGNATURE	<input type="text"/>
-----------	----------------------

① As indicated on the official document.

② Accepted only for Great Britain, Ireland, Denmark, Sweden, Finland, Norway, Iceland, Canada, United States and Australia.

③ Failing other identity documents: residence permit or diplomatic passport.

④ See table with corresponding denominations by country.

⑤ To be completed with Region, State or Province by non EU countries only, excluding EFTA and candidate countries.



## LEGAL ENTITY

PRIVACY STATEMENT

[http://ec.europa.eu/budget/library/contracts\\_grants/info\\_contracts/privacy\\_statement\\_en.pdf](http://ec.europa.eu/budget/library/contracts_grants/info_contracts/privacy_statement_en.pdf)

Please use CAPITAL LETTERS and LATIN CHARACTERS when filling in the form.

### PUBLIC LAW BODY ①

OFFICIAL NAME ②	<input type="text"/>		
	<input type="text"/>		
	<input type="text"/>		
ABBREVIATION	<input type="text"/>		
MAIN REGISTRATION NUMBER ③	<input type="text"/>		
SECONDARY REGISTRATION NUMBER (if applicable)	<input type="text"/>		
PLACE OF MAIN REGISTRATION	CITY <input type="text"/>	COUNTRY	<input type="text"/>
DATE OF MAIN REGISTRATION	<input type="text"/> DD	<input type="text"/> MM	<input type="text"/> YYYY
VAT NUMBER	<input type="text"/>		
OFFICIAL ADDRESS	<input type="text"/>		
	<input type="text"/>		
POSTCODE	<input type="text"/>	P.O. BOX	<input type="text"/>
		CITY	<input type="text"/>
COUNTRY	<input type="text"/>	PHONE	<input type="text"/>
E-MAIL	<input type="text"/>		

DATE
------

STAMP
-------

SIGNATURE OF AUTHORISED REPRESENTATIVE
--

PLEASE COMPLETE AND SIGN THIS FORM AND ATTACH COPIES OF OFFICIAL SUPPORTING DOCUMENTS (RESOLUTION, LAW, REGISTER(S) OF COMPANIES, OFFICIAL GAZETTE, VAT REGISTRATION, ETC.)

- ① Public law body WITH LEGAL PERSONALITY, meaning a public entity being able to represent itself and act in its own name, i.e. being capable of suing or being sued, acquiring and disposing of property, entering into contracts. This legal status is confirmed by the official legal act establishing the entity (a law, a decree, etc.).
- ② National denomination and its translation in EN or FR if existing.
- ③ Registration number in the national register of the entity.



PLEASE COMPLETE AND SIGN THIS FORM AND ATTACH COPIES OF OFFICIAL SUPPORTING DOCUMENTS (REGISTER(S) OF COMPANIES, OFFICIAL GAZETTE, VAT REGISTRATION, ETC.)

## LEGAL ENTITY

PRIVACY STATEMENT

[http://ec.europa.eu/budget/contracts\\_grants/info\\_contracts/legal\\_entities/legal\\_entities\\_en.cfm#en](http://ec.europa.eu/budget/contracts_grants/info_contracts/legal_entities/legal_entities_en.cfm#en)

Please use CAPITAL LETTERS and LATIN CHARACTERS when filling in the form.

### PRIVATE/PUBLIC LAW BODY WITH LEGAL FORM

OFFICIAL NAME ①	<input type="text"/> <input type="text"/> <input type="text"/>		
BUSINESS NAME (if different)	<input type="text"/> <input type="text"/>		
ABBREVIATION	<input type="text"/>		
LEGAL FORM	<input type="text"/>		
ORGANISATION TYPE	FOR PROFIT <input type="checkbox"/>		
	NON FOR PROFIT <input type="checkbox"/>	NGO ②	YES <input type="checkbox"/> NO <input type="checkbox"/>
MAIN REGISTRATION NUMBER ③	<input type="text"/>		
SECONDARY REGISTRATION NUMBER (if applicable)	<input type="text"/>		
PLACE OF MAIN REGISTRATION	CITY	<input type="text"/>	
	COUNTRY	<input type="text"/>	
DATE OF MAIN REGISTRATION	<input type="text"/>	<input type="text"/>	<input type="text"/>
	DD	MM	YYYY
VAT NUMBER	<input type="text"/>		
ADDRESS OF HEAD OFFICE	<input type="text"/> <input type="text"/>		
POSTCODE	<input type="text"/>	P.O. BOX	<input type="text"/>
		CITY	<input type="text"/>
COUNTRY	<input type="text"/>	PHONE	<input type="text"/>
E-MAIL	<input type="text"/>		

DATE
------

STAMP
-------

SIGNATURE OF AUTHORISED REPRESENTATIVE
--

① National denomination and its translation in EN or FR if existing.

② NGO = Non Governmental Organisation, to be completed if NFPO is indicated.

③ Registration number in the national register of companies. See table with corresponding field denomination by country.

**Annex VIa - Purchase Order**

PO No. \_\_\_\_\_

Date: \_\_\_\_\_

To:

From:

BRN No. ....

EULEX Kosovo  
St. Muharrem Fejza,  
Farmed Building  
P.O. Box 268, 10000  
Pristina, Kosovo

Subject: Purchase Order No. \_\_\_\_

Reference: PROC/599/15/ Framework Contract for the Supply of Construction Material  
EuropeAid/137648/ID/SUP/XK

Dear Sir/Madam,

In accordance with article 1.2 of the Framework Contract, the Contracting Authority is requesting the supply and delivery of the following items from your company:

**Lot XXX**

<b>Item Description</b>	<b>Qty</b>	<b>Unit Price</b>	<b>Amount €</b>
1. ....	.....	.....	.....
2. ....	.....	.....	.....
3. ....	.....	.....	.....
4. ....	.....	.....	.....
5. ....	.....	.....	.....
6. ....	.....	.....	.....
7. ....	.....	.....	.....
8. ....	.....	.....	.....
9. ....	.....	.....	.....
10. ....	.....	.....	.....

---

Total: .....€

## PROVISIONAL / FINAL ACCEPTANCE CERTIFICATE

**(delete not applicable)**

Contract No PROC/599/15/Construction Materials No.4 EuropeAid/137648/ID/SUP/XK

Title... Framework Contract for the Supply of Construction Material

Contractor: .....

Beneficiary: .....

.....

.....

.....

.....

Item	qty	Description	Delivery	[Installation]	[Spare Parts]	[Consumables]	[(Manuals)]	[Training]	Remarks
1	[...]	[.....]							
2	[...]	[.....]							
3	[...]	[.....]							

Provisional: All of the above mentioned items have been delivered, installed, tested and found compliant with the Technical Specifications of the supply contract.

Final: The Supplier has remedied any defect or damage occurred during the warranty period, as specified in the contract.

**(delete not applicable)**

Date of acceptance:.....

The Contractor

Name

Signature.....

The Project Manager (Contracting Authority)

Name

Signature.....

## PART C: ADMINISTRATIVE COMPLIANCE GRID

<b>Contract title :</b>	Framework Contract for the Supply of Construction Material	<b>Publication reference :</b>	PROC/599/15/Construction Materials No.4 EuropeAid/137648/ID/SUP/XK
-------------------------	--	--------------------------------	---

Tender envelope number	Name of Tenderer	Is tenderer (consortium) nationality <sup>20</sup> eligible?  (Y/N)	Is documentation complete?  (Y/N)	Is language as required?  (Y/N)	Is tender submission form complete?  (Y/N)	Is tenderer's declaration signed (by all consortium members if a consortium)? (Yes/No/ Not Applicable)	Other administrative requirements of the tender dossier?  (Yes/No/Not applicable)	Overall decision?  (Accept / Reject)
1								
2								
3								
4								
5								
6								
7								

<b>Chairperson's name</b>	
<b>Chairperson's signature</b>	
<b>Date</b>	

<sup>20</sup> If the tender has been submitted by a consortium, the nationalities of **all** the consortium members must be eligible

## PART C: EVALUATION GRID

<b>Contract title :</b>	Framework Contract for the Supply of Construction Material	<b>Publication reference :</b>	PROC/599/15/Construction Materials No.4 EuropeAid/137648/ID/SUP/XK
-------------------------	--	--------------------------------	---

Tender envelope No	Name of Tenderer	Rules of origin respected? (Y/N)	Economic & financial capacity? (OK/a/b/...)	Professional capacity? (OK/a/b/...)	Technical capacity? (OK/a/b/...)	Compliance with <sup>21</sup> technical specifications? (OK/a/b/...)	Ancillary services as required? (OK/a/b/.../NA)	Subcontracting statement in accordance with art 6 of the General Conditions? (Y/N)	Other technical requirements in tender dossier? (Yes/No/Not applicable)	Technically compliant? Y/N)	Justification/ notes:
1											
2											
3											
4											

<b>Evaluator's name &amp; signature</b>	
<b>Evaluator's name &amp; signature</b>	
<b>Evaluator's name &amp; signature</b>	
<b>Date</b>	

<sup>21</sup> The selection criteria, in the previous section of this form, have to be met before the technical requirements are assessed.

## ***PART D: TENDER FORM FOR A SUPPLY CONTRACT***

**Publication reference: PROC/599/15/Construction Materials No.4 (EuropeAid/137648/ID/SUP/XK)**  
**Title of contract : Framework Contract for the Supply of Construction Material**

**<Place and date>**

**A: European Union Rule of Law Mission in Kosovo (EULEX Kosovo),** Ndertesa Farmed, St. Muharrem Fejza p.n., Lagja e Spitalit P.O. Box 268, 10000 Pristina-Kosovo.

---

**One signed** form must be supplied (for each lot, if the tender procedure is divided into lots), together with the number of copies specified in the Instruction to Tenderers. The form must include a signed declaration using the annexed format from each legal entity making the application. Any additional documentation (brochure, letter, etc.) sent with the form will not be taken into consideration. Applications being submitted by a consortium (i.e. either a permanent, legally-established grouping or a grouping which has been constituted informally for a specific tender procedure) must follow the instructions applicable to the consortium leader and its members. The attachments to this submission form (i.e. declarations, statements, proofs) may be in original or copy. If copies are submitted, the originals must be dispatched to the Contracting Authority upon request. For economical and ecological reasons, we strongly recommend that you submit your files on paper-based materials (no plastic folder or divider). We also suggest you use double-sided print-outs as much as possible.

An economic operator may, where appropriate and for a particular contract, rely on the capacities of other entities, regardless of the legal nature of the links which it has with them. It must in that case prove to the contracting authority that it will have at its disposal the resources necessary for performance of the contract, for example by producing an undertaking on the part of those entities to place those resources at its disposal. Such entities, for instance the parent company of the economic operator, must respect the same rules of eligibility and notably that of nationality, as the economic operator.

### **1 SUBMITTED BY**

	<b>Name(s) of tenderer(s)</b>	<b>Nationality<sup>22</sup></b>
<b>Leader<sup>23</sup></b>		
<b>Member</b>		
<b>Etc ...</b>		

---

<sup>22</sup>Country in which the legal entity is registered.

<sup>23</sup>add/delete additional lines for members as appropriate. Note that a subcontractor is not considered to be a member for the purposes of this tender procedure. Subsequently, the data of the subcontractor must not appear in the data related to the economic, financial and professional capacity. If this tender is being submitted by an individual tenderer, the name of the tenderer should be entered as '**leader**' (and all other lines should be deleted).

## 2 CONTACT PERSON (for this tender)

<b>Name</b>	
<b>Address</b>	
<b>Telephone</b>	
<b>Fax</b>	
<b>E-mail</b>	

## 3 ECONOMIC AND FINANCIAL CAPACITY<sup>24</sup>

Please complete the following table of financial data<sup>25</sup> based on your annual accounts and your latest projections. If annual accounts are not yet available for this year or last year, please provide your latest estimates, clearly identifying estimated figures in italics. Figures in all columns must be on the same basis to allow a direct, year-on-year comparison to be made (or, if the basis has changed, an explanation of the change must be provided as a footnote to the table). Any clarification or explanation which is judged necessary may also be provided.

<b>Financial data</b>	<b>2 years before last year<sup>26</sup> €</b>	<b>Year before last year €</b>	<b>Last year €</b>	<b>Average<sup>27</sup> €</b>	<b>This year €</b>
Annual turnover <sup>28</sup> , excluding this contract					
Current Assets <sup>29</sup>					
Current Liabilities <sup>30</sup>					

<sup>24</sup>Natural persons have to prove their capacity in accordance with the selection criteria and by the appropriate means.

<sup>25</sup>If this application is being submitted by a consortium, the data in the table above must be the sum of the data in the corresponding tables in the declarations provided by the consortium members — see point 7 of this tender form for a supply contract..

<sup>26</sup>Last year=last accounting year for entity.

<sup>27</sup>Amounts entered in the 'Average' column must be the mathematical average of the amounts entered in the three preceding columns of the same row.

<sup>28</sup>The gross inflow of economic benefits (cash, receivables, other assets) arising from the ordinary operating activities of the enterprise (such as sales of goods, sales of services, interest, royalties, and dividends) during the year.

<sup>29</sup>A balance sheet account that represents the value of all assets that are reasonably expected to be converted into cash within one year in the normal course of business. Current assets include cash, accounts receivable, inventory, marketable securities, prepaid expenses and other liquid assets that can be readily converted to cash.

<sup>30</sup>A company's debts or obligations that are due within one year. Current liabilities appear on the company's balance sheet and include short term debt, accounts payable, accrued liabilities and other debts.

#### 4 STAFF RESOURCES

Please provide the following personnel statistics for the current year and the two previous years.<sup>31</sup>

Average manpower	Year before last		Last year		This year	
	Overall	Total for fields related to this contract <sup>32</sup>	Overall	Total for fields related to this contract <sup>11</sup>	Overall	Total for fields related to this contract <sup>11</sup>
Permanent staff <sup>33</sup>						
Other staff <sup>34</sup>						
Total						
Permanent staff as a proportion of total staff (%)	%	%	%	%	%	%

---

<sup>31</sup> If this tender is being submitted by a consortium, the data in the table above must be the sum of the data in the corresponding tables in the declarations provided by the consortium members — see point 7 of this tender form for a supply contract.

<sup>32</sup> Corresponding to the relevant specialisms identified in point 5 below.

<sup>33</sup> Staff directly employed by the Tenderer on a permanent basis (i.e. under indefinite contracts).

<sup>34</sup> Other staff not directly employed by the Tenderer on a permanent basis (i.e. under fixed-term contracts).

## 5 FIELDS OF SPECIALISATION

Please use the table below to indicate the **specialisms relevant to this contract** of each legal entity making this tender, by using the names of these specialisms as the row headings and the name of the legal entity as the column headings. Show the relevant specialism(s) of each legal entity by placing a tick (✓) in the box corresponding to those specialisms in which the legal entity has significant experience. [**Maximum 10 specialisms**]

	Leader	Member 2	Member 3	Etc ...
Relevant specialism 1				
Relevant specialism 2				
Etc ... <sup>1</sup>				

---

<sup>1</sup> add / delete additional lines and/or rows as appropriate. If this tender is being submitted by an individual legal entity, the name of the legal entity should be entered as 'Leader' (and all other columns should be deleted).

## 6 EXPERIENCE

Please complete a table using the format below to summarise the **major relevant supplies** carried out in the course of the past **3 years**<sup>1</sup> by the legal entity or entities making this tender. The number of references to be provided must not exceed **15** for the entire tender

Ref # (maximum 15)	Project title		...					
Name of legal entity	Country	Overall supply value (EUR) <sup>2</sup>	Proportion supplied by legal entity (%)	No of staff provided	Name of client	Origin of funding	Dates	Name of members if any
...	...	...	...	...	...	...	...	...
Detailed description of supply						Related services provided		
...						...		

<sup>1</sup> In the case of framework contracts (without contractual value), only specific contracts corresponding to assignments implemented under such framework contracts will be considered.

<sup>2</sup> Amounts actually paid, without the effect of inflation.

**7 TENDERER'S DECLARATION(S)**

**As part of their tender, each legal entity identified under point 1 of this form, including every consortium member, must submit a signed declaration using this format. The declaration may be in original or in copy. If copies are submitted the originals must be dispatched to the Contracting Authority upon request.**

In response to your letter of invitation to tender for the above contract,  
we, the undersigned, hereby declare that:

**1** We have examined and accept in full the content of the dossier for invitation to tender No PROC/599/15/Construction Materials No.4 (EuropeAid/137648/ID/SUP/XK) of **03 November 2015**. We hereby accept its provisions in their entirety, without reservation or restriction.

**2** We offer to deliver, in accordance with the terms of the tender dossier and the conditions and time limits laid down, without reserve or restriction:

Lot 1: *[description of supplies with indication of quantities and origin]*

Lot 2: *[description of supplies with indication of quantities and origin]*

Etc.

**3** The price of our tender **excluding** spare parts and consumables, if applicable *[excluding the discounts described under point 4]* is:

Lot 1: [.....]

Lot 2: [.....]

**4** We will grant a discount of [%], or [.....] *[in the event of our being awarded Lot ... and Lot ... ..]*.

**5** This tender is valid for a period of 90 days from the final date for submission of tenders.

**6** If our tender is accepted, we undertake to provide a performance guarantee as required by Article 11 of the Special Conditions.

**7** Our firm/company *[and our subcontractors]* has/have the following nationality:

<.....>

**8** We are making this tender in our own right *[as member in the consortium led by < name of the leader / ourselves > ]\**. We confirm that we are not tendering for the same contract in any other form. *[We confirm, as a member in the consortium, that all members are jointly and severally liable by law for the execution of the contract, that the lead member is authorised to bind, and receive instructions for and on behalf of, each member, that the execution of the contract, including payments, is the responsibility of the lead member, and that all members in the joint venture/consortium are bound to remain in the joint venture/consortium for the entire period of the contract's execution].*

**9** We are not in any of the situations excluding us from participating in contracts which are listed in section 2.3.3 of the Practical Guide to contract procedures for EU external actions. In the event that our tender is successful, we undertake, if required, to provide the proof usual under the law of the country in which we are established that we do not fall into these

exclusion situations. The date on the evidence or documents provided will be no earlier than 1 year before the date of submission of the tender and, in addition, we will provide a statement that our situation has not altered in the period which has elapsed since the evidence in question was drawn up.

We also undertake, if required, to provide evidence of financial and economic standing and technical and professional capacity according to the selection criteria for this call for tender specified in the contract notice, point 16. The documentary proofs required are listed in Section 2.4.11 of the Practical Guide.

We also understand that if we fail to provide the proof/evidence required, within 15 calendar days after receiving the notification of award, or if the information provided is proved false, the award may be considered null and void.

- 10** We agree to abide by the ethics clauses in Clause 23 of the instructions to tenderers and, in particular, have no conflict of interests or any equivalent relation in that respect with other tenderers or other parties in the tender procedure at the time of the submission of this application.
- 11** We will inform the Contracting Authority immediately if there is any change in the above circumstances at any stage during the implementation of the tasks. We also fully recognise and accept that any inaccurate or incomplete information deliberately provided in this application may result in our exclusion from this and other contracts funded by the EU/EDF.
- 12** We note that the Contracting Authority is not bound to proceed with this invitation to tender and that it reserves the right to award only part of the contract. It will incur no liability towards us should it do so.
- 13** We fully recognise and accept that we may be excluded from tender procedures and contracts, in accordance with Section 2.3.4 of the Practical Guide to contract procedures for EU external actions, for a maximum period of 5 years from the date on which the infringement is established and up to 10 years in the event of a repeat offence within the 5 years of the above-mentioned date. Furthermore, we acknowledge that, should we make false declarations or commit substantial errors, irregularities or fraud, we will also be subject to financial penalties representing 2% to 10% of the total estimated value of the contract being awarded. This rate may be increased to 4% to 20% in the event of a repeat offence within 5 years of the first infringement.
- 14** We are aware that, for the purposes of safeguarding the financial interests of the Communities, our personal data may be transferred to internal audit services, to the European Court of Auditors, to the Financial Irregularities Panel or to the European Anti-Fraud Office.

[\* Delete as applicable]

**If this declaration is being completed by a consortium member:**

The following table contains our financial data as included in the consortium's tender form. These data are based on our annual audited accounts and our latest projections. Estimated figures (i.e. those not included in annual audited accounts) are given in italics. Figures in all columns have been provided on the same basis to allow a direct, year-on-year comparison to be made <except as explained in the footnote to the table>.

<b>Financial data</b>	<b>2 years before last<sup>5</sup></b> <b>€</b>	<b>Year before last year</b> <b>€</b>	<b>Last year</b> <b>€</b>	<b>Average<sup>6</sup></b> <b>€</b>	<b>This year</b> <b>€</b>
Annual turnover <sup>7</sup> , excluding this contract					
Current Assets <sup>8</sup>					
Current Liabilities <sup>9</sup>					

The following table contains our personnel statistics as included in the consortium's tender form:

Average manpower	Previous year		Last year		This year	
	Overall	Total for fields related to this contract <sup>11</sup>	Overall	Total for fields related to this contract <sup>11</sup>	Overall	Total for fields related to this contract <sup>11</sup>
Permanent staff <sup>12</sup>						
Other staff <sup>13</sup>						

Yours faithfully

Name and first name: <[.....]>

Duly authorised to sign this tender on behalf of:

<.....>

Place and date: <.....>]

Stamp of the firm/company:

This tender includes the following annexes:

[*Numbered list of annexes with titles*]